

INVITATION FOR QUOTATION

TEQIP-III/2018/mnitj/Shopping/30

02-Feb-2018

To,

.....
.....
.....

Sub: Invitation for Quotations for supply of Goods

Dear Sir,

1. You are invited to submit your most competitive quotation for the following goods with item wise detailed specifications given at Annexure I,

Sr. No	Brief Description	Quantity	Delivery Period(In days)	Place of Delivery	Installation Requirement (if any)
1	TIG welding Machine: (MLS3000)	1	60 days	Central Store MNIT Jaipur	Yes

2. Government of India has received a credit from the International Development Association (IDA) towards the cost of the **Technical Education Quality Improvement Programme[TEQIP]-Phase III** Project and intends to apply part of the proceeds of this credit to eligible payments under the contract for which this invitation for quotations is issued.
3. Quotation,
 - 3.1 The contract shall be for the full quantity as described above.
 - 3.2 Corrections, if any, shall be made by crossing out, initialing, dating and re writing.
 - 3.3 All duties and other levies payable by the supplier under the contract shall be included in the unit price.
 - 3.4 Applicable taxes shall be quoted separately for all items.
 - 3.5 The prices quoted by the bidder shall be fixed for the duration of the contract and shall not be subject to adjustment on any account.
 - 3.6 The Prices should be quoted in Indian Rupees only.
4. Each bidder shall submit only one quotation.
5. Quotation shall remain valid for a period not less than **55** days after the last date of quotation submission.
6. Evaluation of Quotations,

The Purchaser will evaluate and compare the quotations determined to be substantially responsive i.e. which

 - 6.1 are properly signed ; and
 - 6.2 confirm to the terms and conditions, and specifications.
7. The Quotations would be evaluated for all items together.
8. Award of contract:

The Purchaser will award the contract to the bidder whose quotation has been determined to be substantially responsive and who has offered the lowest evaluated quotation price.

- 8.1 Notwithstanding the above, the Purchaser reserves the right to accept or reject any quotations and to cancel the bidding process and reject all quotations at any time prior to the award of contract.
- 8.2 The bidder whose bid is accepted will be notified of the award of contract by the Purchaser prior to expiration of the quotation validity period. The terms of the accepted offer shall be incorporated in the purchase order.
9. Payment shall be made in Indian Rupees as follows:
- Delivery and Installation - 90% of total cost**
- Satisfactory Acceptance - 10% of total cost**
10. All supplied items are under warranty of **12** months from the date of successful acceptance of items.
11. You are requested to provide your offer latest by **02:00** hours on **20-Feb-2018** .
12. Detailed specifications of the items are at Annexure I.
13. Training Clause (if any) **Yes**
14. Testing/Installation Clause (if any) **Yes**
15. Information brochures/ Product catalogue, if any must be accompanied with the quotation clearly indicating the model quoted for.
16. Sealed quotation to be submitted/ delivered at the address mentioned below,
Coordinator TEQIP-III Prabha Bhawan, Malaviya National Institute of Technology, J. L. N. Marg,
Jaipur 302017 (Rajasthan)
17. We look forward to receiving your quotation and thank you for your interest in this project.
18. The penalty clause is as under:

- (a) Should the tender fail to deliver the goods within the period specified in the tender form, the recovery of the liquidated damage, and not by way of penalty, a sum equal to the percentage of the value of stores which the tenderer has failed to supply for period of delay will be made as stated below:

I. Delay up to one month	1%	
II. Delay exceeding one month up to two month	2%	
III. Delay exceeding two month up to three month	5%	
IV. Delay exceeding three month.	5 % for each month and there	
	Of subject to Maximum10%	

In case the supplier is unable to supply the material within the specified period due to unavoidable circumstances/ justified reasons, he should apply to the Director of the Institute well in time before expiry of the specified date for extension of the time with the request to waive the liquidated damage charges which is at the discretion of the Director, MNIT, Jaipur.

- (b) In case of failure to supply the goods within the prescribed time and in accordance with the specifications given in the quotations, the Institute shall be free to cancel the order and make purchase from the next higher tenderer /from the open market as the case may be.

In that case the loss sustained by the Institute shall be recovered from the defaulting supplier. The Institute will be at liberty to recover the loss from the permanent earnest money and /or any other pending. Claims of the supplier without prejudice to its general rights to effect recovery from the supplier.

(Authorized Signatory)
Name & Designation

Annexure I

Sr. No	Item Name	Specifications																																																
1	TIG welding Machine: (MLS3000)	<p>TECHNICAL SPECIFICATIONS (TIG welding Machine: (MLS3000))</p> <p>MasterTig 3000 MLS VRD - 6114300VRD MasterTig 4000 MLS - 6114400 MasterTig 4000 MLS VRD - 6114400VRD Connection voltage 3~ 50/60 Hz 380-440V ±10% Fuse (delayed) 10 A Output (TIG) 30% ED 300 A/22.0 V Output (TIG) 60% ED 230 A/19.0 V Output (TIG) 100% ED 200 A/18 V Output (MMA) 40% ED 250 A/30V Output (MMA) 60% ED 205 A/28.2 V Output (MMA) 100% ED 160 A/26.4 V Open circuit voltage 80 VDC Stick electrode sizes 1.5...5.0 mm Welding range (MMA) 10 A/20.5 V...250 A/30.0 V Welding range (TIG) 5 A/10.0 V...300 A/22.0 V Operating temperature range -20...+40 °C External dimensions LxWxH 500 × 180 × 390 mm Weight (no accessories) 22 kg Degree of protection IP23S</p> <table border="1" data-bbox="443 1056 1427 1724"> <thead> <tr> <th data-bbox="443 1056 846 1119">Technical Data</th> <th data-bbox="846 1056 1143 1119">Easy-Weld SSR 400-T</th> <th data-bbox="1143 1056 1427 1119">Easy-Weld SSR 400-T (Pulse)</th> </tr> </thead> <tbody> <tr> <td colspan="3" data-bbox="443 1119 1427 1150">Input</td> </tr> <tr> <td data-bbox="443 1150 846 1213">Supply Voltage (Phases x Volts ± 10%, frequency)</td> <td data-bbox="846 1150 1143 1213">3x415V, 50Hz</td> <td data-bbox="1143 1150 1427 1213">3x415V, 50Hz</td> </tr> <tr> <td colspan="3" data-bbox="443 1213 1427 1245">Output</td> </tr> <tr> <td data-bbox="443 1245 846 1276">Open Circuit Voltage Volts DC</td> <td data-bbox="846 1245 1143 1276">100V</td> <td data-bbox="1143 1245 1427 1276">100V</td> </tr> <tr> <td data-bbox="443 1276 846 1339">Welding Current Range TIG (MMA) Stepless Amps DC</td> <td data-bbox="846 1276 1143 1339">5-400A (10-400)</td> <td data-bbox="1143 1276 1427 1339">5-400A (10-400)</td> </tr> <tr> <td data-bbox="443 1339 846 1371">Welding voltage TIG / MMA</td> <td data-bbox="846 1339 1143 1371">10-26V/20-36V</td> <td data-bbox="1143 1339 1427 1371">10-26V/20-36V</td> </tr> <tr> <td data-bbox="443 1371 846 1402">Current selection range</td> <td data-bbox="846 1371 1143 1402">Single</td> <td data-bbox="1143 1371 1427 1402">Single</td> </tr> <tr> <td data-bbox="443 1402 846 1465">Maximum current at 60%duty cycle TIG/MMA Amps DC</td> <td data-bbox="846 1402 1143 1465">400</td> <td data-bbox="1143 1402 1427 1465">400</td> </tr> <tr> <td data-bbox="443 1465 846 1528">Maximum current at 100% duty cycle TIG/MMA Amps DC</td> <td data-bbox="846 1465 1143 1528">310</td> <td data-bbox="1143 1465 1427 1528">310</td> </tr> <tr> <td data-bbox="443 1528 846 1560">Insulation Class</td> <td data-bbox="846 1528 1143 1560">'H'</td> <td data-bbox="1143 1528 1427 1560">'H'</td> </tr> <tr> <td data-bbox="443 1560 846 1591">Protection class</td> <td data-bbox="846 1560 1143 1591">IP22</td> <td data-bbox="1143 1560 1427 1591">IP22</td> </tr> <tr> <td data-bbox="443 1591 846 1623">(Approx) Net Weight</td> <td data-bbox="846 1591 1143 1623">125 kg.</td> <td data-bbox="1143 1591 1427 1623">125 kg.</td> </tr> <tr> <td data-bbox="443 1623 846 1654">(Approx) Dimension LxHxW mm</td> <td data-bbox="846 1623 1143 1654">675 x 350 x 690</td> <td data-bbox="1143 1623 1427 1654">675 x 350 x 690</td> </tr> <tr> <td data-bbox="443 1654 846 1686">Remote</td> <td data-bbox="846 1654 1143 1686">RCU -SSR-400-T</td> <td data-bbox="1143 1654 1427 1686">RCU-SSR-400-T-pulse*</td> </tr> <tr> <td data-bbox="443 1686 846 1717">Pre-flow</td> <td data-bbox="846 1686 1143 1717">Fixed</td> <td data-bbox="1143 1686 1427 1717">0.3 Sec</td> </tr> </tbody> </table> <p data-bbox="443 1759 1341 1822">Note: Including any type of Installation, fitting and demonstration (complete machine)</p>	Technical Data	Easy-Weld SSR 400-T	Easy-Weld SSR 400-T (Pulse)	Input			Supply Voltage (Phases x Volts ± 10%, frequency)	3x415V, 50Hz	3x415V, 50Hz	Output			Open Circuit Voltage Volts DC	100V	100V	Welding Current Range TIG (MMA) Stepless Amps DC	5-400A (10-400)	5-400A (10-400)	Welding voltage TIG / MMA	10-26V/20-36V	10-26V/20-36V	Current selection range	Single	Single	Maximum current at 60%duty cycle TIG/MMA Amps DC	400	400	Maximum current at 100% duty cycle TIG/MMA Amps DC	310	310	Insulation Class	'H'	'H'	Protection class	IP22	IP22	(Approx) Net Weight	125 kg.	125 kg.	(Approx) Dimension LxHxW mm	675 x 350 x 690	675 x 350 x 690	Remote	RCU -SSR-400-T	RCU-SSR-400-T-pulse*	Pre-flow	Fixed	0.3 Sec
Technical Data	Easy-Weld SSR 400-T	Easy-Weld SSR 400-T (Pulse)																																																
Input																																																		
Supply Voltage (Phases x Volts ± 10%, frequency)	3x415V, 50Hz	3x415V, 50Hz																																																
Output																																																		
Open Circuit Voltage Volts DC	100V	100V																																																
Welding Current Range TIG (MMA) Stepless Amps DC	5-400A (10-400)	5-400A (10-400)																																																
Welding voltage TIG / MMA	10-26V/20-36V	10-26V/20-36V																																																
Current selection range	Single	Single																																																
Maximum current at 60%duty cycle TIG/MMA Amps DC	400	400																																																
Maximum current at 100% duty cycle TIG/MMA Amps DC	310	310																																																
Insulation Class	'H'	'H'																																																
Protection class	IP22	IP22																																																
(Approx) Net Weight	125 kg.	125 kg.																																																
(Approx) Dimension LxHxW mm	675 x 350 x 690	675 x 350 x 690																																																
Remote	RCU -SSR-400-T	RCU-SSR-400-T-pulse*																																																
Pre-flow	Fixed	0.3 Sec																																																

FORMAT FOR QUOTATION SUBMISSION
(In letterhead of the supplier with seal)

Date: _____

To: _____

Sl. No.	Description of goods (with full Specifications)	Qty.	Unit	Quoted Unit rate in Rs. (Including Ex Factory price, excise duty, packing and forwarding, transportation, insurance, other local costs incidental to delivery and warranty/ guaranty commitments)	Total Price (A)	Sales tax and other taxes payable	
						In %	In figures (B)
Total Cost							

Gross Total Cost (A+B): Rs. _____

We agree to supply the above goods in accordance with the technical specifications for a total contract price of Rs. _____ (Amount in figures) (Rupees _____ amount in words) within the period specified in the Invitation for Quotations.

We confirm that the normal commercial warranty/ guarantee of _____ months shall apply to the offered items and we also confirm to agree with terms and conditions as mentioned in the Invitation Letter.

We hereby certify that we have taken steps to ensure that no person acting for us or on our behalf will engage in bribery.

Signature of Supplier

Name: _____

Address: _____

Contact No: _____

MALAVIYA NATIONAL INSTITUTE OF TECHNOLOGY JAIPUR

TEQIP Phase-III

Date: 02.02.2018

The bidders submitting quotations for the supply of items under TEQIP Phase-II must ensure the furnishing of following terms/conditions as specified in the bid invitation:

1. Delivery terms
2. Payment terms
3. Training (wherever specified)
4. Testing /Installation/ commissioning of equipment
5. Quantity as specified
6. Place of delivery
7. Point wise technical specification as specified in the invitation letter
8. Brochure of the quoted model
9. List of the users of the quoted model with complete contact details
10. Successful bidders kindly Provide Performance security @ 10% of the equipment cost, valid for
1Year + 2 months
11. Penalty terms

Any other important point requested in the bid invitation letter