



Name of Work: Providing a platform for Swami Vivekanand statue at MNIT Jaipur.

NIT No. MNIT/NIT/E/18-19/03

TENDER DOCUMENT

Registrar, Malaviya National Institute of Technology, Jaipur (Raj)

Malaviya National Institute of Technology Jaipur

PRESS NOTE

NIT No. MNIT/NIT/E/18-19/03

The Registrar, Malaviya National Institute of Technology, Jaipur, invites sealed percentage rate tenders from the reputed contractors registered in CPWD, PWD, MES, PSUs and other Govt. / semi govt organizations under valid category for the following work:

1.	Name of work	Providing a platform for Swami Vivekanand statue at MNIT Jaipur.
2.	Estimated cost	Rs.1,53,866.00
3.	Earnest Money 2%	Rs.3,077.00
4.	Cost of tender Documents	Rs.500.00 to be deposited in the form of separate DD with EMD. Document is available on institute web site www.mnit.ac.in
5.	Period for completion	30 days
6.	Last Date & time for submission of tender	18.05.2018 at 2:00 PM
7.	Opening of tender	18.05.2018 at 3:30 PM

The contractors registered in CPWD, PWD, MES, PSUs, other Government and semi Government organization under appropriate category to participate in the tender of above description may apply. The registration / enlistment of the contractors shall be valid on the last date of submission of tender. In case the last date of submission is extended, the enlistment/registration of contractor shall also be valid upto extended date of submission.

The tenderer shall submit self attested copies of their registration/enlistment certificate along with tender document. The original copies of registration/enlistment certificate might be called upon by the Registrar, MNIT at any time after the opening of tender. The Registrar reserves the right to verify the documents for his full satisfaction including sending of the same to respective issuing department for verification of authenticity. Any information furnished by tenderer found incorrect will attract stringent legal action against him upto the extent to debar him from tendering in future and forfeiture of entire EMD and performance security.

Earnest money shall be deposited at the time of submission of tender documents. The earnest money shall be in the form of Demand Draft/ Banker's cheque of a scheduled bank issued in favour of Registrar, MNIT, Jaipur .

The successful tenderer shall have to submit a performance guarantee of 5% (Five percent) of the composite tendered amount in the appropriate form as given in PWD-6 attached with tender document within 7 days of issue of letter of acceptance.

The complete set of tender documents is available at MNIT's website www.mnit.ac.in and may be downloaded from there.

1. ELIGIBILITY OF BIDDERS

This invitation for tender is open to authorized contractors of CPWD, PWD, MES, PSUs, other Government and semi Government organization under appropriate category to participate in the tender of above description.

The Bidder is expected to examine all instructions, forms, terms, and specifications in the bidding documents. Failure to furnish all information required by the bidding documents or submission of a bid not substantially responsive to the bidding documents in every respect will be at the Bidder's risk and may result in rejection of its bid.

2. LANGUAGE OF BID:

The bid prepared by the Bidder, as well as all correspondence and documents relating to the bid and exchanged by the Bidder and the client, shall be written in English language.

3. DOCUMENTS COMPRISING BID:

The bid is required to be submitted in two parts with the bid letter. The registration/enlistment certificates, DD/Bankers' cheque of tender fee and the earnest money shall be kept in an envelope and marked as "EMD & Registration". The tender document shall be placed in another envelope marked as "TENDER". Tenders received not marked as above shall not be opened and summarily rejected without assigning any reason.

Both of these two envelopes shall be submitted together in another sealed envelope marked with name of work, date & time of opening and shall be submitted to Registrar, MNIT addressing "The Registrar, Malaviya National Institute of Technology, JLN marg, Jaipur (Raj.)-302017". Upto 2:00 pm on 18.05.2017 and will be opened by him or his authorized representative in his office on the same day at 3:30 PM.

The envelope marked as "TENDER" of only those tenderers shall be opened, whose earnest money and registration certificates, placed in other envelope, is found correct.

The original and all copies of the bid shall be typed or written in indelible ink and shall be signed by the Bidder or a person or persons duly authorized to bind the Bidder to the Contract. All pages of the bid, except for un-amended printed literature, shall be initiated by the person or persons signing the bid with their firm's seal. Any interlineations, erasures or overwriting shall be valid only if the persons or persons signing the bid initial them.

- (i) The rate (s) shall be quoted in percentage above/below to estimated rate as per CPWD-7.
- (ii) The price should be inclusive of all taxes and duties which will be payable after successful completion of work insurance and other local costs incidental to delivery, installation/demonstration and onsite preparation of the goods to their final destination. Under no circumstances shall claim for any additional taxes, levies, etc., be entertained once the final contract is awarded on the basis of the rates quoted. Prices will remain firm till complete execution of the order.
- (iii) Arithmetical errors will be rectified on the following basis. If there is a discrepancy between the unit price and the total price that is obtained by multiplying the unit price and quantity, the unit price shall prevail, and the total price shall be corrected. If there is a discrepancy between words and figures, the amount in words will prevail. If the bidder does not accept the correction of the errors, its bid will be rejected, and its EMD shall be forfeited.

4. REJECTION OF BID:

The Registrar reserves the rights to reject any bid or to disqualify any or all the bidders, without assigning any reasons at any stage.

The Registrar, MNIT, Jaipur does not bind himself to accept the lowest or any other tender and reserves to himself the authority to reject any or all the tenders received without the assignment of any reason. All tenders in which any of the prescribed condition is not fulfilled or any condition including that of conditional rebate is put forth by the bidders shall be summarily rejected.

- (i) If Bid is not accompanied with the requisite documents mentioned in bid document or is not in accordance with procedure specified in para 3 above, or is not accompanied with Bid Security & registration of contractor in required category, it would be liable for rejection.
- (ii) Furnishing of incorrect or incomplete or concealment of any information required in the bid documents would render the bid liable for rejection.
- (iii) If all the copies enclosed in support or affidavit is not duly attested then bid of the bidder is to be rejected.

5. BID VALIDITY:

Bids shall remain valid for a period of not less than 90 days after opening of the Tender. A bid valid for a shorter period shall be rejected by the Registrar as non-responsive.

6. PERFORMANCE SECURITY:

- (i) The Contractor, whose bid is accepted, will be required to furnish performance guarantee of 5% (Five Percent) of the composite tendered amount within the period specified in "Letter of Acceptance" valid for a period of three months initially, that may be extended by the Registrar if seems necessary to keep the contract valid till the time of actual completion of work.

- (ii) This guarantee shall be in any form from banker's cheque, Demand Draft, Pay order, Guarantee Bonds of any scheduled in accordance with the prescribed form. In case the contractor fails to deposit the said performance guarantee within the period as indicated in Letter of Acceptance, including the extended period if any, the Earnest Money deposited by the contractor shall be forfeited automatically without any notice to the contractor.

7. SECURITY DEPOSIT:

- (i) Security Deposit @5% (five percent) of the gross amount of bill shall be deducted from each running bill of the contractor till the sum along with the sum already deposited as earnest money amounts to security deposits @5% of accepted composite tendered amount of the work.
- (ii) The Security deposit so deducted shall be refundable to contractor on successful completion of defect liability period of six months that will be commenced from the date of completion as recorded by the Registrar or his representative after the satisfactory completion & commissioning of work.

8. TIME FOR COMPLETION:

- (i) The time allowed for carrying out the work will be 30 (Thirty) Days from the date of start to be intimated vide "Letter of Acceptance" or from the first date of handing over of the site, whichever is later, in accordance with the phasing, if any, indicated in the bid documents.
- (ii) The site for the work is available.

9. LIQUIDATED DAMAGES:

- (i) If the contractor fails to complete the work as per time schedule specified in the bid, the Registrar shall, without prejudice to its other remedies under the contract, deduct from the contract Price, as liquidated damages, a sum equivalent to 1.00% percent of the delivered price of the delayed goods for each week of delay upto maximum 10% of contract value until actual delivery or performance up to a maximum is reached, Registrar may consider termination of the contract also.
- (ii) The contractor shall not be liable for forfeiture of its performance security, liquidated damages or termination for default, if and to the extent that, it's delay in performance or other failure to perform its obligations under the contract is the result of an event of Force Majeure.
- (iii) For purposes of this clause, "Force Majeure" means an event beyond the control of the contractor and not involving the client's fault or negligence. Such events may include, but are not restricted to, acts to MNIT either in its sovereign or contractual capacity, wars or revolutions, fires, floods, epidemics, quarantine restrictions and freight embargoes.
- (iv) If a Force Majeure situation arises, the contractor shall promptly notify Registrar in writing of such condition and the cause thereof. Unless otherwise directed by Registrar in writing, the contractor shall continue to perform its obligations under the contract as far as is reasonably practical, and shall seek all reasonable alternative means for performance not prevented by the Force Majeure event.

10. OTHER CONDITIONS OF CONTRACT:

- (i) Intending Bidders are advised to inspect and examine the site and its surroundings and satisfy themselves before submitting their tenders as to the nature of the ground and sub-soil (so far as is practicable), the form and nature of the site, the means of access to the site, the accommodation they may require and in general shall themselves obtain all necessary information as to risks, contingencies and other circumstances which may influence or affect their tender. A tenderer shall be deemed to have full knowledge of the site whether he inspects it or not and no extra charge consequent on any misunderstanding or otherwise shall be allowed. The tenderer shall be responsible for arranging and maintaining at his own cost all materials, tools & plants, water, electricity access, facilities for workers and all other services required for executing the work unless otherwise specifically provided for in the contract documents. Submission of a tender by a tenderer implies that he has read this notice and all other contract documents and has made himself aware of the scope and specifications of the work to be done and of conditions and rates at which stores, tools and plant, etc. will be issued to him by the Government and local conditions and other factors having a bearing on the execution of the work.
- (ii) Canvassing whether directly or indirectly, in connection with bidders is strictly prohibited and the bids submitted by the contractors who resort to canvassing will be liable for rejection.
- (iii) The Registrar, MNIT, Jaipur reserves the right of accepting the whole or any part of the bid and the bidders shall be bound to perform the same at the rate quoted.
- (iv) The contractor shall not be permitted to bid for works in the MNIT responsible for award and execution of contracts, in which his near relative is posted a Divisional Accountant or as an officer in any capacity between the grades of Superintending Engineer and Junior Engineer (both inclusive). He shall also intimate the names of persons who are working with him in any capacity or are subsequently employed by him and who are near relatives to any gazetted officer in the MNIT or in the Ministry of Human Recourses & Development. Any breach of this condition by the contractor would render him liable to be removed from the approved list of contractors of MNIT.
- (v) The bid for the works shall remain open for acceptance for a period of Ninety (90) days from the date of opening of eligibility bid. If any bidders withdraws his bid before the said period or issue of letter of acceptance, whichever is earlier, or makes any modifications in the terms and conditions of the bid which are not acceptable to the department, then the Government shall, without prejudice to any other right or remedy, be at liberty to forfeit 50% of the said earnest money as aforesaid. Further the bidders shall not be allowed to participate in the rebidding process of the work.
- (vi) Registrar may waive any minor informality, nonconformity, or irregularity in a bid which does not constitute a material deviation, provided such waiver does not prejudice or affect the relative ranking of any bidder.
- (vii) The Registrar as per the requirement will call the contractor to get the material tested at any time, before or during the execution time from any reputed laboratory as deemed suitable to carry out such test. Samples of materials required for testing shall be provided free of cost by the contractor. Testing charges, if any, shall be borne by the MNIT in case the test results are

- satisfactory, and shall be borne by the contractor if the results are not satisfactory, except where-ever specifically mentioned otherwise in the Bid. All other expenditure to be incurred for taking samples, conveyance, packing etc. shall be borne by the contractor.
- (viii) The contractor shall submit a detailed program of work within 5 days of the date of issue of letter of intent. Detailed program should include all the mile stones, cash flow, material procurement, manpower deployment. Program must show clearly the critical path to complete the project in time.
 - (ix) The Registrar can modify the program and the contractor shall have to work accordingly. During review of work progress, Registrar can ask to modify the program. Contractor shall resubmit the modified program in 2 days.
 - (x) Statutory deductions on account of VAT/GST, income tax, Labour CESS and surcharge as applicable shall be made from the gross amount of the bill. Any other taxes.
 - (xi) The contractor shall make his own arrangements for obtaining electric connection, if required and make necessary payments directly to the department concerned.
 - (xii) The contractor shall make his own arrangement of water for construction and drinking purpose as well for electricity and its distribution at his own cost. The department will render only assistance to the contractor for making application to authorized Electric supply agency, if required. All the fees and charges including consumption charges shall be borne by the contractor.
 - (xiii) Water Charges @1% shall be deducted from the contractor's bill payments on pro rata basis on account of supply of water from the institute if it is not arranged by the contractor.
 - (xiv) No payment shall be made to the contractor for any damage caused by rain, snow fall, floods or any other natural causes whatsoever during the execution of work. The damage caused to work shall have to be made good by the contractor at his own cost and no claim on this account shall be entertained.
 - (xv) Other agencies may also simultaneously be executing the work of painting, wood work, electrification, Horticulture or external services and other building works for the same building along with this work. The contractor shall afford necessary facilities for the same and no claim in the matter shall be entertained. The contractor shall especially co-ordinate with the other agency carrying out his work.
 - (xvi) The contractor shall take all precautions to avoid accidents by exhibiting necessary caution boards. He shall be responsible for all damages and accidents caused due to negligence on his part. No hindrance shall be caused to traffic during the execution of the work by storing materials on the road.
 - (xvii) The malba /garbage generated at site due to construction activities shall be removed from the site immediately & shall be disposed off by the contractor to the approved dumping site identified by the Engineer-in-charge. The surplus soil/earth shall be disposed of as per the directions of Registrar separately.

11. LIST OF APPROVED PRODUCTS FOR WORKS

S.No.	Description	Approved Manufacturer / Brand Name
1	Ceramic / Glazed/Vitrified Tiles	Somani, Kajaria, Orient, Nitco,R and K,AGL
2	TMT Bars	Major producers like SAIL, Rashtriya Ispat Nigam Ltd., TISCO and reputed secondary producers having Thermox or Temp Core system of treatment and valid BIS license.
3	OPC/PPC	Ultra Tech, ACC, JK, JP, Birla, Shree, Ambuja,
4	White Cement	Birla White, J.K. white or equivalent
5	Primers, Paints (i/c water proofing cement paint) etc	Nerolac, Asian, Bergar, Jensions & Nicholson, ICI Dulux, Snowcem
6	Lime	Santa, Dehradun, Gotan
7	Glass Putty	Shalimar or equivalent
8	Sanitary ware and fittings	Parryware (India) Ltd., hindware, CERA.
9	Clear Glass	Modiguard, Saint Gobain, ASAHI
10	GI Pipes and accessories	Tata, Jindal, BST, GST
11	Centrifugally Cast Spun Pipes & Fittings	NECO, Kesoram, or any ISI marked brand
12	Brass / CP Brass Fittings	L&K, Parko, Kingsston.
13	Aluminum sections (Anodising by approved anodizing firm)	Hindalco, Jindal, Indian Aluminum Co.
14	Water proofing compound	CICO, FOSROC, PIDILITE
15	Stainless steel sink	Neelkanth, Nirali, Jayna
16	Particle board i/c laminated	NOVAPAN. DECO, BHUTAN, CEO BOARD
17	Plastic W.C. seat Cover	Commander, Diplomat, Coral
18	Stoneware Pipes & Guilty traps	Perfect, Taya, ISI marked
19	Factory made paneled door shutters	Any factory with written approval
20	Flush doors	Any ISI marked door.
21	RCC Pipes	ISI Marked
22	PVC tanks	Euro-II or equivalent. or any other factory with written approval of EIC.
23	Mirrors	Golden Fish, Jolly, Saint Gobain, Modi Float
24	CP waste & Flush pipes	Oriental, Parko, Gem
25	PVC flushing cistern	Parryware, Cera, Commander
26	PVC Rigid Form	M/s Padmavati marketing, Jaipur, M/s Artworks, Udaipur, M/s ENGCO industries Jaipur.
27	PE-Al-PE pipes	As per IS 15450-2004, Jindal, Kitec Industries
28	Water proofing agency	As approved by EIC, MNIT.
29	False ceiling	Armstrong, Durlum, Anutone or equivalent as approved by EIC.

Name of work:-		Providing a Platform for Swami Vivekanand Statue at MNIT Jaipur.				
<u>G-Schedule</u>						
Based on DSR 2016						
S.No	Qty	Items	Rate	Unit	Amount	
		EARTH WORK				
		Earth work in excavation by mechanical means (Hydraulic excavator) / manual means in foundation trenches or drains (not exceeding 1.5 m in width or 10 sqm on plan), including dressing of sides and ramming of bottoms, lift upto 1.5 m, including getting out the excavated soil and disposal of surplus excavated soil as directed, within a lead of 50 m.				
	12.35	cum	All kinds of soil.	166.40	cum	2055.00
	12.22	cum	Excavating, supplying and filling of local earth (including royalty) by mechanical transport up to a lead of 5km, also including ramming and watering of the earth in layers not exceeding 20 cm in trenches, plinth, sides of foundation etc. complete.	229.80	cum	2808.00
			Sub-Total			4863.00
		CONCRETE WORK				
		Providing and laying in position cement concrete of specified grade excluding the cost of centering and shuttering - All work up to plinth level :				
	2.79	cum	1:5:10 (1 cement : 5 coarse sand (zone-III): 10 graded stone aggregate 40 mm nominal size).	4209.05	cum	11743.00
			Sub-Total			11743.00
		REINFORCED CEMENT CONCRETE				
		Providing and laying in position specified grade of reinforced cement concrete, excluding the cost of centering, shuttering, finishing and reinforcement - All work up to plinth level :				
	2.78	cum	1:2:4 (1 cement : 2 coarse sand : 4 graded stone aggregate 20 mm nominal size).	5772.65	cum	16048.00
		Centering and shuttering including strutting, propping etc. and removal of form for:				
	6.95	sqm	Suspended floors, roofs, landings, balconies and access platform	422.30	sqm	2935.00

			Steel reinforcement for R.C.C. work including straightening, cutting, bending, placing in position and binding all complete above plinth level.			
	316.68	Kg	Thermo-Mechanically Treated bars of grade Fe-500 D or more.	56.60	Kg	17924.00
			Sub-Total			36907.00
			BRICK WORK			
			Brick work with common burnt clay F.P.S. (non modular) bricks of class designation 7.5 in superstructure above plinth level up to floor V level in all shapes and sizes in :			
	4.9	cum	Cement mortar 1:6 (1 cement : 6 coarse sand)	5582.85	cum	27356.00
			Sub-Total			27356.00
			STONE WORK			
			Random rubble masonry with hard stone in foundation and plinth including levelling up with cement concrete 1:6:12 (1 cement : 6 coarse sand : 12 graded stone aggregate 20 mm nominal size) upto plinth level with :			
	6.53	cum	Cement mortar 1:6 (1 cement : 6 coarse sand)	3965.85	cum	25897.00
			Stone work (machine cut edges) for wall lining etc. (vener work) upto 10 metre height, backing filled with a grout of average 12 mm thick cement mortar 1:3 (1 cement : 3 coarse sand) including pointing in white cement mortar 1:2 (1 white cement : 2 stone dust) with an admixture of pigment matching the stone shade : (To be secured to the backing and the sides by means of cramps and pins which shall be paid for separately) :			
			Gang saw cut stone			
	3.3	sqm	30mm thick White sand stone	1572.55	sqm	5189.00
	22	sqm	30mm thick Red sand stone	1511.55	sqm	33254.00
	16.25	kg	Providing and fixing stainless steel cramps of required size and shape for anchoring stone wall lining to the backing or securing adjacent stones in stone wall lining in cement mortar 1:2 (1 cement : 2 coarse sand), including making the necessary chases in stone and holes in walls wherever required.	521.10	kg	8468.00
			Sub-Total			72808.00
			FLOORING			

			40 mm thick rubbed stone flooring over 20 mm (average) thick base of cement mortar 1:5 (1 cement : 5 coarse sand) with joints 3 mm thick, side buttered with cement mortar 1:2 (1 cement : 2 stone dust) admixed with pigment to match the shade of stone and pointing with same mortar.			
	15.74	sqm	Red sand stone	813.10	sqm	12798.00
	26.8	metre	Extra for pre finished nosing in treads of steps of Kota stone/ sand stone slab.	84.85	metre	2274.00
			Sub-Total			15072.00
			Total			168749.00
			Deduct Cost Index @8.82% (On Estimate Total 1,68,749.00)			-14883.66
			Total			153865.34
				Say Rs		153865.00
				Total		153865.00

EXECUTIVE ENGINEER
Estate Department
MNIT JAIPUR

I/We hereby agree to execute the work

@.....%Above/Below of Schedule 'G'

SIGNATURE OF THE CONTRACTOR WITH FULL POSTAL ADDRESS