

Name of Work: Renovation of P.G. lab in Humanities Department at MNIT

TENDER DOCUMENT

MNIT/NIT/E/18-19/23

Registrar, Malaviya National Institute of Technology, Jaipur (Raj)

Malaviya National Institute of Technology Jaipur

PRESS NOTE

The Registrar, Malaviya National Institute of Technology, Jaipur, invites sealed **percentage rate** tenders from the reputed contractors registered in CPWD, PWD, MES and other Govt. organizations under valid category for the following work:

1.	Name of work	Renovation of P.G. lab in Humanities Department at MNIT
2.	Estimated cost	Rs. 1,64,965.00
3.	Earnest Money	Rs.3,300.00
4.	Cost of tender Documents	Rs.500.00 to be deposited in the form of separate DD with EMD. Document is available on institute web site www.mnit.ac.in
5.	Period for completion	60 Days
6.	Last Date & time for submission of tender	17.08.2018 Up to 2:00 PM
7.	Opening of tender	17.08.2018 at 3:30 PM
8.	Category and class of contractor	Civil Works Contractor ,‘D-class’ and equivalent

The contractors registered in CPWD, PWD, MES and other Government organization under appropriate category to participate in the tender of above description may apply. The registration / enlistment of the contractors shall be valid on the last date of submission of tender. In case the last date of submission is extended, the enlistment/registration of contractor shall also be valid upto extended date of submission.

The tenderer shall submit self attested copied of their registration/enlistment certificate along with tender document. The original copies of registration/enlistment certificate might be called upon by the Registrar, MNIT at any time after the opening of tender. The Registrar reserves the right to verify the documents for his full satisfaction including sending of the same to respective issuing department for verification of authenticity. Any information furnished by tenderer found incorrect will attract stringent legal action against him upto the extent to debar him from tendering in future and forfeiture of entire EMD and performance security.

Earnest money shall be deposited at the time of submission of tender documents. The earnest money shall be in the form of Demand Draft/ Banker’s cheque of a scheduled bank issued in favour of Registrar, MNIT, Jaipur.

The successful tenderer shall have to submit a performance guarantee of 5% (Five percent) of the composite tendered amount in the appropriate form as given in PWD-6 attached with tender document within 7 days of issue of letter of acceptance.

The complete set of tender documents is available at MNIT's website www.mnit.ac.in and may be downloaded from there.

1. ELIGIBILITY OF BIDDERS

This invitation for tender is open to authorized contractors of CPWD, PWD, MES and other Government organization under appropriate category to participate in the tender of above description.

The Bidder is expected to examine all instructions, forms, terms, and specifications in the bidding documents. Failure to furnish all information required by the bidding documents or submission of a bid not substantially responsive to the bidding documents in every respect will be at the Bidder's risk and may result in rejection of its bid.

2. LANGUAGE OF BID:

The bid prepared by the Bidder, as well as all correspondence and documents relating to the bid and exchanged by the Bidder and the client, shall be written in English language.

3. DOCUMENTS COMPRISING BID:

The bid is required to be submitted in two parts with the bid letter.

Part-1 contain The registration/enlistment certificates, DD/Bankers' cheque of tender fee and the earnest money shall be kept in an envelope and marked as "EMD & Registration", Sales Tax clearance certificate, Permanent Account Number of the Firm, work experience certificate.

Part-2 contain The tender document shall be placed in another envelop marked as "TENDER". Tenders received not marked as above shall not be opened and summarily rejected without assigning any reason.

Both of these two envelops shall be submitted together in another sealed envelope marked **with name of work, date & time of opening** and shall be submitted to Registrar, MNIT addressing "**The Registrar, Malaviya National Institute of Technology, JLN marg, Jaipur (Raj.)-302017**" Upto 2:00 pm on 17.08.2018 and will be opened by him or his authorized representative in his office on the same day at 3:30 PM.

The envelope marked as "TENDER" of only those tenderers shall be opened, whose earnest money and registration certificates, placed in other envelope, is found correct.

The original and all copies of the bid shall be typed or written in indelible ink and shall be signed by the Bidder or a person or persons duly authorized to bind the Bidder to the Contract. All pages of the bid, except for un-amended printed literature, shall be initiated by the person or persons signing the bid with their firm's seal. Any interlineations, erasures or overwriting shall be valid only if the persons or persons signing the bid initial them.

(i) The rate shall be quoted in percentage above/below to estimated rate as per CPWD-7.

- (i) The price should be inclusive of all taxes and duties which will be payable after successful completion of work insurance and other local costs incidental to delivery, installation/demonstration and onsite preparation of the goods to their final destination. Under no circumstances shall claim for any additional taxes, levies, etc., be entertained once the final contract is awarded on the basis of the rates quoted. Prices will remain firm till complete execution of the order.
- (ii) Arithmetical errors will be rectified on the following basis. If there is a discrepancy between the unit price and the total price that is obtained by multiplying the unit price and quantity, the unit price shall prevail, and the total price shall be corrected. If there is a discrepancy between words and figures, the amount in words will prevail. If the bidder does not accept the correction of the errors, its bid will be rejected, and its EMD shall be forfeited.

4. REJECTION OF BID:

The Registrar reserves the rights to reject any bid or to disqualify any or all the bidders, without assigning any reasons at any stage.

The Registrar, MNIT, Jaipur does not bind himself to accept the lowest or any other tender and reserves to himself the authority to reject any or all the tenders received without the assignment of any reason. All tenders in which any of the prescribed condition is not fulfilled or any condition including that of conditional rebate is put forth by the bidders shall be summarily rejected.

- (i) If Bid is not accompanied with the requisite documents mentioned in bid document or is not in accordance with procedure specified in para 3 above, or is not accompanied with Bid Security & registration of contractor in required category, it would be liable for rejection.
- (ii) Furnishing of incorrect or incomplete or concealment of any information required in the bid documents would render the bid liable for rejection.
- (iii) If all the copies enclosed in support or affidavit is not duly attested then bid of the bidder is to be rejected.

5. BID VALIDITY:

Bids shall remain valid for a period of not less than 90 days after opening of the Tender. A bid valid for a shorter period shall be rejected by the Registrar as non-responsive.

6. PERFORMANCE SECURITY:

- (i) The Contractor, whose bid is accepted, will be required to furnish performance guarantee of 5% (Five Percent) of the composite tendered amount within the period specified in "Letter of Acceptance" valid for a period of three months initially, that may be extended by the Registrar if seems necessary to keep the contract valid till the time of actual completion of work.
- (ii) This guarantee shall be in any form from banker's cheque, Demand Draft, Pay order, Guarantee Bonds of any scheduled in accordance with the prescribed form. In case the

contractor fails to deposit the said performance guarantee within the period as indicated in Letter of Acceptance, including the extended period if any, the Earnest Money deposited by the contractor shall be forfeited automatically without any notice to the contractor.

7. SECURITY DEPOSIT:

- (i) Security Deposit @5% (five percent) of the gross amount of bill shall be deducted from each running bill of the contractor till the sum along with the sum already deposited as earnest money amounts to security deposits @5% of accepted composite tendered amount of the work.
- (ii) The Security deposit so deducted shall be refundable to contractor on successful completion of defect liability period of six months that will be commenced from the date of completion as recorded by the Registrar or his representative after the satisfactory completion & commissioning of work.

8. TIME FOR COMPLETION:

- (i) The time allowed for carrying out the work will be 45(forty five) Days from the date of start to be intimated vide "Letter of Acceptance" or from the first date of handing over of the site, whichever is later, in accordance with the phasing, if any, indicated in the bid documents.
- (ii) The site for the work is available.

9. LIQUIDATED DAMAGES:

- (i) If the contractor fails to complete the work as per time schedule specified in the bid, the Registrar shall, without prejudice to its other remedies under the contract, deduct from the contract Price, as liquidated damages, a sum equivalent to 1.00% percent of the delivered price of the delayed goods for each week of delay upto maximum 10% of contract value until actual delivery or performance up to a maximum is reached, Registrar may consider termination of the contract also.
- (ii) The contractor shall not be liable for forfeiture of its performance security, liquidated damages or termination for default, if and to the extent that, it's delay in performance or other failure to perform its obligations under the contract is the result of an event of Force Majeure.
- (iii) For purposes of this clause, "Force Majeure" means an event beyond the control of the contractor and not involving the client's fault or negligence. Such events may include, but are not restricted to, acts to MNIT either in its sovereign or contractual capacity, wars or revolutions, fires, floods, epidemics, quarantine restrictions and freight embargoes.
- (iv) If a Force Majeure situation arises, the contractor shall promptly notify Registrar in writing of such condition and the cause thereof. Unless otherwise directed by Registrar in writing, the contractor shall continue to perform its obligations under the contract as far as is reasonably practical, and shall seek all reasonable alternative means for performance not prevented by the Force Majeure event.

10. OTHER CONDITIONS OF CONTRACT:

- (i) Intending Bidders are advised to inspect and examine the site and its surroundings and satisfy themselves before submitting their tenders as to the nature of the ground and sub-soil (so far as is practicable), the form and nature of the site, the means of access to the site, the accommodation they may require and in general shall themselves obtain all necessary information as to risks, contingencies and other circumstances which may influence or affect their tender. A tenderer shall be deemed to have full knowledge of the site whether he inspects it or not and no extra charge consequent on any misunderstanding or otherwise shall be allowed. The tenderer shall be responsible for arranging and maintaining at his own cost all materials, tools & plants, water, electricity access, facilities for workers and all other services required for executing the work unless otherwise specifically provided for in the contract documents. Submission of a tender by a tenderer implies that he has read this notice and all other contract documents and has made himself aware of the scope and specifications of the work to be done and of conditions and rates at which stores, tools and plant, etc. will be issued to him by the Government and local conditions and other factors having a bearing on the execution of the work.
- (ii) Canvassing whether directly or indirectly, in connection with bidders is strictly prohibited and the bids submitted by the contractors who resort to canvassing will be liable for rejection.
- (iii) The Registrar, MNIT, Jaipur reserves the right of accepting the whole or any part of the bid and the bidders shall be bound to perform the same at the rate quoted.
- (iv) The contractor shall not be permitted to bid for works in the MNIT responsible for award and execution of contracts, in which his near relative is posted a Divisional Accountant or as an officer in any capacity between the grades of Superintending Engineer and Junior Engineer (both inclusive). He shall also intimate the names of persons who are working with him in any capacity or are subsequently employed by him and who are near relatives to any gazetted officer in the MNIT or in the Ministry of Human Recourses & Development. Any breach of this condition by the contractor would render him liable to be removed from the approved list of contractors of MNIT.
- (v) The bid for the works shall remain open for acceptance for a period of Ninety (90) days from the date of opening of eligibility bid. If any bidders withdraws his bid before the said period or issue of letter of acceptance, whichever is earlier, or makes any modifications in the terms and conditions of the bid which are not acceptable to the department, then the Government shall, without prejudice to any other right or remedy, be at liberty to forfeit 50% of the said earnest money as aforesaid. Further the bidders shall not be allowed to participate in the rebidding process of the work.
- (vi) Registrar may waive any minor informality, nonconformity, or irregularity in a bid which does not constitute a material deviation, provided such waiver does not prejudice or affect the relative ranking of any bidder.
- (vii) The Registrar as per the requirement will call the contractor to get the material tested at any time, before or during the execution time from any reputed laboratory as deemed suitable to carry out such test. Samples of materials required for testing shall be provided free of cost by the contractor. Testing charges, if any, shall be borne by the MNIT in case the test results are satisfactory, and shall be borne by the contractor if the results are not satisfactory, except where-ever specifically mentioned otherwise in the Bid. All other expenditure to be incurred for taking samples, conveyance, packing etc.

shall be borne by the contractor.

- (viii) The contractor shall submit a detailed program of work within 5 days of the date of issue of letter of intent. Detailed program should include all the mile stones, cash flow, material procurement, manpower deployment. Program must show clearly the critical path to complete the project in time.
- (ix) The Registrar can modify the program and the contractor shall have to work accordingly. During review of work progress, Registrar can ask to modify the program. Contractor shall resubmit the modified program in 2 days.
- (x) Statutory deductions on account of GST/VAT, income tax, Labour CESS and surcharge as applicable shall be made from the gross amount of the bill.
- (xi) The contractor shall make his own arrangements for obtaining electric connection, if required and make necessary payments directly to the department concerned.
- (xii) The contractor shall make his own arrangement of water for construction and drinking purpose as well for electricity and its distribution at his own cost. The department will render only assistance to the contractor for making application to authorized Electric supply agency, if required. All the fees and charges including consumption charges shall be borne by the contractor.
- (xiii) Water Charges @1% shall be deducted from the contractor's bill payments on pro rata basis on account of supply of water from the institute.
- (xiv) No payment shall be made to the contractor for any damage caused by rain, snow fall, floods or any other natural causes whatsoever during the execution of work. The damage caused to work shall have to be made good by the contractor at his own cost and no claim on this account shall be entertained.
- (xv) Other agencies may also simultaneously be executing the work of painting, wood work, electrification, Horticulture or external services and other building works for the same building along with this work. The contractor shall afford necessary facilities for the same and no claim in the matter shall be entertained. The contractor shall especially co-ordinate with the other agency carrying out his work.
- (xvi) The contractor shall take all precautions to avoid accidents by exhibiting necessary caution boards. He shall be responsible for all damages and accidents caused due to negligence on his part. No hindrance shall be caused to traffic during the execution of the work by storing materials on the road.
- (xvii) The malba /garbage generated at site due to construction activities shall be removed from the site immediately & shall be disposed off by the contractor to the approved dumping site identified by the Engineer-in-charge. The surplus soil/earth shall be disposed of as per the directions of Registrar separately.

17. LIST OF APPROVED PRODUCTIS FOR WORKS

1	Aluminium sections	Hindalco, Jindal, Indian etc.
2	Pre laminated Particle board	Ecoboard, Bhutan, kitlam, Deco etc.
3	Float Glass	Saint Gobin, Modi Guard etc.
4	Floor spring	Hardwyn, Godrej, Dorma etc.
5	OPC/PPC	L&T (Ultra Tech) ACC, JK, JP, Birla, Shree, Lakshmi, Gujrat Ambuja, Vikram or equivalent
6	Ceramic / Glazed Tiles	Somani, Kajaria, Orient, Johnson, Nitco
7	Clear Glass	Modiguard, Saint Gobain, Jolly
8	Particle board i/c laminated	NOVAPAN. DECO, BHUTAN, CEO BOARD
9	Flush doors	Any ISI marked door.
10	False ceiling	Armstrong, durlum or equivalent as approved by EIC.

Malaviya National Institute of Technology Jaipur

Name of work:- Renovation of P.G. lab in Humanities Department at MNIT

G-Schedule

S.No	Qty	Items	Unit	Rate	Amount
1		Providing and laying vitrified floor tiles in different sizes (thickness to be specified by the manufacturer) with water absorption less than 0.08% and conforming to IS : 15622 , of approved make, in all colours and shades, laid on 20mm thick cement mortar 1:4 (1 cement : 4 coarse sand) jointing with grey cement slurry @ 3.3kg/sqm including grouting the joints with white cement and matching pigments etc., complete.			
1.1	42.00	Size of Tile 800x800 mm	Sqm	1414.95	59428.00
2		Providing and laying Vitrified tiles in different sizes (thickness to be specified by manufacturer) with water absorption less than 0.08 % and conforming to I.S. 15622, of approved make in all colours & shade in skirting, riser of steps, over 12 mm thick bed of cement mortar 1:3 (1cement: 3 coarse sand), jointing with grey cement slurry @ 3.3kg/sqm including grouting the joint with white cement & matching pigments etc. complete.			
2.1	4.00	Size of Tile 800x800 mm	Sqm	1432.80	5731.00
3		Providing and fixing mineral fibre false ceiling tiles at all heights of size 595X595mm of approved texture, design and pattern. The tiles should have Humidity Resistance (RH) of 99%, Light Reflectance >= 85%, Thermal Conductivity k = 0.052 - 0.057 w/m K, Fire Performance as per (BS 476 pt - 6 &7) in true horizontal level suspended on interlocking T-Grid of hot dipped all round galvanized iron section of 0.33 mm thick (galvanized @120 gsm) comprising of main T runners of 15x32 mm of length 3000 mm, cross T of size 15x32mm of length 1200 mm and secondary intermediate cross T of size 15x32 mm of length 600 mm to form grid module of size 600x600 mm suspended from ceiling using galvanized mild steel item (galvanised @ 80gsm) 50 mm long 8mm outer diameter M-6 dash fasteners, 6 mm diameter fully threaded hanger rod up to 1000 mm length and L-shape level adjuster of size 85x25x2 mm, spaced at 1200 mm centre to centre along main 'T'.			

		The system should rest on periphery walls /partitions with the help of GI perimeter wall angle of size 24x24X3000 mm made of 0.40 mm thick sheet, to be fixed to the wall with help of plastic rawl plug at 450 mm centre to centre & 40 mm long dry wall S.S. screws. The exposed bottom portion of all T-sections used in false ceiling support system shall be pre- painted with polyester baked paint, for all heights. The work shall be carried out as per specifications, drawings and as per directions of the Engineer-in-charge.			
3.1	42.00	With 16 mm thick beveled tegular mineral fibre false ceiling tile (NRC 0.55 to 0.6)	Sqm	1535.00	64470.00
4		Distemping with oil bound washable distemper of approved brand and manufacture to give an even shade :			
4.1	112.00	Old work (one or more coats) .	Sqm	33.35	3735.00
5	112.00	Removing dry or oil bound distemper, water proofing cement paint and the like by scrapping, sand papering and preparing the surface smooth including necessary repairs to scratches etc. complete.	Sqm	10.80	1210.00
6	5.00	Dismantling old plaster or skirting raking out joints and cleaning the surface for plaster including disposal of rubbish to the dumping ground within 50 metres lead.	Sqm	22.40	112.00
7	35.00	Repair to plaster of thickness 12mm to 20 mm in patches of area 2.5 sqm and under, including cutting the patch in proper shape, raking out joints and preparing plastering the wall surface with white cement based polymer modified self curing mortar, including disposal of rubbish, all complete as per the direction of Engineer-In- Charge.	Sqm	368.90	12912.00
8		Demolishing brick work manually/ by mechanical means including stacking of serviceable material and disposal of unserviceable material within 50 metres lead as per direction of Engineer-in-charge..			
8.1	2.00	In cement mortar	Cum	842.75	1686.00
11		Brick work with common burnt clay F.P.S. (non modular) bricks of class designation 7.5 in superstructure above plinth level up to floor V level in all shapes and sizes in :			
11.1	1.00	Cement mortar 1:6 (1 cement : 6 coarse sand)	Cum	5582.85	5583.00
12		Providing and fixing ISI marked flush door shutters conforming to IS: 2202 (Part I) decorative type, core of block board construction with frame of 1st class hard wood and well matched teak 3 ply veneering with vertical grains or cross bands and face veneers on both faces of shutters.			
12.1	6.00	30 mm thick including ISI marked Stainless Steel butt hinges with necessary screws.	Sqm	2372.80	14237.00

13		Renewing glass panes, with putty and nails wherever necessary including racking out the old putty:			
13.1	15.00	Float glass panes of thickness 4 mm.	Sqm	637.90	9569.00
14	1.00	Taking out existing wooden door shutter, repair by cutting, painting etc. and refixing of repaired door shutters to existing door frames, including replacement of hinges with screws, etc. as required, all complete as per the direction of the Engineer-in-charge.	No.	176.40	176.00
15		Providing and fixing T-iron frames for doors, windows and ventilators of mild steel Tee-sections, joints mitred and welded, including fixing of necessary butt hinges and screws and applying a priming coat of approved steel primer.			
15.1	28.00	Fixing with 15x3 mm lugs 10 cm long embedded in cement concrete block 15x10x10 cm of C.C. 1:3:6 (1 Cement : 3 coarse sand : 6 graded stone aggregate 20 mm nominal size).	Kg	74.05	2073.00
			Total		180922.00

DEDUCT COST INDEX

8.82%


15957.32

Grand total

164964.68

**Say
Rs.**

164965.00


EXECUTIVE ENGINEER
ESTATE SECTION MNIT
JAIPUR




I/We hereby agree to execute the work @.....%Above/Below of Schedule 'G'

**SEAL & SIGNATURE OF THE CONTRACTOR
WITH FULL POSTAL ADDRESS**