

MALAVIYA NATIONAL INSTITUTE OF TECHNOLOGY JAIPUR

No. F5(2515)ST/MNIT/Phy/2019

Phone : 0141-2713312,2713352

NOTICE INVITING E- TENDERS

Registrar MNIT, JLN Marg, Jaipur invites online sealed tenders for the supply of “**Equipments**” for **Solid State Physics & Optoelectronics Lab** in **Department of Physics** of this Institute in **Two Bid System** as per schedule given below. The complete Tender document can be viewed and downloaded only from the website (www.tenderwizard.com/MNITJ), (www.mnit.ac.in) and CPPP site <https://eprocure.gov.in/epublish/app> during the tender period. The intending bidders should submit the tender documents fee and EMD through DD Mode and to be handed over in the office of Deputy Registrar (S&P), MNIT, Jawahar Lal Nehru Marg, Jaipur -302017(E-mail address storepurchase@mnit.ac.in) during office hours (9.30am to 6.00pm) on all working days. The tender processing fee is to be payable through e-payment, at the time of making online request.

Event	Date & Time
Download of Tender	06.01.2020
Pre-Bid Meeting Date & Time	16.01.2020 by 2.00 PM
Online Bid Submission Last Date& Time	28.01.2020 by 2.00 PM
Technical Bid Opening Date & Time	28.01.2020 at 3.00 PM
Financial Bid Opening	Will be intimated later on
Tender Fees	Rs. 500.00 (Non-refundable) in the name of The Registrar, MNIT and payable at Jaipur
Earnest Money	Rs.17,000/- in the name of The Registrar, MNIT and payable at Jaipur (Kindly attached the RTGS details with cancelled cheque along with the Earnest Money)
Last date and time for submission of hard copy of registration certificate (NSIC/MSME), tender fee and the earnest money. Failing this the bid will not be accepted	28.01.2020 by 2.00 PM
Tender Processing Fee (Non-refundable)	The tender processing fee is to be payable through e-payment, at the time of making online request.

INFORMATION AND INSTRUCTIONS TO VENDORS

1. To participate in the E-Tendering, it is mandatory for the bidder to have user ID & password, which has to be obtained by submitting **an annual registration** charges of Rs. 2000/-+GST @ 18.00% to ITI, through e-payment.
2. For any difficulty in downloading & submission of tender document at website www.tenderwizard.com/MNITJ, please contact at tenderwizard.com helpdesk no. 011- 49424365 or Sh. Abhay Tiwari, M/s ITI Ltd: 91-8799753406
3. It is mandatory for all Tenderers to have Class-III Digital Signature Certified from any of the Licensed Certifying Agencies ('CA') to participate in E-Tendering of MNIT Jaipur, (Tenderer can see the list of Licensed CAs from the link www.cca.gov.in), in the name of the person who will submit the Online tender and is authorized to do so.Or if any support required on DSC, please contact back to us. (Help Desk No:-011-49424365)
4. Registration: The Bidder has to register (if not registered earlier) with our website www.tenderwizard.com/MNITJ with a non-refundable registration fee of Rs.2000/-+GST @ 18.00% to ITI, through e-payment.
The registration fee is payable once on a yearly basis. For Registered vendors: Renewal is required. The procedure for the registration is as under:
 - 1) Go to the [url:-www.tenderwizard.com/MNITJ](http://www.tenderwizard.com/MNITJ)
 - 2) In the home page, click on Vendor Registration
 - 3) In the Vendor Registration form, vendor has to fill up the applicant details, upload minimum any of three self-attested documents (PAN Card, Registration, DVAT, Goods and Service Tax Registration, Work Order), digital signature information.
5. After submission of the form, the User-id and Password are generated in the form of Acknowledgement.
6. Vendors Training: Please contact to Sh. Abhay Tiwari, M/s ITI Ltd: M. No.91-8799753406

GENERAL TERMS & CONDITIONS

1. **THE RATES QUOTED SHOULD BE F.O.R. JAIPUR** inclusive of all charges related to transportation from your end to MNIT, Jaipur in Indian rupees. For imported items, the rates are to be quoted CIF(Cost, Insurance & Freight)Delhi only in freely convertible foreign currencies. In case the rates are quoted CIF (Cost, Insurance & Freight)New Delhi, then it will be the responsibility of the supplier to intimate us well in advance prior to dispatch and submission of all the relevant documents in time which will be required in clearing the consignment from Custom. If, there is delay in sending the documents and demurrage is imposed, then it will be in the account of foreign supplier. **Kindly note that if any amendment is required in LC, after its establishment, the Bank Charges in this respect will be in the account of beneficiary only.** Bid shall always be both in the figures and words. The words "No quotations" should be written across any or all of the items in the schedule for which a tender does not wish to tender.
2. As far as possible, bid should be given for goods of India manufacture which are readily available. Foreign goods quoted and proposed to be supplied should be covered by normal import quota of the dealer. This institute is exempted from payment of custom duty.
3. Detailed specifications and "make" of each item should be clearly given supported by the illustrated pamphlets wherever possible. Bid without specifying the make and other particulars may be rejected. The accessories included in the equipment should also be clearly mentioned.
4. Losses or damage in transit will be in to the account of the supplier in case of rates **F.O.R. JAIPUR**. The supplier may, if he so desires, get the goods insured
5. The payment for the ordered items would be made after the articles have been received, found in order and its successful installation.Payment will be made by RTGS to indigenous suppliers. Kindly send the RTGS details and cancelled cheque along with the Invoice.**The payment to foreign supplier will be made through FDD/Wire Transfer OR Letter of Credit as the case may be. However 90 percent payment will be released after receipt of items and remaining 10 present after its successfully installation**
6. Your rates should be valid at least for three months (minimum) from the last date of opening of bid.
7. All legal proceedings, if necessity arises to institute may be any of the parties (Institute or Contractor/Supplier) shall have to be lodged in the courts situated at Jaipur and not elsewhere.
8. The institute is not bound to accept the lowest tender and may reject any tender or any part of the tender without giving any justification for such an action.

9. (a) The Penalty Clause is as under:-

If the seller fails to deliver any or all of the Goods/Services within the original /re-fixed delivery period specified in the Purchase Order, this Institute will be entitled to deduct/recover the Liquidated Damages for the delay at the following percentage:

(i)	Delay up to one month	1%
(ii)	Delay exceeding one month but not exceeding two month	2%
(iii)	Delay exceeding two month but not exceeding three month	5%
(iv)	Delay exceeding three month	5% for each month and part there of subject to maximum 10%

(b) In case of failure to supply the goods within the prescribed time and in accordance with the specifications give in the Quotations, the institute shall be free to cancel the order and make purchases from the next higher tenderer or from the open market as the case may be. In that case the loss sustained by the institute shall be recovered from the defaulting supplier. The institute will be at liberty to recover the loss from the permanent earnest money/or any other pending claims of the supplier without prejudice to its general right to affect recovery from the supplier.

10. The prospective bidders can be those who are the manufacturers of the equipment. For items manufactured outside India, the manufacturer itself can be a bidder or its authorised Indian agent can bid on behalf of its Principal that is the manufacturer.
11. In the event, the country of origin of goods is India, only the manufacturers shall be considered eligible for bidding. Authorised agents of Indian manufacturers may be permitted to submit the bid, provided the concerned manufacturer states that as its policy, it does not bid itself in India and that there is no qualitative difference between manufacturer and its agent as bidder in respect of quality of supplies, cost, and responsibility of maintenance and servicing. The Indian manufacturer must describe the alternatives in clear terms, in the event the bidding agent ceases to continue as agent of the concerned manufacturer within the stipulated warranty period.
12. If any Indian manufacturer requires importing an essential part from a foreign country, the said company may be given to enjoy the benefit of customs duty exemption with the aid of CDEC of MNIT, Jaipur provided the import of the concerned item is done on behalf of MNIT, Jaipur.

13. **THERE IS TWO BID SYSTEM:-**

(A) Technical Bid:

- a) Bidder must be a manufacturer/authorized distributor/ Dealers and they have to enclose a certificate of authorization of manufacturer in format at **Annexure – A (Authorization certificate in any other format will not be valid)**. OEM itself or any one authorised dealer on behalf of OEM may participate in bid. OEM and its dealers both may not participate at the same time.
- b) The manufacturers should supply documentary proof i.e. Registration with the Registrar of Industries, National Small Scale Industries Corporation or with penal of MNIT in case of manufacturer. Offers other than the manufacturers should be supported with an authority

letter from the manufacturers, authorizing them to quote rates standing guarantee for the satisfactory execution of supply orders failing which offers are liable to be ignored.

- c) One declaration by the Manufacturer to the extent that in case of failure of its local agent /office to provide service support to the satisfaction of MNIT Jaipur, it shall make immediate arrangement for required service support.
- d) **Bidder should enclose technical compliance from the Manufacturer. The specifications of items should be strictly as specified. Deviation, if any may please be mentioned separately. If there is no deviation than it should be mentioned as “No Deviation”.**
- e) The leaflets catalogue, related to quoted equipment/model etc. should be sent invariably, so that a proper evaluation of the equipment offered is possible.
- f) Mention must be made of the pre-installation requirements for the equipment quoted viz. ambient temperature, humidity, weather specifications, power specifications, civil works etc. When items are provided full performance satisfaction should be demonstrated.
- g) Bidder must enclose the acceptance of terms and conditions and must enclose the duly signed and stamped tender document.
- h) All the Annexure enclosed should be duly filled up and signed.
- i) Please attach proof/certificate of each condition required in the tender document.
- j) The firm should provide approximate area required for the setting/installation of the machine / equipment.
- k) Installation support and demonstration for utilizing the equipment is also needed
- l) To mention, if any additional setup/infra is required before installation of equipment (esp. Foundation etc. For larger m/c)

(B) Financial Bid:

- a) The bidders should clearly mentioned their payment terms & conditions
- b) The GST or any other taxes including Custom duty Etc. should be mentioned clearly
- c) The financial bid is to be submitted on excel sheet only

- 14. **Delivery Period:**-The ordered quantity of stores must be delivered within 12 to 14 weeks in the case of indigenous equipment and 14 to 16 weeks in the case of imported equipment after opening of L.C. / FDD and Wire Transfer. The extension of delivery period after placing the PO, if required, will be considered only on genuine reasons and proper justifications only.
- 15. **Installation:** - Successful BIDDER shall depute concerned specialist, for supervision of erection & commissioning of the machine to be carried out as and when necessary. The successful BIDDER shall make necessary arrangements during the entire warranty period at their own expenses for stay, transport and other expenses of their specialist during their stay in Jaipur;
- 16. **Warranty:** All the bidders are required to provide minimum **01 Year + 60 Days** warranty on the quoted equipment / instrument

17. **Performance Bank guarantee**
Successful Bidder has to Provide Performance security @ 10% of the equipment cost, valid for stipulated warranty period plus 60 days which should be in the form of Bank's Guarantee from a commercial bank in format at **Annexure – B**. Warranty will cover repair/replacement of all defective parts, if any, with the same or equivalent make for any part removed. Maintenance will be provided at site. The supplier will provide after sale service during the warranty period from nearest place to installation. The supplier will attend the complaint within 24 working hours and not beyond 5 working days.
18. **EARNEST MONEY**: A Demand Draft of Rs.17,000/- from a Commercial bank only in the name of the Registrar, M.N.I.T. and payable at Jaipur may please be sent at the office of Deputy Registrar (S&P), MNIT, Jawahar Lal Nehru Marg, Jaipur -302017 during office hours (9.30am to 6.00pm) on all working days prior to opening date of the tenders.**No tender shall be considered without earnest money / tender fee. Cheques are not accepted as earnest money amount.** No interest is payable by us on the amount of earnest money. **Kindly attach the RTGS details with cancelled cheque along with the Earnest Money.** Any bid security/EMD received by the institute after the due date for submission of bids prescribed by the institute is liable to be rejected. The firms registered with NSIC/MSME are exempted for furnishing of EMD / Tender Fee. The Hard copy of NSIC/MSME registration certificate is to be sent positively prior to opening of the tenders. **Failing this the bid will not be accepted**
19. **Jurisdiction**:The Courts of Jaipur alone will have the jurisdiction to try any matter, dispute or difference between the parties arising out of this tender/contract. It is specifically agreed that no Court outside and other than Jaipur court shall have jurisdiction in the matter.
20. **Arbitration Clause**: - **In the eventuality of any dispute, the sole Arbitrator shall be MNIT, Jaipur and his decision shall be binding on all the parties.**
21. **Force Majeure** : Any failure of omission or commission to carry out the provision of this contract by the supplier shall not give rise to any claim by one party, one against the other, if such failure of omission or commission arises from an act of God; which shall include all acts of nature calamities such as fire, flood, earthquake, hurricane, or nay pestilence or from civil strikes, compliance with any statute and / or regulations of the Government, lockouts and strikes, riots, embargoes or from any political or other reason beyond the supplier's control including war (whether declared or not) civil war or stage of insurrection, provided that notice of the occurrence of any event by either party to the other shall be given within two weeks from the date of occurrence of such an event which could be attributed to Force Majeure conditions.
22. **Risk &Cost** : In the event of failure to carry out the contractual obligations, within the stipulated period or extended period and determination of the contract for any reason, violation of warranties etc. the MNIT Jaipur shall have the right to carry out the unfinished obligation at the exclusive - cost and risk of the bidder/firm, after due notice and the difference so accrued shall be recoverable from the bidder/firm.

23. The material found defective upon opening by the supplier representative in presence of Central stores personnel / indenter of MNIT Jaipur or not as per tendered specifications will have to be lifted back by the supplier at their own cost and risk. The material lying in MNIT Jaipur premises would be at supplier's risk and cost.
24. **Custom Duty** : The MNIT, Jaipur is a public funded research Institution registered with Department of Scientific & Industrial Research and concessional Custom Duty @5.15% is applicable for the goods purchased for research purpose vide Government of India Notification No.51/96-Customs dated 23.07.1996
25. **.GST**:MNIT, Jaipur is a public funded research Institution registered with Department of Scientific & Industrial Research for concessional GST @5% applicable for the goods purchased for research purpose vide Ministry of Finance (Department of Revenue) Notification No.47/2017-Integrated Tax dated 14.11.2017 & Notification No.45/2017-Central Tax dated 14.11.2017.
26. **Bid Validity**: 90 days (Minimum)
27. **Opening of Bids**: The Bids shall be opened by authorised officials of the institute as per schedule given in Date Sheet. In case, the day of bid opening is declared a holiday by the government, the Bids will be opened on the next working day at the same time. No separate intimation shall be sent to the bidders in this regard. Only opening of bids and accepting the bid will not mean that the firm is technically or financially qualified.
28. **Institute right to vary Quantities at Time of Award or later** : Institute reserves the right at the time of awarding the contract to increase or decrease the quantity of goods and services originally mentioned in our NIT without any change in unit price or other terms and conditions.
29. While submitting the tender, the **GST Registration No., PAN No.&E-mail Address** is to be mentioned by the bidder positively. Failing this, there bid will be treated as non responsive.
30. **After Sales Service Certificate** :After sales service certificate is to be furnished by successful bidder in the prescribed form as **annexure –C**
31. Specification Enclosed as annexure - D

Deputy Registrar
(Store & Purchase)

MANUFACTURERS' AUTHORIZATION FORM

[The Bidder shall require the Manufacturer to fill in this Form in accordance with the instructions indicated. This letter of authorization should be on the letterhead of the Manufacturer and should be signed by a person with the proper authority to sign documents that are binding on the Manufacturer.]

Date : [insert date (as day, month and year) of Bid Submission]

Tender No. :[insert number from Invitation For Bids]

To : [insert complete name and address of Purchaser]

WHEREAS

We [insert complete name of Manufacturer],who are official manufacturers of [insert type of goods manufactured], having factories at [insert full address of Manufacturer's factories], do hereby authorize [insert complete name of Bidder]to submit a bid the purpose of which is to provide the following Goods, manufactured by us [insert name and or brief description of the Goods],and to subsequently negotiate and sign the Contract.

We hereby extend our full guarantee and warranty in accordance with Clause 2.20 of the General Conditions of Contract, with respect to the Goods offered by the above firm.

Signed: [insert signature(s) of authorized representative(s) of the Manufacturer]

Name: [insert complete name(s) of authorized representative(s) of the Manufacturer]

Title: [insert title]

Duly authorized to sign this Authorization on behalf of: [insert complete name of Bidder]

Dated on _____ day of _____, _____ [insert date of signing]

*(Not required in case the bidder itself is the manufacturer)

PERFORMANCE BANK GUARANTEE

(To be executed on Stamp Paper of Rs. 100/- or such higher value as per the Stamp Act of the State in which the Guarantee is issued. Stamp Paper should be in the name of the Bank Issuing the Guarantee.)

BANK GUARANTEE NO. :

DATED :

Dear Sirs,

1. THIS DEED OF GUARANTEE made on this day of..... between **MALAVIYA NATIONAL INSTITUTE OF TECHNOLOGY, JAIPUR** (hereinafter called the "MNIT" which expression shall unless excluded by or repugnant to the context includes its successors and assignees) of the one part and the (hereinafter called the "**Bank**" which expression shall unless excluded by or repugnant to the context include its successors and assignees) of the other part.

2. AND WHEREAS as per clause _____ of the purchase order in question the supplier shall furnish a Performance Bank Guarantee of 10% of P.O. Value i.e. Rs. (Rs.....

..... only) valid for the period of two months beyond warranty period as and by way of security for satisfactory working of the AND WHEREAS at the request of the supplier, the Bank executes these presents.

3.0 THIS DEED WITNESSETH AND IT IS HEREBY AGREED AND DECLARED BY AND BETWEEN PARTIES HERETO AS FOLLOWS:

3.1 The Bank hereby guarantees to the MNIT, Jaipur that the equipment / service contracted are capable of performing the work as demanded by the MNIT, Jaipur. In the event of equipment / service failing to perform to the satisfaction of the MNIT, Jaipur, which shall be final and conclusive of the factum of non-performance, the Bank shall indemnify and keep the indemnified to the extent of of P.O. Value i.e. Rs. (Rupees) valid for the period of two months beyond the warranty period against any loss or damage that may be caused to or suffered by the MNIT, Jaipur consequent to non-performance of the contracted equipment / services to be supplied by the supplier.

3.2 In consideration of the aforesaid premise and at the request of the supplier, we the Bank hereby irrevocably and unconditionally guarantee that the supplier shall perform in an orderly manner their contractual obligations in accordance with the terms and conditions set forth in the Purchase order dated and in the event of the supplier's failure to do so, the Bank unconditionally pay to the MNIT, Jaipur on demand, any amount up to the value mentioned in Clause 3.1 above without any reference to the supplier and without questioning the claim.

3.3 The guarantee herein shall remain in full force for a period of two months beyond the warranty period from the date of certification by the MNIT, Jaipur of successful installation and commissioning of the equipment/ service contracted. Date of start of warranty period will be notified by MNIT, Jaipur to the Bank.

3.4 The decision of the MNIT, Jaipur regarding the liability of the Bank under the guarantee and the amount payable there under shall be final and conclusive and binding on us without

question. The Bank shall pay forthwith the amount demanded by the MNIT, Jaipur not withstanding any dispute, if any, between the MNIT, Jaipur and the supplier.

- 3.5 The Bank further agrees that the guarantee herein shall remain in full force during the pendency of aforesaid period mentioned in Clause 3.3 above and also any extension of the guarantee which has been provided by the Bank for this purpose beyond the aforesaid period provided, further, that if any claim accrues or against the Bank by virtue of this guarantee, should be lodged with us within a period of 60 days from the date of expiry of the guarantee period.
- 3.6 This Guarantee shall not be affected by any change in constitution of the supplier, MNIT, Jaipur or us not shall it be affected by any change in constitution or by any amalgamation or absorption or reconstruction thereof otherwise, but will ensure for and be available to and endorsable by the absorbing amalgamated company or concern.
- 3.7 The MNIT, Jaipur has the fullest liberty without affecting the guarantee to postpone at any time or from time any of the powers exercisable by it against the supplier, either to enforce or forbear the clause governing guarantee in the terms and conditions of the said contract and Bank shall not be released from its liabilities under the guarantee by any matter referred to or by reason of time being given to the supplier or any other forbearance, act or omission on the part of the MNIT, Jaipur or any material or things whatsoever which under the law relating to sureties shall but for the provisions hereof have the effect of so releasing the Bank from its liabilities.
- 3.8 We further agree that the MNIT, Jaipur shall have the fullest liberty without affecting in any way our obligations hereunder with or without our consent or knowledge to vary any of the terms and conditions of the said contract or to extend the time of delivery from time to time.
- 3.9 The Bank undertakes not to revoke this guarantee during its currency except with the previous consent in writing of the MNIT, Jaipur.
- 3.10 We further agree that in order to give full effect to the guarantee herein contained MNIT, Jaipur shall be entitled to act as if we were its principal debtors in respect of its claim against the Supplier hereby guaranteed by us as aforesaid and we hereby expressly waive all our rights of suretyship and other rights if any which are in any way inconsistent with the above provision of this Guarantee.

Notwithstanding anything herein before, liability of the Bank under this guarantee is restricted to Rs. (Rupees only) and it will remain in force up to the period specified in Clause 3.3 unless a suit to enforce any claim under the Guarantee is filed against the Bank before the period specified in Clause 3.4. All your rights under this Guarantee shall be forfeited and we shall be relieved and discharged from all liabilities thereunder.

COUNTERSIGNED

Signature :	Signature :
Name :	Name :
Designation :	Designation :
Organization :	Organization :

AFTERSALE SERVICE CERTIFICATE

From:

To

The Registrar,
 Malaviya National Institute of Technology (MNIT),
 Jaipur

Whereas, we M/s (Bidder Name) are established & reputable manufacturers (Make of items) of [items name] having service offices at Delhi, Jaipur and in the state of Rajasthan. Details are as under:

Sr.No. Address of Service Centre Phone No. Number of Engineers

1.

2.

3.

 We do hereby confirm that:

Services including repair/replacement of defective parts will be done by us. Replacement of defective Systems/parts will be done by equivalent or better systems/parts of the same make. We will attend all the complaints/service calls within 24 working hours and not beyond 5 working days. Down time will not exceed beyond 5 working days. In case, down time exceed 5 working days then we will extend the warranty period of that item(s) double of the down time.

(Signature)

Name :

Designation :

(Head or Senior Executive of Firm)

Address :

Phone No :

Fax No:

Mobile No :

S. No.	Name of Experimental setup	Specifications	Qty
1.	<p>Cyclic Voltammetry measurement set up</p> <p>Objectives:</p> <p>(a) To measure I-V characteristics of electrodes in electrochemical cell;</p> <p>(b) Electro-deposition of thin films on metallic substrates for various applications.</p>	<p>Cyclic Voltammetry measurement set up with customized software and computer control</p> <p>Includes CV, LSV and Chronoamperometry,</p> <p>Instrument current limit 10 mA with current resolution better than 100 nA (at 10 μA range), Voltage ranges from -2.0 to +2.0 V with voltage resolution up to 1 mV or better, Scan rate 1 mV/s to 100 mV/s, Integrated with Customized Software, Inbuilt dummy cell for calibration, Auto cut protection at limiting currents, Multiple (4) current ranges (10 μA to 10 mA).</p> <p>Included Accessories:</p> <p>One Platinum Mesh counter electrode (Mesh size 10 Sq. mm or more),</p> <p>Two Platinum Tip working electrodes (Dia. 1 mm, Length 10 mm or more),</p> <p>Two Ag/AgCl reference electrodes, and</p> <p>One electrochemical Cell setup (at least 50 ml).</p>	01 Nos
2.	<p>Laser diffraction setup</p> <p>Objectives:</p> <p>(a) To determine the wavelength of laser light from a thin wire diffraction pattern.</p> <p>(b) Compare the thickness of the wire with the single-slit width that form the same diffraction pattern as wire and hence verify the Babinet's principle.</p> <p>(c) To explore the double-slit interference pattern.</p>	<p>Diode LASER: Peak Wavelength: 635nm, Operating voltage: 5V DC, Operating current: 250mA, Optical power: 0.4mW and above, Laser product: Class II, Operating temp.: 0 - 40°C, Storage temp.: -10 to 50°C</p> <p>Optical bench: Material: Aluminum alloy, Type: Hexagonal section, Scale: 0-100cm, Least count: 1mm,</p> <p>Reflection Grating (15000 lpi),</p> <p>Transmission Grating: (15000 lpi)</p> <p>Photo Detector with holder: Detector: Silicon photocell, Terminals: 4mm safety socket, Aperture: 1mm, Rod: 10mm dia.</p> <p>Digital Multimeter: Resistance: 200Ω, 2000Ω, 20kΩ, D.C. Voltage: 200 & 2000 mV: 20, 200 & 600 V, A.C. Voltage: 200 & 600 V, D.C. Current: 200 & 2000 mA</p>	01 Nos

3.	<p>Speed of ultrasonic velocity in liquids setup / Ultrasound velocity measurement setup</p> <p>Objectives: To measure the velocity of ultra-sound waves in liquid</p>	<p>High Frequency Generator: Single and Multi-frequency (up to 20 MHz)</p> <p>Measuring Cell: Max. displacement of the reflector: 20 mm Required Quantity of liquid: 10 c.c. Least Count of micrometer: 0.01mm/0.001 mm</p> <p>Shielded Cable: Impedance: 50Ω</p>	01 Nos
4.	<p>Frank Hertz experimental setup</p> <p>Objectives: Study of quantized excitation of Neon atoms by inelastic scattering and determine the excitation energy</p>	<p>Scanning Voltage: 0-80V, Scanning Frequency: 115±20Hz, Multirange Digital Ammeter, Display: 3&1/2-digit 7 segment LED, Range Multiplier: 10⁻⁷, 10⁻⁸ & 10⁻⁹</p>	01 Nos
5.	<p>Quincke's method setup</p> <p>Objectives: Measurement of Susceptibility of a Liquid or a Solution</p>	<p>Power supply: Voltage: 0-16 Volt DC continuously variable & stabilized Ripple: Less than 25mV, Overload protection: Current limiting, Current: 5 Amp. continuously variable, Display: Two separate displays (3 digit LED) Working voltage: 230V AC, 50 Hz single phase</p> <p>Digital Gauss Meter: Range: 200 G & 2 kG, Resolution: 1G at 0 - 200G Input Voltage: 220 V, ±5%, 50 Hz AC, Axial Hall probe: InAs</p> <p>Traveling Microscope: Travel: Horizontal 170mm, Vertical 110mm, Least Count: 0.01mm, Working distance: 50 mm, Eyepiece Ramsden: 8x, Reticle: 90° cross on glass</p> <p>Electromagnet: Coils: 400 turns, Coil Current: 4.5Amp (Max.), Connection: 4mm safety socket, U Core: 150x130mm (LxH), 40x40mm cross section, I Core: Length=150mm, 40x40mm cross section, Core material: Ferromagnetic.</p> <p>Digital Weighing Scale: Capacity: 700g, Display: Digital, Least count: 0.1g. Body: Plastic</p>	01 Nos
6.	<p>Curie temperature measurement setup</p> <p>Objectives: To determine the Curie temperature of a given solid and study the magnetic transition.</p>	<p>a) Digital voltmeter: 0-9.99 V AC</p> <p>b) Audio oscillator: frequency range: 500 Hz ~1500 Hz; Amplitude: 2 V ~ 10 V (P-P)</p> <p>c) Standard Capacitors (pf, nf): Dielectric cell consists of two 1" dia. gold plated brass discs fitted in between the cell holder.</p> <p>d) Furnace: PID Controlled (RT to 200 °C)</p> <p>e) Ferromagnetic samples: 2 sets (60 °C ± 3 °C and 80 °C ± 3 °C respectively, 3 pcs/set)</p>	01 Nos

<p>7.</p>	<p>Faraday Effect setup</p> <p>Objectives:</p> <p>(a) To observe the interaction of light and matter, as modified by the presence of a magnetic field, and to apply the classical theory of matter to the observations.</p> <p>(b) To measure the Verdet constant for several materials and obtain the value of e/m, the charge to mass ratio for the electron.</p>	<p>Diode Laser: Peak Wavelength: 635nm, Operating voltage: 5V DC, Operating current: 250mA, Optical power: > 0.4-0.8mW, Laser product: Class II, Operating temp.: 0 - 40°C, Storage temp.: -10 to 50°C</p> <p>Optical Bench: Material: Aluminium alloy, Type: Hexagonal section, Scale: 0-100cm, Least count: 1mm</p> <p>Power Supply: Input Voltage: AC 220V \pm5%, Output Voltage: 0-30V Output Current: 0-10Amp, Voltage Display: 3½ Digit LED, Current Display: 3½ Digit LED</p> <p>Digital Gauss Meter: Range: 200 G & 2 kG, Resolution: 1G at 0 - 200G Power: 220 V, 50 Hz AC, Hall probe: InAs</p> <p>Polarizer / Analyzer: Angle: Adjustable (0°-90°), Aperture: 21mm dia. Frame: 130mm dia., to avoids scattering of lights, Rod: 10 mm dia.</p> <p>Electromagnet Unit: Coils: 300 turns, Current: 10Amp (Max.) Wire: 18SWG, Cu, Connection: 4mm safety socket, U Core: 150x130mm (LxH), 40x40mm cross section, Pole Piece: Length=80mm, Material: Ferromagnetic.</p> <p>Set of Six Filter: Color: Wave length, Red: 625 - 635 nm, Orange: 575 - 585 nm, Yellow (dark): 545 - 555 nm, Yellow (light): 505 - 515 nm, Green: 515 - 525 nm, Blue: 465 - 475 nm</p> <p>Transverse Saddle: Material: Aluminum, locking: Spring loaded, Motion: X-Y axis, Holder: 10mm dia.</p> <p>Translucent Screen: Material: Translucent, Acrylic, Size: 300 x 300 mm Rod: 10 mm diameter</p> <p>Convex Lens in Holder: Focal Length: 200mm (SL756), Focal Length: 100mm (SL754), Diameter of Lens: 50 mm, Frame Diameter: 130 mm; Rod Diameter: 10 mm</p>	<p>01 Nos</p>
-----------	---	---	-------------------

<p>8.</p>	<p>Measurement of the I-V characteristics of Solar cell Objectives:</p> <p>(a) To plot the I - V characteristic curve of a solar cell</p> <p>(b) To observe the relationship of current, voltage and power in a solar cell, and to identify the maximum power point, the short circuit current, and the open circuit voltage</p> <p>(c) To evaluate fill factor of the solar cell</p>	<p>Solar Cell I-V measurement unit:</p> <p>Precision power supply with V and I readback, True current source with source and sink capability, Digital multimeter (DCV, DCI, ohms, and power with 6½-digit resolution), Precision electronic load, Trigger controller with touchscreen (at least 5 inch) interface for data visualities and fast analysis.</p> <p>Voltage Ranges: 20 mV – 200 V, Current-Ranges: 10 nA – 1 A with 0.01% Basic Accuracy (Voltage resolution better than 100 nV, better than 100 fA), Sweep Types: Linear, Log, Dual Linear, Dual Log, more than 3000 Readings/Second measurement speed.</p> <p>Option to connect to computer for I-V data logging with suitable program and GPIB, USB, Ethernet (LXI) interface.</p> <p>Optical Rail: Length:500 mm or more, LED Module: LED power:1 W or more, Color: White, with a mount Adjustments: Using 80 tpi lead screws, Adjustment Range: ±4 degrees</p> <p>all the accessories made of material: Black anodized Aluminum alloy</p> <p>Including all the stands and connecting wires to perform the experiments.</p>	<p>01 Nos</p>
<p>9.</p>	<p>Thermo-electric measurement set up Objectives:</p> <p>To measure the thermo emf and Seebeck coefficient of a thermoelectric material</p>	<p>Temperature range: Room temperature to 450 °C, Temperature control within ±5 °C using PID controller, Option for multiple temperature measurement using K-type thermocouples,</p> <p>Thermo-emf measurement unit:</p> <p>With at least 5-inch (12.7 cm) multi-touch capacitive touchscreen with graphical display, traceable 6½-digit multimeter with 0.0025% DCV (1 V, 10 V ranges) basic accuracy, Standard LAN/LXI and USB-TMC communication interfaces, Optional interfaces include GPIB, RS-232, at least 8 different channels to connect to as many as 10 inputs in one test setup, Up to 8 (2-pole) channels of thermocouple, RTD, or thermistor temperature measurements, Channels can be configured independently for voltage or temperature measurement. Scanning speeds as high as 800 channels/second with the solid state relay module, Front panel jacks for stand-alone DMM operation.</p> <p>Voltage Ranges: 100 mV – 1000 V (Voltage resolution better than 500 nV), Input impedance</p>	<p>01 Nos</p>

		<p>more than 10 Giga Ohm.</p> <p>The unit should be capable of temperature measurement using any of eight thermocouple types to test over an extreme range of temperatures, -200°C to 1820°C with an accuracy of 0.01 degree C or better. It should be possible to measure temperature using 2.5 kΩ, 5 kΩ, and 10 kΩ thermistors. It should be possible to measure temperature between -200°C and 850°C using resistance temperature detectors (RTDs) with 2-wire, 3-wire, and 4-wire configurations, with the suitable probes, thermocouples and connecting wires</p>	
--	--	--	--

Deputy Registrar
(Store & Purchase)