MALAVIYA NATIONAL INSTITUTE OF TECHNOLOGY JAIPUR

No. F5(1507)ST/MNIT/MECH/2020 Phone: 0141-2713312,2713352

NOTICE INVITING QUOTATIONS

Registrar, Sponsored Research MNIT, JLN Marg, Jaipur invites sealed tenders for the supply of "Equipments" for Mechanical Engineering Department of this Institute in Two Bid System (Technical & Financial bids in separate envelop) as per schedule given below.

Event	Date & Time
Download of Tender	13.01.2021
Pre-Bid Meeting Date & Time	21.01.2021 by 2.00 PM
Bid Submission Last Date& Time	03.02.2021 by 2.00 PM
Technical Bid Opening Date & Time	03.02.2021 at 3.00 PM
Financial Bid Opening	Will be intimated later on
	Rs. 500.00 (Non-refundable) in the name
Tender Fees	of The Registrar, MNIT and payable at
	Jaipur
Earnest Money	Rs.14,000/- in the name of The Registrar,
	MNIT and payable at Jaipur
	(Kindly attached the RTGS details with
	cancelled cheque along with the Earnest
	Money)

GENERAL TERMS & CONDITIONS

- 1. THE RATES QUOTED SHOULD BE F.O.R. JAIPUR inclusive of all charges related to transportation from your end to MNIT, Jaipur in Indian rupees. For imported items, the rates are to be quoted CIF(Cost, Insurance & Freight) Delhi only in freely convertible foreign currencies. In case the rates are quoted CIF (Cost, Insurance & Freight) New Delhi, then it will be the responsibility of the supplier to intimate us well in advance prior to dispatch and submission of all the relevant documents in time which will be required in clearing the consignment from Custom. If, there is delay in sending the documents and demurrage is imposed, then it will be in the account of foreign supplier. Kindly note that if any amendment is required in LC, after its establishment, the Bank Charges in this respect will be in the account of beneficiary only. Bid shall always be both in the figures and words. The words "No quotations" should be written across any or all of the items in the schedule for which a tender does not wish to tender.
- 2. As far as possible, bid should be given for goods of India manufacture which are readily available. Foreign goods quoted and proposed to be supplied should be covered by normal import quota of the dealer. This institute is exempted from payment of custom duty.
- 3. Detailed specifications and "make" of each item should be clearly given supported by the illustrated pamphlets wherever possible. Bid without specifying the make and other particulars may be rejected. The accessories included in the equipment should also be clearly mentioned.
- 4. Losses or damage in transit will be in to the account of the supplier in case of rates **F.O.R. JAIPUR.** The supplier may, if he so desires, get the goods insured
- 5. The payment for the ordered items would be made after the articles have been received, found in order and its successful installation. Payment will be made by RTGS to indigenous suppliers. Kindly send the RTGS details and cancelled cheque along with the Invoice. The payment to foreign supplier will be made through FDD/Wire Transfer OR Letter of Credit as the case may be. However 90 percent payment will be released after receipt of items and remaining 10 present after its successfully installation
- 6. Your rates should be valid at least for three months (minimum) from the last date of opening of bid.
- 7. All legal proceedings, if necessity arises to institute may be any of the parties (Institute or Contractor/Supplier) shall have to be lodged in the courts situated at Jaipur and not elsewhere.
- 8. The institute is not bound to accept the lowest tender and may reject any tender or any part of the tender without giving any justification for such an action.

9. (a) The Penalty Clause is as under:-

If the seller fails to deliver any or all of the Goods/Services within the original /re-fixed delivery period specified in the Purchase Order, this Institute will be entitled to deduct/recover the Liquidated Damages for the delay at the following percentage:

(i)	Delay up to one month		1%	
(ii)	Delay exceeding one month but		2%	
(ii)	not exceeding two month		2%	
(;;;)	Delay exceeding two month but		5%	
(iii)	not exceeding three month		370	
(iv)	Delay exceeding three month	4	5% for each month and part there of subject	
(1V)	Delay exceeding timee month	t	tomaximum 10%	

- (b) In case of failure to supply the goods within the prescribed time and in accordance with the specifications give in the Quotations, the institute shall be free to cancel the order and make purchases from the next higher tenderer or from the open market as the case may be. In that case the loss sustained by the institute shall be recovered from the defaulting supplier. The institute will be at liberty to recover the loss from the permanent earnest money/or any other pending claims of the supplier without prejudice to its general right to affect recovery from the supplier.
- 10. The prospective bidders can be those who are the manufacturers of the equipment. For items manufactured outside India, the manufacturer itself can be a bidder or its authorised Indian agent can bid on behalf of its Principal that is the manufacturer.
- 11. In the event, the country of origin of goods is India, only the manufacturers shall be considered eligible for bidding. Authorised agents of Indian manufacturers may be permitted to submit the bid, provided the concerned manufacturer states that as its policy, it does not bid itself in India and that there is no qualitative difference between manufacturer and its agent as bidder in respect of quality of supplies, cost, and responsibility of maintenance and servicing. The Indian manufacturer must describe the alternatives in clear terms, in the event the bidding agent ceases to continue as agent of the concerned manufacturer within the stipulated warrantee period.
- 12. If any Indian manufacturer requires importing an essential part from a foreign country, the said company may be given to enjoy the benefit of customs duty exemption with the aid of CDEC of MNIT, Jaipur provided the import of the concerned item is done on behalf of MNIT, Jaipur.

13. THERE IS TWO BID SYSTEM:-

(TECHNICAL AND FINANCIAL BID, both bids should be submitted in separate envelopes):

(A) Technical Bid:

- a) Bidder must be a manufacturer/authorized distributor/ Dealers and they have to enclose a certificate of authorization of manufacturer in format at **Annexure A** (**Authorization certificate in any other format will not be valid**).OEM itself or any one authorised dealer on behalf of OEM may participate in bid. OEM and its dealers both may not participate at the same time.
- b) The manufacturers should supply documentary proof i.e. Registration with the Registrar of Industries, National Small Scale Industries Corporation or with penal of MNIT in case of

- manufacturer. Offers other then the manufacturers should be supported with an authority letter from the manufacturers, authorizing them to quote rates standing guarantee for the satisfactory execution of supply orders failing which offers are liable to be ignored.
- c) One declaration by the Manufacturer to the extent that in case of failure of its local agent /office to provide service support to the satisfaction of MNIT Jaipur, it shall make immediate arrangement for required service support.
- d) Bidder should enclose technical compliance from the Manufacturer. The specifications of items should be strictly as specified. Deviation, if any may please be mentioned separately. If there is no deviation than it should be mentioned as "No Deviation".
- e) The leaflets catalogue, related to quoted equipment/model etc. should be sent invariably, so that a proper evaluation of the equipment offered is possible.
- f) Mention must be made of the pre-installation requirements for the equipment quoted viz. ambient temperature, humidity, weather specifications, power specifications, civil works etc. When items are provided full performance satisfaction should be demonstrated.
- g) Bidder must enclose the acceptance of terms and conditions and must enclose the duly signed and stamped tender document.
- h) All the Annexure enclosed should be duly filled up and signed.
- i) Please attach proof/certificate of each condition required in the tender document.
- j) The firm should provide approximate area required for the setting/installation of the machine / equipment.
- k) Installation support and demonstration for utilizing the equipment is also needed
- l) To mention, if any additional setup/infra is required before installation of equipment (esp. Foundation etc. For larger m/c)
- m) Bidder shall enclose Earnest Money Deposit (EMD) and Tender Fee

(B) Financial Bid:

- a) The rates to be quoted by the bidder should be clearly mentioned without any overwriting
- b) If there is any cutting in the price box, issued be duly signed
- c) The bidders should clearly mentioned their payment terms & conditions
- d) The GST or any other taxes including Custom duty Etc. should be mentioned clearly
- 14. **Delivery Period:**-The ordered quantity of stores must be delivered within 12 to 14 weeks in the case of indigenous equipment and 14 to 16 weeks in the case of imported equipment after opening of L.C. / FDD and Wire Transfer. The extention of delivery period after placing the PO, if required, will be considered only on genuine reasons and proper justifications only.
- 15. <u>Installation:</u> Successful BIDDER shall depute concerned specialist, for supervision of erection& commissioning of the machine to be carried out as and when necessary. The successful BIDDER shall make necessary arrangements during the entire warranty period at their own expenses for stay, transport and other expenses of their specialist during their stay in Jaipur;
- 16. <u>Warranty:</u> All the bidders are required to provide minimum <u>01 Year + 60 Days</u> warranty on the quoted equipment / instrument

17. **Performance Bank guarantee**

Successful Bidder has to Provide Performance security @ 10% of the equipment cost, valid for stipulated warranty period plus 60 days which should be in the form of Bank's Guarantee from a commercial bank in format at **Annexure** – **B**. Warranty will cover repair/replacement of all defective parts, if any, with the same or equivalent make for any part removed. Maintenance will be provided at site. The supplier will provide after sale service during the warranty period from nearest place to installation. The supplier will attend the complaint within 24 working hours and not beyond 5 working days.

- 18. **EARNEST MONEY:** A Demand Draft of Rs.14,000/- from a Commercial bank only in the name of the Registrar, M.N.I.T. and payable at Jaipur may please be sent along with your tender as Earnest Monay No tender shall be considered without earnest money / tender fee. Cheques are not accepted as earnest money amount. No interest is payable by us on the amount of earnest money. Kindly attach the RTGS details with cancelled cheque along with the Earnest Money. The firms registered with NSIC/MSME are exempted for furnishing of EMD / Tender Fee. The Hard copy of NSIC/MSME registration certificate is to be enclosed in technical bid positively.
- 19. <u>Jurisdiction:</u> The Courts of Jaipur alone will have the jurisdiction to try any matter, dispute or difference between the parties arising out of this tender/contract. It is specifically agreed that no Court outside and other than Jaipur court shall have jurisdiction in the matter.
- 20. <u>Arbitration Clause: -</u> In the eventuality of any dispute, the sole Arbitrator shall be MNIT, Jaipur and his decision shall be binding on all the parties.
- 21. **Force Majeure**: Any failure of omission or commission to carry out the provision of this contract by the supplier shall not give rise to any claim by one party, one against the other, if such failure of omission or commission arises from an act of God; which shall include all acts of nature calamities such as fire, flood, earthquake, hurricane, or nay pestilence or from civil strikes, compliance with any statute and / or regulations of the Government, lockouts and strikes, riots, embargoes or from any political or other reason beyond the supplier's control including war (whether declared or not) civil war or stage of insurrection, provided that notice of the occurrence of any event by either party to the other shall be given within two weeks from the date of occurrence of such an event which could be attributed to Force Majeure conditions.
- 22. **Risk &Cost**: In the event of failure to carry out the contractual obligations, within the stipulated period or extended period and determination of the contract for any reason, violation of warranties etc. the MNIT Jaipur shall have the right to carry out the unfinished obligation at the exclusive cost and risk of the bidder/firm, after due notice and the difference so accrued shall be recoverable from the bidder/firm.
- 23. The material found defective upon opening by the supplier representative in presence of Central stores personnel / indenter of MNIT Jaipur or not as per tendered specifications will have to be lifted back by the supplier at their own cost and risk. The material lying in MNIT Jaipur premises would be at supplier's risk and cost.

- 24. <u>Custom Duty</u>: The MNIT, Jaipur is a public funded research Institution registered with Department of Scientific & Industrial Research and concessional Custom Duty @5.15% is applicable for the goods purchased for research purpose vide Government of India Notification No.51/96-Customs dated 23.07.1996
- 25 <u>GST:</u>MNIT, Jaipur is a public funded research Institution registered with Department of Scientific & Industrial Research for concessional GST @5% applicable for the goods purchased for research purpose vide Ministry of Finance (Department of Revenue) Notification No.47/2017-Integrated Tax dated 14.11.2017 & Notification No.45/2017-Central Tax dated 14.11.2017.
- 26. **Bid Validity:** 90 days (Minimum)
- 27. **Opening of Bids:** The Bids shall be opened by authorised officials of the institute as per schedule given in Date Sheet.In case, the day of bid opening is declared a holiday by the government, the Bids will be opened on the next working day at the same time. No separate intimation shall be sent to the bidders in this regard.Only opening of bids and accepting the bid will not mean that the firm is technically or financially qualified.
- 28. <u>Institute right to vary Quantities at Time of Award or later</u>: Institute reserves the right at the time of awarding the contract to increase or decrease the quantity of goods and services originally mentioned in our NIT without any change in unit price or other terms and conditions.
- 29. While submitting the tender, the **GST Registration No.**, **PAN No.**&**E-mail Address** is to be mentioned by the bidder positively. Failing this, there bid will be treated as non responsive.
- 30. <u>After Sales Service Certificate</u>: After sales service certificate is to be furnished by successful bidder in the prescribed form as **annexure** –**C**
- 31. Specification Enclosed as annexure D

Deputy Registrar (Store & Purchase)

MANUFACTURERS' AUTHORIZATION FORM

[The Bidder shall require the Manufacturer to fill in this Form in accordance with the instructions indicated. This letter of authorization should be on the letterhead of the Manufacturer and should be signed by a person with the proper authority to sign documents that are binding on the Manufacturer.]

Date : [insert date (as day, month and year) of Bid Submission]

Tender No. :[insert number from Invitation For Bids]

To : [insert complete name and address of Purchaser]

WHEREAS

We [insert complete name of Manufacturer], who are official manufacturers of [insert type of goods manufactured], having factories at [insert full address of Manufacturer's factories], do hereby authorize [insert complete name of Bidder] to submit a bid the purpose of which is to provide the following Goods, manufactured by us [insert name and or brief description of the Goods], and to subsequently negotiate and sign the Contract.

We hereby extend our full guarantee and warranty in accordance with Clause 2.20 of the General Conditions of Contract, with respect to the Goods offered by the above firm.

Signed: [insert signature(s) of authorized representative(s) of the Manufacturer]

Name: [insert complete name(s) of authorized representative(s) of the Manufacturer]

Title: [insert title]

Duly authorized to sign this Authorization on behalf of: [insert complete name of Bidder]

Dated on _______ day of ________, _____ [insert date of signing]

^{*(}Not required in case the bidder itself is the manufacturer)

PERFORMANCE BANK GUARANTEE

(To be executed on Stamp Paper of Rs. 100/- or such higher value as per the Stamp Act of the State in which the Guarantee is issued. Stamp Paper should be in the name of the Bank Issuing the Guarantee.)

	NK GUARANTEE NO. : TED :
1. T	THIS DEED OF GUARANTEE made on this
(Rs	AND WHEREAS as per clause of the purchase order in question the supplier shall furnish a Performance Bank Guarantee of 10% of P.O. Value i.e. Rs
moi for	only) valid for the period of two nths beyond warranty period as and by way of security satisfactory working of the AND WHEREAS at the request of the supplier, the Bank executes these
	sents.
3.0	THIS DEED WITHNESSETH AND IT IS HEREBY AGREED AND DECLARED BY AND BETWEEN PARTIES HERETO AS FOLLOWS:
3.1	The Bank hereby guarantees to the MNIT, Jaipur that the equipment / service contracted are capable of performing the work as demanded by the MNIT, Jaipur. In the event of equipment / service failing to perform to the satisfaction of the MNIT, Jaipur, which shall be final and conclusive of the factum of non-performance, the Bank shall indemnify and keep the indemnified to the extent of of P.O. Value i.e. Rs (Rupees
3.2	In consideration of the aforesaid premise and at the request of the supplier, we the Bank hereby irrevocably and unconditionally guarantee that the supplier shall perform in an orderly manner their contractual obligations in accordance with the terms and conditions set forth in the Purchase order dated
3.3	The guarantee herein shall remain in full force for a period of two months beyond the warranty period from the date of certification by the MNIT, Jaipur of successful installation and commissioning of the equipment/ service contracted. Date of start of warranty period will be notified by MNIT, Jaipur to the Bank.

3.4 The decision of the MNIT, Jaipur regarding the liability of the Bank under the guarantee and the amount payable there under shall be final and conclusive and binding on us without

question. The Bank shall pay forthwith the amount demanded by the MNIT, Jaipur not withstanding any dispute, if any, between the MNIT, Jaipur and the supplier.

- 3.5 The Bank further agrees that the guarantee herein shall remain in full force during the pendency of aforesaid period mentioned in Clause 3.3 above and also any extension of the guarantee which has been provided by the Bank for this purpose beyond the aforesaid period provided, further, that if any claim accrues or against the Bank by virtue of this guarantee, should be lodged with us within a period of 60 days from the date of expiry of the guarantee period.
- 3.6 This Guarantee shall not be affected by any change in constitution of the supplier, MNIT, Jaipur or us not shall it be affected by any change in constitution or by any amalgamation or absorption or reconstruction thereof otherwise, but will ensure for and be available to and endorsable by the absorbing amalgamated company or concern.
- 3.7 The MNIT, Jaipur has the fullest liberty without affecting the guarantee to postpone at any time or from time any of the powers exercisable by it against the supplier, either to enforce or forbear the clause governing guarantee in the terms and conditions of the said contract and Bank shall not be released from its liabilities under the guarantee by any matter referred to or by reason of time being given to the supplier or any other forbearance, act or omission on the part of the MNIT, Jaipur or any material or things whatsoever which under the law relating to sureties shall but for the provisions hereof have the effect of so releasing the Bank from its liabilities.
- 3.8 We further agree that the MNIT, Jaipur shall have the fullest liberty without affecting in any way our obligations hereunder with or without our consent or knowledge to vary any of the terms and conditions of the said contract or to extend the time of delivery from time to time.
- 3.9 The Bank undertakes not to revoke this guarantee during its currency except with the previous consent in writing of the MNIT, Jaipur.
- 3.10 We further agree that in order to give full effect to the guarantee herein contained MNIT, Jaipur shall be entitled to act as if we were its principal debtors in respect of its claim against the Supplier hereby guaranteed by us as aforesaid and we hereby expressly waive all our rights of suretyship and other rights if any which are in any way inconsistent with the above provision of this Guarantee.

No	twithstan	ding anything herein before, liability of the Bank under this guarantee is restricted
to	Rs	(Rupees
onl	ly) and it	will remain in force up to the period specified in Clause 3.3 unless a suit to
enf	force any	claim under the Guarantee is filed against the Bank before the period specified in
Cla	ause 3.4.	All your rights under this Guarantee shall be forfeited and we shall be relieved
anc	d discharg	ged from all liabilities thereunder.

COUNTERSIGNED

Signature	:	Signature	:
Name	:	Name	:
Designation	:	Designation	:
Organization	1:	Organization:	

AFTERSALE SERVICE CERTIFICATE

From:			
То			
	The Registrar, Malaviya National Institute of Technolo Jaipur	ogy (MNIT),	
		nipur and in the	state of Rajasthan. Details are as
<u>Sr.No.</u>	Address of Service Centre		
1.			
2.			
3.			
We do	hereby confirm that:		
defecti system workir days. l	es including repair/replacement of defeive Systems/parts will be as/parts of the same make. We wing hours and not beyond 5 working day and case, down time exceed 5 working day double of the down time.	done by ill attend all the ys. Down time	y equivalent or better e complaints/service calls within 24 will not exceed beyond 5 working
		(Si	gnature)
	Name	:	
	Designati		
	(Head or Senior	Executive of Fi	rm)
	Address	:	
	Phone No	:	
	Fax No:		
	Mobile N	o :	

Equipment: Fracture Toughness Testing Fixtures and other Accessories for Instron 8862 UTM Machine

S. No.	Testing fixtures and other required accessories Name		Detailed Specifications	Qty
1.	Mode-I	Test Standard to be	ASTM D5528	01 No.
	Interlaminar fracture toughness testing	For type of Specimen	Double Cantilever Beam (DCB) Test Specimen	01 Nos
	fixture	Test specimen figure for reference (DCB Specimen with piano hinges and loading blocks for Mode-I fracture test)	Adhesive (a) with plano hinges Loading block (b) with loading blocks	
		Range of Test	Ref. Test Fixture	<u> </u>
		Specimen Length	125 mm - 180 mm	_
		Range of Test Specimen Width	20 mm – 25 mm	
		Range of Test Specimen Thickness	3 mm – 5 mm	
		Pre-cracking length taken in specimen	Approx. 63 mm	
		Type of material to be tested	Fiber Reinforced Polymer Composite Laminates	
		Type of loading on specimen	Opening tensile load at constant displacement rate	
		Loading Rates	Constant Crosshead Rate between 1 and 5 mm/min.	
		Material of Loading blocks, Clevis and Pin required	Stainless Steel	_
		Pair of loading blocks required	10	
		Loading blocks dimensions required	25 mm x 12.5 mm x 12.5 mm with a hole for Pin	
		Clevis and Pin assembly size and Qty.	Compatible with loading blocks, Qty: 01	
		Maximum load capacity of fixture	5 KN	
		Temperature Range	Form -50 °C to 180 °C	

2.	Mode-II	Test Standard to be	ASTM D7905	
	Interlaminar fracture	followed For type of		01 Nos
	toughness	Specimen	End Notched Flexure (ENF) Test Specimen	
	testing fixture	Test specimen figure for reference (ENF Specimen with loading and supporting rollers for Mode-II fracture test)	Applied force, P, or displacement, S Cracked Insert or prevrack Specimen Ref. Test Fixture	
		Range of Test	140 mm - 200 mm	
		Specimen Length Range of Test Specimen Width	20 mm – 26 mm	
		Range of Test Specimen Thickness	3.4 mm – 4.7 mm	
		Pre-cracking length taken in specimen	Approx. 50 mm	
		Type of material to be tested	Fiber Reinforced Polymer Composite Laminates	
		Material of the fixture required	Stainless Steel	
		Type of loading on specimen	3 Point Bending Load	
		Loading Rates	Displacement controlled rate between 0.025 to 1.6 mm /min	
		Span of bottom support rollers	150 mm	
		Loading roller diameter	18 mm	
		Support rollers diameter	12 mm	
		Maximum load capacity of fixture	20 KN	
		Temperature Range	Form -50 °C to 180 °C	
3.	Mixed Mode- I/II	Test Standard to be followed	ASTM D6671	01 Nos
	Interlaminar fracture	For type of Specimen	Mixed Mode Bending (MMB) Test Specimen	V2 1100
	toughness testing fixture	Test specimen figure for reference (MMB Test Specimen with loading fixture for Mixed Mode-I/II fracture test)	Ref. Test Fixture	

		Range of Test Specimen Length Range of Test Specimen Width Range of Test Specimen Thickness Pre-cracking length taken in specimen Type of material to be tested Type of loading on specimen Loading Rates Upper and Lower Fixture Fixture Material Fixture dimensions Maximum load capacity of fixture Temperature	120 mm - 185 mm 20 mm - 25 mm 3 mm - 5 mm Approx. 50 mm Fiber Reinforced Polymer Composite Laminates Opening and Bending Displacement controlled rate between 0.5 to 5.0 mm/min Roller bearing supported Anvils, Clevis, Loading Blocks, Pins Stainless Steel As per ASTM and specimen data provided 20 KN Form -50 °C to 180 °C	
4.	Mode-III Interlaminar	Range Test Standard to be followed	ASTM STP1230 / STP1274	01 Nos
	fracture toughness	For type of Specimen	Edge Crack Torsion (ECT) Test Specimen	
	testing fixture	Test specimen figure for reference (ECT test Specimen for Mode-III fracture test)	Specimen Principlanted Pr	
		Range of Test Specimen Length Range of Test Specimen Width	96 mm - 150 mm 28 mm - 40 mm	
		Specimen Width Range of Test Specimen Thickness	3 mm – 7 mm	
		Pre-cracking length taken in specimen	14 mm - 20 mm	
		Type of material to be tested Type of loading on specimen Loading Rates Upper and Lower Blocks	Fiber Reinforced Polymer Composite Laminates Two Point Load at diagonally top side & two point supported opposite side diagonally Displacement controlled rate between 0.025 to 5.0 mm/min Consisting two supporting pins on each upper and lower blocks	
		Material of fixture blocks Fixture dimensions	Stainless Steel As per ASTM and specimen data provided	

		Maximum load	20 KN	
		capacity of fixture Temperature		
		Range	Form -50 °C to 180 °C	
5.	Mode-I	Test Standard to be	ASTM D5045	01 N
	Intralaminar fracture	followed For type of		01 Nos
	toughness	Specimen	Compact Tension (CT) Test Specimen	
	testing fixture	Test specimen figure for reference (Intralaminar Mode-I Fracture Test of CT Specimen or Plane- Strain Fracture Toughness test)	.275W .6W .6W	
		Range of Test	Ref. Test Fixture	
		Specimen Length	31.2 mm - 72 mm	
		Range of Test Specimen Width	26 mm - 60 mm	
		Range of Test Specimen Thickness	13 mm - 30 mm	
		Pre-cracking length taken in specimen	13 mm - 30 mm	
		Type of material to be tested	Fiber Reinforced Polymer Composite Laminates	
		Type of loading on specimen	Opening Tensile Load	
		Loading Rates	Displacement controlled rate Approx. 10 mm/min	
		Fixture material	Stainless Steel	
		Fixture dimensions	As per ASTM and specimen data provided	_
		Maximum load capacity of fixture	20 KN	
		Temperature Range	Form -50 °C to 180 °C	
6.	Crack Opening	Test Standard to be followed	ASTM E647 and E1820	01 Nos
	Displacement Gauge	Figure for Reference	Ref. figure of opening displacement gauge	
		Gauge Length	5 mm	
		Measuring Range	+3/-1 mm	
		Accuracy	\pm 0.5% of readout values as per ASTM E83	
		Resolution	0.02% of full scale range	
		Excitation	5 to 10 VDC	

		Sensitivity	2 to 4 mv/V	
7.	Adapters	To test in Instron 886 Required for the com	52 test frame (2 Sets). Apatibility of fixtures connections with machine frame.	01 Nos

Note: All the given items must be compatible with Instron 8862 Machine and as per the given ASTMs.

Deputy Registrar (Store & Purchase)