Malaviya National Institute of Technology Jaipur

Jawahar Lal Nehru Marg, JAIPUR-302017 (Rajasthan) Ministry of Education (Government of India)



Open Tender Enquiry For

Procurement of LED Flood Lights and Heavy Duty Wall Fans

MALAVIYA NATIONAL INSTITUTE OF TECHNOLOGY JAIPUR

No. F5(2067)ST/MNIT/Estate /2021

Phone : 0141-2713312,2713352

NOTICE INVITING QUOTATIONS

Registrar MNIT, JLN Marg, Jaipur invites sealed tenders for the supply of **"LED Flood Lights and Heavy Duty Wall Fans for Mechanical workshop (ME) and Concrete Lab, (Civil)"** of this Institute in **Single Bid System** as per schedule given below:

Schedule				
Event	Date & Time			
Download of Tender	18.07.2022			
Bid Submission Last Date & Time	10.08.2022 by 2.00 PM			
Bid Opening Date & Time	10.08.2022 at 3.00 PM			
Earnest Money	(Rs. 9,500.00)			
	EMD in the form of Demand Draft in the name of			
	The Registrar, MNIT payable at Jaipur or NEFT/RTGS			
	in the bank account details as under:-			
	Bank Name: ICICI Bank Ltd.,			
	Bank Branch: MNIT Jaipur			
	Account Holder: Registrar MNIT Jaipur, J.L.N.			
	Marg, Jaipur			
	Bank Account No: 676805000011			
	Bank IFSC Code: ICICI0006768			
Performance Bank Guarantee	3% of the contract value valid till warranty period			
	plus 60 days.			
Warranty	Standard OEM warranty not less than 1 year			
Delivery	60 Days			
Bid Validity days	90 days			
Email Address (for Technical	storepurchase@mnit.ac.in			
Clarifications)				

Quotation must be enclosed in a properly sealed envelope addressed to **Deputy Registrar (S&P), Malaviya National Institute of Technology, Jawahar Lal Nehru Marg, Jaipur -302017 (E-mail address** <u>storepurchase@mnit.ac.in</u>) by designation and not by name. The quotations must be super scribed "Quotations for the supply of "**LED Flood Lights and Heavy Duty Wall Fans**" as called for in Tender Notice No. ------ dated _______ due on------ at ------AM/PM. The Quotation must reach on or before the due date and time mentioned in the '**Schedule'**. The documents must be dropped in the tender box available in Central Store during office hours (9.30am to 6.00pm) on all working days. Bids delivered to any other place or any individual shall not be considered as valid document. Quotations sent by e-mail will also not be considered valid. The complete Tender document can be viewed and downloaded only from the website (<u>www.mnit.ac.in</u>) and CPPP site <u>https://eprocure.gov.in/epublish/app</u> during the tender period.

2. INVITATION FOR TENDER OFFER FOR PROCUREMENT OF "LED FLOOD LIGHTS AND HEAVY DUTY WALL FANS"

Malaviya National Institute of Technology, Jaipur (MNIT) invites bids from eligible and experienced OEM (Original Equipment Manufacturer) or OEM Authorized Dealer for procurement of 'LED Flood Lights and Heavy Duty Wall Fans (warranty period as stated at "Schedule") on site comprehensive warranty from the date of receipt of the material as per terms & conditions specified in the tender document.

SL N.	Technical Specifications required			
Sl. No.			Qty.	
1.	Specifications			250
	(Make RR Kabel, National, Finolex, Rallison, Delton, Eon		Mtr.	230
	(Indoasian), KEI, Terexal, Plaza, Anchor, L & T, Standard,			
	Paramount, Empire, Orient Cab, Orbit, HPL, Unicab, Polycab,			
		Havell's, Diatron)		
		Supply of 24-inch Air Circulator Heavy Duty Industrial wall Fan 600	Nos.	25
		mm 3 Blade, Alloy Steel/Metal, Full 90 degree oscillation, 230 volts,		
		1440 RPM, Alloy Steel.		
		(Make: Almonard, Havells, Bajaj, Crompton, Alstom)		
	Supply of IK07IP-66 protected high power LED flood light system Nos.		20	
	with Pressure diecast aluminium housing LM6/ADC12 material,			
	toughened glass diffuser with suitable lenses on LED to achieve			
	various beam angles, 240 volt, 50Hz, of high power LED lamps.			
	Integrated driver must be potted & has a unique BISR number shall be			
	high efficiency having efficiency more than 85% and incompliance to			
	BIS certified and T.C. certificate. The System level Luminaire			
	efficacy>=120lm/wt with High Power LEDs is to be used. LED driver			
	Input Voltage AC120 to 270VAC with High voltage Cut off			
	@>=300VAC and Auto resetting Safety. Input Frequency 50Hz±3%,			
	drivercurrent<1000mA shown in LM79 report. Surge Protection			
	Min>=4KV internal and10KV external, System life of 30000 Burning			
		hours with 70% of Initial Lumens maintained, color Rendering		
		Index>70 and CCT5700K±355K. Driver current<1000mA shown in		
	LM79 report. Manufactures Word Mark/Name Engraved /Embossing/			
		Screen printing on die cast housing to allow trace ability/authenticity.		
		Fixture shall be IS 10322 Complianced.		
		High Power Hanging type LED Flood Light 100W		
		(Make: Philips, Bajaj, Havell's, CG, Surya)		

2.1. TECHNICAL SPECIFICATION:

Note: Sample of each item shall be approved by engineer-in charge before supply of items

Deputy Registrar (Store & Purchase)

3. GENERAL TERMS & CONDITIONS

- **3.1. Compliance certificate:** This certificate must be provided indicating conformity to the technical specifications. (Annexure-I)
- **3.2. Due date**: The tender has to be submitted on or before the due date. The offers received after the due date and time will not be considered.
- 3.3. Earnest Money Deposit (EMD): The Bidder should submit EMD as per "Schedule". The Bid without EMD would be considered as UNRESPONSIVE and will not be accepted. The EMD will be refunded without any interest to the unsuccessful Bidders after the award of contract. The bidders are required to submit their bank details/cross cancelled cheque in this regard. In case of successful bidder, it will be refunded after receipt of Performance Bank Guarantee. NSIC / MSME registered bidders must submit copy of valid NSIC / MSME Registration Certificate for exemption of EMD.
- **3.4. Opening of the tender**: The bid will be opened by a committee duly constituted for this purpose. The bids (complete in all respect) received will be opened in presence of bidder's representative if available. Only one representative will be allowed to participate in the tender opening. Purchase order will be awarded to firm (L_1) quoting lowest price and meeting all technical specifications and conditions.

3.5. Purchase preference to Micro and Small Enterprises (MSEs):

Purchase preference will be given to MSEs as defined in Public Procurement Policy for Micro and Small Enterprises (MSEs) Order, 2012 dated 23.03.2012 issued by Ministry of Micro, Small and Medium Enterprises and its subsequent Orders/Notifications issued by concerned Ministry. If the bidder wants to avail the Purchase preference for product/services, the bidder must be the manufacturer/Service provider of the offered product/service. Relevant documentary evidence in this regard shall be submitted along with the bid in respect of the offered service. If L-1 is not an MSE and MSE Service Provider (s) has/have quoted price within L-1+ 15% of margin of purchase preference /price band defined in relevant policy, then 100% order quantity will be awarded to such MSE bidder subject to acceptance of L1 bid price.

- **3.6. Acceptance/ Rejection of bids:** The Institute reserves the right to reject any bid not fulfilling the eligibility criteria. Submission of incomplete bid/ incomplete bid format would lead to rejection of bids. All documents required to be submitted should be the part of the bid. If any document is not submitted, the bid will be treated as incomplete and this would lead to rejection. No communication in this regard will be entertained. Non-compliance of tender terms, non-submission of required documents, lack of clarity of the specifications, contradiction between bidder's specification and supporting documents etc. may lead to rejection of the bid.
- **3.7.** Pre Qualification Criteria:
 - 3.7.1. Bidder should be the manufacturer / authorized dealer. Letter of Authorization from Original Equipment Manufacturer (OEM) specific to the tender should be enclosed in the format (Annexure II). Letter of authorization from OEM in any other format or not specific to this tender will not be accepted.
 - 3.7.2. In the tender, either the Indian agent on behalf of the Principal/OEM or Principal/OEM itself can bid but both cannot bid simultaneously for the same item/product in the same tender.
 - 3.7.3. If an agent submits bid on behalf of the Principal/OEM, the same agent shall not submit a

bid on behalf of another Principal/OEM in the same tender for the same item/product.

- 3.7.4. The Bidder must have successfully executed / completed at least one single order of Rs. 2,96,800.00 or 2 orders each of Rs.1,85,500.00 % or 3 orders each of Rs. 1,48,400.00 for similar products in last three years to any IIT/NIT/CFTIs/ any other Govt. organization. Copies of contracts / purchase orders and documentary evidence of successful execution / completion in support of Past Experience of Similar product along with names, address and contact details of clients shall be submitted in the format (Annexure III) with the bid for verification by the Buyer.
- 3.7.5. Only "Class–I and Class-II local supplier will be eligible to bid notified vide (DPIIT) Notification No. P- 45021/2/2017-PP (BE-II) dated 4th June, 2020. It is mandatory for bidders to quote items having local content more than 20%. Refer revised Public Procurement (Preference to Make in India), Order 2017 P-45021/2/2017-B.E-II dated 04.06.2020 issued by DPIIT, Ministry of Commerce and Industry, Govt. of India. (Submit duly filled Annexure IV for the same)

3.8. Delivery and Documents:

Delivery of the goods should be made within a maximum period mentioned at the 'Schedule' from the date of placement of purchase order.

3.9. Liquidated Damages (L.D):

If a supplier fails to execute the order in time as per the terms and conditions stipulated therein, it will be open to the purchaser to recover liquidated damages for delay in delivery and installation from the supplierat the rate 0.5% of the value of the order per week subject to a maximum of 10% of the total order value. The L.D charges can be increased in case of gross violation of the Purchase Order terms as decided by the Competent Authority of the Institute.

3.10. Place of Jurisdiction: The place of jurisdiction would be Jaipur (Rajasthan).

3.11. Taxes and Duties

Suppliers shall be entirely responsible for all taxes, duties, license fees, octroi, road permits, etc., incurred until delivery of the contracted Goods to the Purchaser. However, GST in respect of the transaction between the Purchaser and the Supplier shall be payable extra, if so stipulated in the order.

3.12. Payment:

- 1) 100% payment shall be made by the Purchaser against delivery, inspection, successful installation, commissioning and acceptance of the equipment at MNIT Jaipur in good condition and to the entire satisfaction of the Purchaser and on production of unconditional performance bankguarantee as specified in bid document.
- 2) GST Deduction at source as per Order/ notification of the Govt.
- 3) GST No of MNIT Jaipur is **08AAAJM0351L1Z6**
- **3.13. Defective Equipment**: If any of the equipment supplied by the Supplier is found to be substandard, refurbished, un-merchantable or not in accordance with the description/specification or otherwise faulty, the committee will have the right to reject the equipment or its part. The prices of such equipment shall berefunded by the Supplier with 18% interest if such payments for such equipment have already been made. All damaged or unapproved goods shall be returned at suppliers cost and risk and the incidental expenses incurred thereon shall be recovered from the supplier. Defective part in equipment, if found before installation and/or during warranty period, shall be replaced within 7 days on receipt of the intimation from this office at the cost and risk of supplier including all other charges. In case supplier fails to replace above item as per above terms & conditions, MNIT Jaipur may consider "Banning" the supplier.

- **3.14. Genuine Pricing:** Vendor is to ensure that quoted price is not more than the price offered to any other customer in India to whom this particular item has been sold.
- **3.15. Exemption to Startups**: If the bidder is a Startup, the bidder shall be exempted from the requirement of "Bidder Turnover" criteria and "Experience Criteria". In case any bidder is seeking exemption from Turnover / Experience Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer.
- **3.16. Exemption to MSME:** If the bidder is a Micro or Small Enterprise as per latest definitions under MSME rules, the bidder shall be exempted from the requirement of "Bidder Turnover" criteria and "Experience Criteria". In case any bidder is seeking exemption from Turnover / Experience Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer.
- 3.17. Price must be submitted in the prescribed format (Annexure- V)

Deputy Registrar Stores and Purchase MNIT Jaipur

COMPLIANCE SHEET

S. No.		Particulars			Comply (Yes/No)	Supporting Page No.
1.	Instrument	Description of item	Unit	Qty.		
	specifications	1.5 Sq.mm 3 core copper Round cable	Mtr.	250		
		(Make RR Kabel , National, Finolex,				
	-	Rallison, Delton, Eon (Indoasian), KEI,				
		Terexal, Plaza, Anchor, L & T, Standard,				
		Paramount, Empire, Orient Cab, Orbit, HPL,				
		Unicab, Polycab, Havell's, Diatron)				
		Supply of 24-inch Air Circulator Heavy Duty	Nos.	25		
		Industrial wall Fan 600 mm 3 Blade, Alloy				
		Steel/Metal, Full 90 degree oscillation, 230				
		volts, 1440 RPM, Alloy Steel.				
		(Make: Almonard, Havells, Bajaj, Crompton,				
		Alstom)				
		Supply of IK07IP-66 protected high power	Nos.	20		
		LED flood light system with Pressure diecast				
		aluminium housing LM6/ADC12 material,				
		toughened glass diffuser with suitable lenses				
		on LED to achieve various beam angles, 240				
		volt, 50Hz, of high power LED lamps.				
		Integrated driver must be potted & has a				
		unique BISR number shall be high efficiency				
		having efficiency more than 85% and				
		incompliance to BIS certified and T.C.				
		certificate. The System level Luminaire				
		efficacy>=120lm/wt with High Power LEDs				
		is to be used. LED driver Input Voltage				
		AC120 to 270VAC with High voltage Cut				
		off $@>=300$ VAC and Auto resetting Safety.				
		Input Frequency 50Hz±3%,				
		drivercurrent<1000mA shown in LM79				
		report. Surge Protection Min>=4KV internal				
		and10KV external, System life of 30000				
		Burning hours with 70% of Initial Lumens				
		maintained, color Rendering Index>70 and				
		CCT5700K±355K. Driver current<1000mA				
		shown in LM79 report. Manufactures Word				
		Mark/Name Engraved /Embossing/ Screen				
		printing on die cast housing to allow trace				
		ability/authenticity. Fixture shall be IS				
		10322 Complianced.				
		High Power Hanging type LED Flood Light				
		100W				
		(Make: Philips, Bajaj, Havell's, CG, Surya)	hy or	l		
		Note: Sample of each items shall be approved incharge before supply of items	by eng	gmeer-		
2.	Proof of Earnest					
		rtificate and PAN				
		of Supplier and Price reasonability declaration				
	Required past Ex					

6. Minimum average annual turnover of the bidder	
7. After Sale Service Certificate	
8. Manufacturer's Authorization Letter	
9. Declaration of Local Content	

Signature of Bidder Name:_____ Designation:_____ Organization Name: Contact No.: _____

MANUFACTURERS' AUTHORIZATION FORM

[The bidder shall require the Manufacturer to fill in this Form in accordance with the Instructions indicated. This letter of authorization should be on the letter head of the Manufacturer and should be signed by a person with the proper authority to sign documents that are binding on the Manufacturer]

Date: [insert date (as day, month and year) of Bid Submission] Tender No.: [insert number from Invitation forBids]

To: [insert complete name and address of Purchaser] WHEREAS

We [insert complete name of Manufacturer], who are official manufacturers of [insert type of goods manufactured], having factories at [insert full address of Manufacturer's factories], do hereby authorize [insert complete name of Bidder] to submit a bid the purpose of which is to provide the following Goods, manufactured by us [insert name and or brief description of the Goods], and to subsequently negotiate and sign the Contract.

We hereby extend our full guarantee and warranty in accordance with Clause 4.23 of the Terms and Conditions, with respect to the Goods offered by the above firm. Further We also ensure to support on regular basis with technology / product updates.

Signed: [insert signature(s) of authorized representative(s) of the Manufacturer] **Name:** [insert completename(s) of authorized representative(s) of the Manufacturer] **Title:** [insert title]

Duly authorized to sign this Authorization on behalf of: [insert complete name of Bidder]

Dated on day of , [insert date of signing]

Name of the organization	se orders) Name of Contact	Contact No	Copy of Purchase Orders
Tume of the ofgunzation	Person	Contact 110.	(Page no.)

Past Experience details

Note: Without submission of relevant Purchase orders, experience will not be considered.

Signature of Bidder		
Name:		
Designation:		
Organization Name:		
Contact No.:		

Annexure-IV

DECLARATION OF LOCAL CONTENT

[For Local Content of Products, Services or Works]

(To be given on Company Letter Head – For tender value below Rs.10 Crores) (To be given by Statutory Auditor/Cost Auditor/Cost Accountant/CA for tender value above Rs.10 Crores)

To,

The Registrar MNIT Jaipur

Subject: Declaration of Local Content Tender reference No.

1. Country of Origin of Goods being offered:

- 2. With reference to Order No. P- 45021/2/2017-PP(BE-II) dated 16-09-2020 of DPIIT, Ministry of Commerce and Industry, Govt. of India, we fall under the following category of supplier (please tick the correct category) for the items for which this tender has been floated and being bided.
 - Class I local supplier has local content equal to more than 50%. Local contents added at

_____ (name of location).

- Class II local supplier has local content more than 20% but less than 50%. Local content sadded at ______(name of location).
- Non-local supplier has local content less than or equal to 20%. Local contents added at
 ____(name of location).
- 3. We are solely responsible for the above mentioned declaration in respect of category of supplier. False declarations will be in breach of the Code of Integrity under Rule 175(1)(i)(h) of the General Financial Rules for which we may be debarred for up to 2 years as per Rule 151(iii) of the General Financial Rules along with such other actions as may be permissible under law.

Signature of Bidder/Agent

Name:	
Designation:	
Organization Name:	
Contact No. :	

Annexure V

1	2	3	4		5		6
					Price (Rs.)		
				5 (A)	5 (B)	5 (C)	
Sl. No.	Name Item with Description	Unit	Qty.	Unit	Price	GST	TotalItemprice
				Price	4 x 5(a)	payable	6=5(b)+5(c)
1	1.5 Sq.mm 3 core copper Round cable						
-	(Make RR Kabel, National, Finolex, Rallison, Delton, Eon (Indoasian), KEI, Terexal, Plaza, Anchor, L &	Mtr.	250				
	T, Standard, Paramount, Empire, Orient Cab, Orbit, HPL, Unicab, Polycab, Havell's, Diatron)						
2	Supply of 24-inch Air Circulator Heavy Duty Industrial wall Fan 600 mm 3 Blade, Alloy Steel/Metal, Full						
	90 degree oscillation, 230 volts, 1440 RPM, Alloy Steel.	Nos.	25				
	(Make: Almonard, Havells, Bajaj, Crompton, Alstom)						
3	Supply of IK07IP-66 protected high power LED flood light system with Pressure diecast aluminium housing						
	LM6/ADC12 material, toughened glass diffuser with suitable lenses on LED to achieve various beam						
	angles, 240 volt, 50Hz, of high power LED lamps. Integrated driver must be potted & has a unique BISR						
	number shall be high efficiency having efficiency more than 85% and incompliance to BIS certified and						
	T.C. certificate. The System level Luminaire efficacy>=120lm/wt with High Power LEDs is to be used.						
	LED driver Input Voltage AC120 to 270VAC with High voltage Cut off $@>=300VAC$ and Auto resetting	Nee	20				
	Safety. Input Frequency 50Hz±3%, drivercurrent<1000mA shown in LM79 report. Surge Protection	Nos.	20				
	Min>=4KV internal and10KV external, System life of 30000 Burning hours with 70% of Initial Lumens maintained, color Rendering Index>70 and CCT5700K±355K. Driver current<1000mA shown in LM79						
	report. Manufactures Word Mark/Name Engraved /Embossing/ Screen printing on die cast housing to allow						
	trace ability/authenticity. Fixture shall be IS 10322 Complianced.						
	High Power Hanging type LED Flood Light 100W						
	(Make: Philips, Bajaj, Havell's, CG, Surya)						
	Total					+	
	If any other cost (Please specify)						
	GRAND TOTAL						

Total bid price (for Indian components) in Indian Currency*:

(in figures) :

(in words):

Signature of Bidder/Agent

Name:	
Designation	