## Malaviya National Institute of Technology Jaipur

Jawahar Lal Nehru Marg, JAIPUR-302017 (Rajasthan)
Ministry of Education
(Government of India)



## **Open Tender Enquiry**

For

Procurement of Equipments for Mechanical Engineering (total articles 05)

#### MALAVIYA NATIONAL INSTITUTE OF TECHNOLOGY JAIPUR

No. F5(2610)ST/MNIT/Mech/2022

#### NOTICE INVITING QUOTATIONS

Phone: 0141-2713312,2713352

Registrar, MNIT, JLN Marg, Jaipur invites sealed tenders for the supply of "Equipments for Mechanical Engineering (total articles 05)" of this Institute in Two Bid System (Technical & Financial bids in separate envelope) as per schedule given below:

Schedule			
Event	Date & Time		
Download of Tender	16.08.2022		
Pre-Bid Meeting Date & Time	26.08.2022 by 2.00 PM		
Bid Submission Last Date & Time	09.09.2022 by 2.00 PM		
Technical Bid Opening Date & Time	09.09.2022 at 3.00 PM		
Earnest Money	(Rs. 47,500.00)  EMD in the form of Demand Draft in the name of The Registrar, MNIT payable at Jaipur or NEFT/RTGS in the bank account details as under:  Bank Name: ICICI Bank Ltd.,  Bank Branch: MNIT Jaipur  Account Holder: Registrar MNIT Jaipur, J.L.N. Marg, Jaipur  Bank Account No: 676805000011  Bank IFSC Code: ICICI0006768		
Performance Bank Guarantee	3% of the contract value valid till warranty period plus 60 days.		
Warranty	Standard OEM warranty not less than 1 year		
Delivery	60 Days		
No. of Covers	02		
Bid Validity days	90 days		
Email Address (for Technical Clarifications)	storepurchase@mnit.ac.in		

Quotation must be enclosed in a properly sealed envelope addressed to **Deputy Registrar (S&P)**, **Malaviya National Institute of Technology**, **Jawahar Lal Nehru Marg**, **Jaipur -302017** (E-mail address <u>storepurchase@mnit.ac.in</u>) by designation and not by name. The quotations must be super scribed "Quotations for the supply of "**Equipments for Mechanical Engineering (total articles 05)**" as called for in Tender Notice No. -------- dated \_\_\_\_\_\_ due on------- at \_\_\_\_\_\_AM/PM. The Quotation must reach on or before the due date and time mentioned in the 'Schedule'. The documents must be dropped in the tender box available in Central Store during office hours (9.30am to 6.00pm) on all working days. Bids delivered to any other place or any individual shall not be considered as valid document. Quotations sent by e-mail will also not be considered valid. The complete Tender document can be viewed and downloaded only from the website

2. The bids (complete in all respect) must be submitted in **two separate** Envelopes as explained below.

Envelope – 1			
(Following documents to be provided)			
Sl. No.	Type	Content	Supporting Page Number of bid
1.		Index / Table of Content	Number of blu
2.		Proof of Earnest money Deposit as mentioned in the 'Schedule'. In case of exemption from	
		submission of Earnest Money Deposit, proof of registration with NSIC/MSME.	
3.		Copy of GST Certificate and PAN.	
4.		Leaflets Catalogue (Brochure)	
5.	Technical Bid	Compliance Sheet (Annexure-I)	
6.		Non Blacklisting of Supplier and Price reasonabilitydeclaration as per <b>Annexure-II</b>	
7.		Required past Experience as per <b>Annexure- III</b> (kindly refer clause No. 4.7.5)	
8.		Minimum average annual turnover of the bidder (kindly refer clause No. 4.7.6)	
9.		After Sale Service Certificate ( <b>Annexure IV</b> ) (kindly refer clause No. 4.30)	
10.		Manufacturer's Authorization Letter as per <b>Annexure-V</b>	
11.		Certificate - Bidder Not from Country sharing Land border with India & Registration of Bidder with Competent Authority (Annexure-VII)	
12.		Declaration of Local Content (Annexure-VIII)	
		Envelope - 2	
Sl. No.	Туре	Content	
		Price bid in specified format only. (Annexure- IX)	
1.		Note: 1.Price is to be quoted in Indian Rupees only. 2Comparison of prices will be done ONLY on the b Main Equipment and anything asked as 'Optional'in not to be included for overall comparison)	•

Note: Price are to be quoted in Financial bid only placed in separate sealed envelope. If price are quoted anywhere in technical bid documents, the bid will summarily be rejected.

## 3. INVITATION FOR TENDER OFFER FOR PROCUREMENT OF "EQUIPMENTS FOR MECHANICAL ENGINEERING (TOTAL ARTICLES 05)"

Malaviya National Institute of Technology, Jaipur (MNIT) invites bids (Technical bids and Commercial bid) from eligible and experienced OEM (Original Equipment Manufacturer) or OEM Authorized Dealer for procurement of "Equipments for Mechanical Engineering (total articles 05)" (warranty period as stated at "Schedule") on site comprehensive warranty from the date of receipt of the material as per terms & conditions specified in the tender document.

#### 3.1. TECHNICAL SPECIFICATION:

		•	ications required		
1. Instrument					
Specifications					
	Name of item: CNC 2 AXIS TABLE TOP TRAINER BASED LATHE MACHINE/ Qty. 01				
Item No. 1	Specifications				
	Features				
	Axis				
	X axis travel	mm	80 Minimmum		
	Z axis Travel	mm	140 minimum		
	Programmab;e feed rate	mm/min	1000		
	Rapid Feed Rate	mm/min	1200		
	Slides		Linear Motion Guideways		
	Capacity				
	Chuck Size	mm	100		
	Swing Overbed	mm	220 minimum		
	Maximum Turning Diameter	mm	30 Minimum		
	Maximum Turning Length	mm	100 Minimum		
	Bed Type		45 Degree Slant Bed Type		
	Accuracy				
	Positioning Accuracy	mm	10 micron Minimum		
	Repeatability	mm	10 Micron Minimum		
	Spindle				
	Programmable Spindle Speed	rpm	3000 Minimum		
	Bore through Spindle	mm	20 Minimum		
	Spindle Nose taper		Standard		
	Spindle Motor	HP	1 Minimum		
	CNC Detail				
	Control System	OEM Industr	rial Control with Emulated Programming		
	Turret				
	Tool Cross Section	mm	12*12		
	Tailstock				
	Tail stck base travel	mm	150 Minimum		
	Tail Stock Quill stroke	mm	30 Minimum		
	Quill Diameter	mm	25 Minimum		
	Lubrication		Automatic		
	Tail Stock Taper		Standard		
	Power Supply				
	Main Supply		230 V & 6A, Single Phase, 50/60 Hz		

	Specifica	LIUIIS		Quantity
	Turning & facing Tool			
	copy Turning Tool LH, Dura carbide ( Insert )			
	copy Turning Tool RH,			
	Dura carbide ( Insert )			
	Copy Turning Tool			
	Boring Bar Dia -8 mm			
	Boring Bar Dia -12 mm			
	shank internal Threading			
	Center drill shank dia 8mm			
	Stub drill dia 8,			
	stub drill dia 12			
	Allen Key Set			
	Double ended spanner - 8 X 9, 10 X 11, 12 X	13,14X15, 1	16X17mm Screwdriver (No:	
	600)			
	Oilcan			One Number for
	Cleaning Brush 63mm			each item
	Fuses (6.3 A, 3.15 A each 3 no.)			
	Dead Centre			
	Manual Single shot lubrication pump  Machine Manual CD			
	Control box key			
	Set of Hardened Jaws			
	Chuck key			
	Manual Chuck			
m No. 2	Name of item: CNC 3 AXIS TABLE TOP TRAI	NER BASED	MAILLING MACHINE	
m No. 2	Name of item: CNC 3 AXIS TABLE TOP TRAIFeatures:	NER BASED	MAILLING MACHINE	
m No. 2		NER BASED	MAILLING MACHINE	
m No. 2	Features:	NER BASED	MAILLING MACHINE minimum 350x130	
m No. 2	Features: CAPACITY			
m No. 2	Features: CAPACITY Table Size	mm	minimum 350x130	
m No. 2	Features: CAPACITY Table Size Max.Load on table	mm	minimum 350x130	
m No. 2	Features: CAPACITY Table Size Max.Load on table ACCURACY	mm kg	minimum 350x130 10kg minimum	
m No. 2	Features:  CAPACITY  Table Size  Max.Load on table  ACCURACY  Positioning accuracy	mm kg mm	minimum 350x130 10kg minimum 10 micron minimum	
m No. 2	Features:  CAPACITY  Table Size  Max.Load on table  ACCURACY  Positioning accuracy  Repeatability	mm kg mm	minimum 350x130 10kg minimum 10 micron minimum	
m No. 2	Features:  CAPACITY  Table Size  Max.Load on table  ACCURACY  Positioning accuracy  Repeatability  SPINDLE	mm kg mm mm	minimum 350x130 10kg minimum 10 micron minimum 10 micron minimum	
m No. 2	Features: CAPACITY Table Size Max.Load on table ACCURACY Positioning accuracy Repeatability SPINDLE Distance between table top & spindle nose	mm kg mm mm	minimum 350x130 10kg minimum 10 micron minimum 10 micron minimum 75-160 or better	
m No. 2	Features:  CAPACITY  Table Size  Max.Load on table  ACCURACY  Positioning accuracy  Repeatability  SPINDLE  Distance between table top & spindle nose  Spindle to column	mm kg mm mm	minimum 350x130 10kg minimum 10 micron minimum 10 micron minimum 75-160 or better 100-120 or better	
m No. 2	Features:  CAPACITY  Table Size  Max.Load on table  ACCURACY  Positioning accuracy  Repeatability  SPINDLE  Distance between table top & spindle nose  Spindle to column  Spindle nose taper	mm kg mm mm	minimum 350x130 10kg minimum 10 micron minimum 10 micron minimum 75-160 or better 100-120 or better BT 30 or standard	
m No. 2	Features:  CAPACITY  Table Size  Max.Load on table  ACCURACY  Positioning accuracy  Repeatability  SPINDLE  Distance between table top & spindle nose  Spindle to column  Spindle nose taper  Spindle Speed	mm kg mm mm mm	minimum 350x130 10kg minimum 10 micron minimum 10 micron minimum 75-160 or better 100-120 or better BT 30 or standard 150 – 4000	
m No. 2	Features:  CAPACITY  Table Size  Max.Load on table  ACCURACY  Positioning accuracy  Repeatability  SPINDLE  Distance between table top & spindle nose  Spindle to column  Spindle nose taper  Spindle Speed  Spindle motor	mm kg mm mm mm	minimum 350x130 10kg minimum 10 micron minimum 10 micron minimum 75-160 or better 100-120 or better BT 30 or standard 150 – 4000	
m No. 2	Features:  CAPACITY  Table Size  Max.Load on table  ACCURACY  Positioning accuracy  Repeatability  SPINDLE  Distance between table top & spindle nose  Spindle to column  Spindle nose taper  Spindle Speed  Spindle motor  AUTOMATIC TOOL CHNAGER	mm kg mm mm mm	minimum 350x130 10kg minimum 10 micron minimum 10 micron minimum 75-160 or better 100-120 or better BT 30 or standard 150 – 4000 1 Hp minimum	
m No. 2	Features:  CAPACITY  Table Size  Max.Load on table  ACCURACY  Positioning accuracy  Repeatability  SPINDLE  Distance between table top & spindle nose  Spindle to column  Spindle nose taper  Spindle Speed  Spindle motor  AUTOMATIC TOOL CHNAGER  Tool Storage capacity	mm kg mm mm mm mm	minimum 350x130 10kg minimum 10 micron minimum 10 micron minimum 75-160 or better 100-120 or better BT 30 or standard 150 – 4000 1 Hp minimum 6 minimum 35 minimum	
m No. 2	Features:  CAPACITY  Table Size  Max.Load on table  ACCURACY  Positioning accuracy  Repeatability  SPINDLE  Distance between table top & spindle nose  Spindle to column  Spindle nose taper  Spindle Speed  Spindle motor  AUTOMATIC TOOL CHNAGER  Tool Storage capacity  Maximum tool length  Maximum tool diameter	mm kg mm mm mm mm Hp Nos	minimum 350x130 10kg minimum 10 micron minimum 10 micron minimum 75-160 or better 100-120 or better BT 30 or standard 150 – 4000 1 Hp minimum 6 minimum	
m No. 2	Features:  CAPACITY  Table Size  Max.Load on table  ACCURACY  Positioning accuracy  Repeatability  SPINDLE  Distance between table top & spindle nose  Spindle to column  Spindle nose taper  Spindle Speed  Spindle motor  AUTOMATIC TOOL CHNAGER  Tool Storage capacity  Maximum tool length  Maximum tool diameter  AXIS	mm kg mm mm mm mm rpm Hp Nos mm mm	minimum 350x130 10kg minimum 10 micron minimum 10 micron minimum 75-160 or better 100-120 or better BT 30 or standard 150 – 4000 1 Hp minimum 6 minimum 35 minimum upto 15	
m No. 2	Features:  CAPACITY  Table Size  Max.Load on table  ACCURACY  Positioning accuracy  Repeatability  SPINDLE  Distance between table top & spindle nose  Spindle to column  Spindle nose taper  Spindle Speed  Spindle motor  AUTOMATIC TOOL CHNAGER  Tool Storage capacity  Maximum tool length  Maximum tool diameter  AXIS  X/Y/Z Axis	mm kg mm mm mm mm rpm Hp Nos mm mm	minimum 350x130 10kg minimum 10 micron minimum 10 micron minimum 75-160 or better 100-120 or better BT 30 or standard 150 – 4000 1 Hp minimum 6 minimum 35 minimum upto 15 225/150/115 or more	
m No. 2	Features:  CAPACITY  Table Size  Max.Load on table  ACCURACY  Positioning accuracy  Repeatability  SPINDLE  Distance between table top & spindle nose  Spindle to column  Spindle nose taper  Spindle speed  Spindle motor  AUTOMATIC TOOL CHNAGER  Tool Storage capacity  Maximum tool length  Maximum tool diameter  AXIS  X/Y/Z Axis  Rapid traverse X x Y x Z Axis	mm kg mm mm mm mm rpm Hp Nos mm mm mm	minimum 350x130 10kg minimum 10 micron minimum 10 micron minimum 75-160 or better 100-120 or better BT 30 or standard 150 – 4000 1 Hp minimum 6 minimum 35 minimum upto 15  225/150/115 or more 1000-1200	
m No. 2	Features:  CAPACITY  Table Size  Max.Load on table  ACCURACY  Positioning accuracy  Repeatability  SPINDLE  Distance between table top & spindle nose  Spindle to column  Spindle nose taper  Spindle Speed  Spindle motor  AUTOMATIC TOOL CHNAGER  Tool Storage capacity  Maximum tool length  Maximum tool diameter  AXIS  X/Y/Z Axis	mm kg mm mm mm mm rpm Hp Nos mm mm	minimum 350x130 10kg minimum 10 micron minimum 10 micron minimum 75-160 or better 100-120 or better BT 30 or standard 150 – 4000 1 Hp minimum 6 minimum 35 minimum upto 15 225/150/115 or more	

	Name of item: Tool package for CNC	3 Axis table top trainer based mil	lling machine/ Qty. 01
	Specifica	tions	Quantity
	Collet Chuck		
	Collets Dia 6, Nos. 1		
	Collets Dia 8, Nos. 1		
	Collets Dia 10, Nos. 1		
	Collets Dia 12, Nos. 1		
	Collets Dia 16, Nos. 1		
	Collets Dia 5,mm Nos. 1		One Number for each item
	Spanner 16 mm Set 1		
	Spanner 25 mm Nos. 1		
	HSS End Mill Dia 10		
	HSS End Mill Dia 12		
	HSS Slot Drill Dia 5		
	HSS Slot Drill Dia 6		
	HSS Slot Drill Dia 8		
	HSS Slot Drill Dia 10		
	HSS Slot Drill Dia 12		
	2 lipped carbide cutter Dia 25		
	Shank Dia 16mm		
	carbide Cutter		
	Clamping Kit		
	Allen Key 1.5,2.0,2.5,3.0,4.0,5.0,6.0,8.	0 mm Double ended spanner –	
	10 X 11, 12 X 13, 14X15,16X17mm		
	Oilcan		
	63mm brush		
	Fuses (6.3 A & 3.15 A )		
	Fuses (6.3 A & 3.15 A)		
	Screw driver (No: 600) Set 1		
	Name of item	Specifications	Qty.
Item No. 3	6 Station Automatic Tool Changer	6 Station Automatic Tool	01
		Changer (CNC 2 AXIS TABLE	
		TOP TRAINER BASED LATHE	
		MACHINE	
Item No. 4	Stabilizer	Servo Stabiliser 3 KVA, SINGLE PHASE	01
Item No. 5	Compressor	Compressor 100 Litre Tank	01
		Capacity, (8-10) BAR Pressure	

#### 4. GENERAL TERMS & CONDITIONS

- **4.1. Due date**: The tender has to be submitted on or before the due date. The offers received after the due date and time will not be considered.
- **4.2. Earnest Money Deposit (EMD)**: The Bidder should submit EMD as per "Schedule". The Technical Bid without EMD would be considered as UNRESPONSIVE and will not be accepted. The EMD will be refunded without any interest to the unsuccessful Bidders after the award of contract. The bidders are required to submit their bank details/cross cancelled cheque in this regard. In case of successful bidder, it will be refunded after receipt of Performance Bank Guarantee. NSIC / MSME registered bidders must submit copy of valid NSIC / MSME Registration Certificate for exemption of EMD.

**4.3. Opening of the tender**: The bid will be opened by a committee duly constituted for this purpose. The bids (complete in all respect) received will be opened in presence of bidder's representative if available. Only one representative will be allowed to participate in the tender opening. The technical bid will be opened first and it will be examined by a technical committee (as per specification and requirement). The financial offer/bid will be opened only for the offer/bid which technically meets all requirements as per the specification, and will be opened subsequently to determine the lowest quoted bid and purchase order will be awarded to firm (L<sub>1</sub>) quoting lowest price.

#### 4.4. Preference to Make in India Products:

The Institute is following and abide with the revised Public Procurement (Preference to Make in India), Order 2017 P- 45021/2/2017 – B. E. –II dated 04.06.20 issued by DPIIT, Commerce of India Ministry of and Industry, Govt. & subsequent amendments/instructions of Ministry. Accordingly, preference will be given to the make in India products while evaluating the bids. However, it is sole responsibility of the bidder(s) to specify the product quoted by them is of Make in India along with respective documentary evidence in the technical bid itself.

#### **4.5.** Purchase preference to Micro and Small Enterprises (MSEs):

Purchase preference will be given to MSEs as defined in Public Procurement Policy for Micro and Small Enterprises (MSEs) Order, 2012 dated 23.03.2012 issued by Ministry of Micro, Small and Medium Enterprises and its subsequent Orders/Notifications issued by concerned Ministry. If the bidder wants to avail the Purchase preference for product/services, the bidder must be the manufacturer/Service provider of the offered product/service. Relevant documentary evidence in this regard shall be submitted along with the bid in respect of the offered service. If L-1 is not an MSE and MSE Service Provider (s) has/have quoted price within L-1+ 15% of margin of purchase preference /price band defined in relevant policy, then 100% order quantity will be awarded to such MSE bidder subject to acceptance of L1 bid price.

**4.6.** Acceptance/ Rejection of bids: The Institute reserves the right to reject any bid not fulfilling the eligibility criteria. Submission of incomplete bid/incomplete bid format would lead to rejection of bids. All documents required to be submitted should be the part of the bid. If any document is not submitted, the bid will be treated as incomplete and this would lead to rejection. No communication in this regard will be entertained. Non-compliance of tender terms, non-submission of required documents, lack of clarity of the specifications, contradiction between bidder's specification and supporting documents etc. may lead to rejection of the bid.

#### **4.7.** Pre Qualification Criteria:

- 4.7.1. Bidder should be the manufacturer / authorized dealer. Letter of Authorization from Original Equipment Manufacturer (OEM) specific to the tender should be enclosed in the format (Annexure V). Letter of authorization from OEM in any other format or not specific to this tender will not be accepted.
- 4.7.2. An undertaking from the OEM is required stating that they would facilitate the bidder on a regular basis with technology/product updates and extend support for the warranty as well. (Annexure II)
- 4.7.3. In the tender, either the Indian agent on behalf of the Principal/OEM or Principal/OEM itself can bid but both cannot bid simultaneously for the same item/product in the same tender.
- 4.7.4. If an agent submits bid on behalf of the Principal/OEM, the same agent shall not submit a bid on behalf of another Principal/OEM in the same tender for the same item/product.

- 4.7.5. The Bidder must have successfully executed / completed at least one single order of Rs. 15,12,000.00 or 2 orders each of Rs. 9,45,000.00 or 3 orders each of Rs. 7,56,000.00 for similar products in last three years to any IIT/NIT/CFTIs/ any other Govt. organization. Copies of contracts / purchase orders and documentary evidence of successful execution / completion in support of Past Experience of Similar product along with names, address and contact details of clients shall be submitted in the format (**Annexure III**) with the bid for verification by the Buyer.
- 4.7.6. The minimum average annual financial turnover of the bidder during the last three years, ending on 31st March of the previous financial year, should be Rs. 15,12,000.00. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be submitted with the bid. In case the date of constitution / incorporation of the bidder is less than 3-year-old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for these criteria.
- 4.7.7. Only "Class–I and Class-II local supplier will be eligible to bid notified vide (DPIIT) Notification No. P- 45021/2/2017-PP (BE-II) dated 4th June, 2020. It is mandatory for bidders to quote items having local content more than 20%. Refer revised Public Procurement (Preference to Make in India), Order 2017 P- 45021/2/2017-B.E-II dated 04.06.2020 issued by DPIIT, Ministry of Commerce and Industry, Govt. of India. (Submit duly filled Annexure VIII for the same)
- **4.8. Performance Security:** The supplier shall require to submit the performance security in the form of irrevocable bank guarantee issued by any commercial bank in the prescribed format (**Annexure VI**) for an amount which is stated at the "Schedule" of the tender document within 10 days from the date of receipt of the purchase order/LC and should be kept valid for a period of 60 days beyond the date of completion of warranty period.
- **4.9. Force Majeure:** The Supplier shall not be liable for forfeiture of its performance security, liquidated damages or termination for default, if and to the extent that, it's delay in performance or other failure to perform its obligations under the Contract is the result of an event of Force Majeure.
  - 1) For purposes of this Clause, "Force Majeure" means an event beyond the control of the Supplier and not involving the Supplier's fault or negligence and not foreseeable. Such events may include, but are not limited to, acts of the Purchaser either in its sovereign or contractual capacity, wars or revolutions, fires, floods, epidemics, quarantine restrictions and freight embargoes.
  - 2) If a Force Majeure situation arises, the Supplier shall promptly notify the Purchaser in writing of such conditions and the cause thereof. Unless otherwise directed by the Purchaser in writing, the Supplier shall continue to perform its obligations under the Contract as far as is reasonably practical, and shall seek all reasonable alternative means for performance not prevented by the Force Majeure event.
- **4.10. Risk Purchase Clause**: In event of failure of supply of the item/equipment within the stipulated delivery schedule, the purchaser has all the right to purchase the item/equipment from the other source on the total risk of the supplier under risk purchase clause.

- **4.11. Packing Instructions**: Each package will be marked on three sides with proper paint/indelible ink, the following:
  - a) Item Nomenclature
  - b) Order/Contract No.
  - c) Country of Origin of Goods
  - d) Supplier's Name and Address
  - e) Consignee details
  - f) Packing list reference number

#### 4.12. Delivery and Documents:

Delivery of the goods should be made within a maximum period mentioned at the 'Schedule' from the date of placement of purchase order. Within 24 hours of shipment, the supplier shall notify the purchaser and the insurance company by cable/telex/fax/e-mail the full details of the shipment including contract number, railway receipt number/ AAP etc. and date, description of goods, quantity, name of the consignee, invoice etc. The supplier shall submit the following documents to the purchaser:

- a) 4 Copies of the Supplier invoice showing contract number, goods' description, quantity
- b) unit price, total amount;
- c) Insurance Certificate if applicable;
- d) Manufacturer's/Supplier's warranty certificate;
- e) Inspection Certificate issued by the nominated inspection agency, if any
- f) Supplier's factory inspection report; and
- g) Certificate of Origin (if possible by the beneficiary);
- h) Two copies of the packing list identifying the contents of each package.
- The above documents should be received by the Purchaser before arrival of the Goods (except where the Goods have been delivered directly to the Consignee with all documents) and, if not received, the Supplier will be responsible for any consequent expenses.

#### **4.13.** Liquidated Damages (L.D):

If a supplier fails to execute the order in time as per the terms and conditions stipulated therein, it will be open to the purchaser to recover liquidated damages for delay in delivery and installation from the supplier at the rate 0.5% of the value of the order per week subject to a maximum of 10% of the total order value. The L.D charges can be increased in case of gross violation of the Purchase Order terms as decided by the Competent Authority of the Institute.

**4.14. Prices:** The price should be quoted in prescribed format (**Annexure IX**) only. The offer/bid should be exclusive of taxes and duties, which will be paid by the purchaser as applicable. However, the percentage of taxes & duties shall be clearly indicated. The price should be quoted without custom duty and excise duty.

MNIT Jaipur being a public funded research Institution registered with Department of Scientific & Industrial Research is eligible for concessional GST @ 5 percent as per provisions of Ministry of Finance (Department of Revenue) Notification No. 47/2017-Integrated Tax dated 14.11.2017 & Notification No. 45/2017- Central Tax dated 14.11.2017. The Institute is also eligible for concessional rate of custom duty@ 5.15 percent as per provision of Government of India Notification No. 51/96-Customs dated 23.07.1996. Necessary certificate will be issued to the supplier in this regard.

- **4.15. Progress of Supply**: Wherever applicable, supplier shall regularly intimate progress of supply, in writing, to the Purchaser as under:
  - a) Quantity offered for inspection and date;
  - b) Quantity accepted/rejected by inspecting agency and date;
  - c) Quantity dispatched/delivered to consignees and date;
  - d) Quantity where incidental services have been satisfactorily completed with date;
  - e) Quantity where rectification/repair/replacement effected/completed on receipt of any communication from consignee/Purchaser with date;
  - f) Date of completion of entire Contract including incidental services, if any; and
  - g) Date of receipt of entire payments under the Contract (In case of stage-wise inspection, details required may also be specified).

#### **4.16. Resolution of Disputes**: The dispute resolution mechanism would be as follows:

- 4.16.1. In case of Dispute or difference arising between the Purchaser and a domestic supplier relating to any matter arising out of or connected with this agreement, such disputes or difference shall be settled in accordance with the Indian Arbitration & Conciliation Act, 1996, the rules thereunder and any statutory modifications or reenactments thereof shall apply to the arbitration proceedings. The dispute shall be referred to the Director, MNIT Jaipur and if he is unable or unwilling to act, the sole arbitration of some other person appointed by him willing to act as such Arbitrator. The award of the arbitrator so appointed shall be final, conclusive and binding on all parties to this order.
- 4.16.2. In the case of a dispute between the purchaser and a Foreign Supplier, the dispute shall be settled by arbitration in accordance with provision of sub-clause (i) above. But if this is not acceptable to the supplier then the dispute shall be settled in accordance with provisions of UNCITRAL (United Nations Commission on International Trade Law) Arbitration Rules.
- 4.16.3. The venue of the arbitration shall be the place from where the order is issued.
- **4.17. Place of Jurisdiction**: The place of jurisdiction would be Jaipur (Rajasthan).

#### 4.18. Right to Use Defective Goods

If after delivery, acceptance and installation and within the warranty period, the operation or use of the goods proves to be unsatisfactory, the Purchaser shall have the right to continue to operate or use such goods until rectifications of defects, errors or omissions by repair or by partial or complete replacement is made without interfering with the Purchaser's operation.

**4.19. Transfer and Subletting**: The supplier shall not sublet, transfer, assign or otherwise part with the acceptance to the tender or any part thereof, either directly or indirectly, without the prior written permission of the Purchaser.

#### 4.20. Supplier Integrity

The Supplier is responsible for and obliged to conduct all contracted activities in accordance with the Contract using state of the art methods and economic principles and exercising all means available to achieve the performance specified in the contract.

#### 4.21. Installation & Demonstration

The supplier is required to do the installation and demonstration of the equipment within two weeks of the arrival of materials at the MNIT Jaipur, site of installation; otherwise the penalty clause will be the same as per the supply of materials.

In case of any damage to equipment and supplies during the carriage of supplies from the origin of equipment to the installation site, the supplier has to replace it with new equipment/supplies immediately at his own risk. Supplier will settle his claim with the insurance company as per his convenience. MNIT Jaipur will not be liable to any type of losses in any form.

**4.22. Insurance** (**if applicable**): For delivery of goods at the purchaser's premises (MNIT Jaipur), the insurance shall be obtained by the supplier from "warehouse to warehouse" (final destinations) on "All Risks" basis including War Risks and Strikes. The insurance shall be valid for a period of not less than 3 months after installation and commissioning.

#### 4.23. Warranty:

- 4.23.1. Warranty period shall be (as stated at "Schedule "of this tender) from date of installation of Goods and acceptance at MNIT Jaipur. The Supplier shall, in addition, comply with the performance and/or consumption guarantees specified under the contract. If for reasons attributable to the Supplier, these guarantees are not attained in whole or in part, the Supplier shall at its discretion make such changes, modifications, and/or additions to the Goods or any part thereof as may be necessary in order to attain the contractual guarantees specified in the Contract at its own cost and expense and to carry out further performance tests. The warranty should be comprehensive on site.
- 4.23.2. The Purchaser shall promptly notify the Supplier in writing of any claims arising under this warranty. Upon receipt of such notice, the Supplier shall arrange to repair or replace the defective goods or parts within 3 days free of cost in MNIT Jaipur. The Supplier shall take over the replaced parts/goods at the time of their replacement. No claim whatsoever shall lie on the Purchaser for the replaced parts/goods thereafter. The period for correction of defects in the warranty period is 03 days. If the supplier, having been notified, fails to remedy the defects within 03 days, the purchaser may proceed to take such remedial action as may be necessary, at the supplier's risk and expenses and without prejudice to any other rights, which the purchaser may have against the supplier under the contract.
- 4.23.3. The warranty period should be clearly mentioned. The maintenance charges (AMC) under different schemes after the expiry of the warranty should also be mentioned. The comprehensive warranty will commence from the date of the satisfactory installation/commissioning of the equipment against the defect of any manufacturing, workmanship and poor quality of the components.

#### 4.24. Governing Language

The contract shall be written in English language. English language version of the Contract shall govern its interpretation. All correspondence and other documents pertaining to the Contract, which are exchanged by the parties, shall be written in the same language.

#### 4.25. Applicable Law

The Contract shall be interpreted in accordance with the laws of the Union of India and all disputes shall be subject to place of jurisdiction.

#### **4.26.** Notices

- 4.26.1. Any notice given by one party to the other pursuant to this contract/order shall be sent to the other party in writing or by cable, telex, FAX or e-mail and confirmed in writing to the other party's address.
- 4.26.2. A notice shall be effective when delivered or on the notice's effective date, whichever is later.

#### 4.27. Taxes and Duties

Suppliers shall be entirely responsible for all taxes, duties, license fees, octroy, road permits, etc., incurred until delivery of the contracted Goods to the Purchaser. However, GST in respect of the transaction between the Purchaser and the Supplier shall be payable extra, if so stipulated in the order.

#### **4.28. Payment**:

- 1) For Indigenous supplies, 100% payment shall be made by the Purchaser against delivery, inspection, successful installation, commissioning and acceptance of the equipment at MNIT Jaipur in good condition and to the entire satisfaction of the Purchaser and on production of unconditional performance bank guarantee as specified in bid document.
- 2) GST Deduction at source as per Order/ notification of the Govt.
- 3) GST No of MNIT Jaipur is **08AAAJM0351L1Z6**
- 4) HSN/SAC No of the items must be clearly mentioned in the quotation along with GST No.
- 5) As per Notification No. 45/2007- Central Tax (Rate) dated 14.11.2017 and 47/2017- Integrated Tax (Rate) dated 14.11.2017, issued by Ministry of Finance, MNIT Jaipur will avail 5% GST rate, on the items, as mentioned in the Notification.

#### 4.29. Manuals and Drawings:

- 4.29.1. Before the goods and equipment are taken over by the Purchaser, the Supplier shall supply operation and maintenance manuals. These shall be in such details as will enable the Purchaser to operate, maintain, adjust and repair all parts of the works as stated in the specifications.
- 4.29.2. The Manuals shall be in the ruling language (English) in such form and numbers as stated in the contract.
- 4.29.3. Unless and otherwise agreed, the supply of goods shall not be considered to be completed for the purposes of taking over until such manuals and drawing have been supplied to the Purchaser.

#### **4.30.** After Sale Service certificate:

The bidder must mention the details of 'After Sale Services' in the format (Annexure-IV). Without After sale service certificate in the prescribed format, bid will not be considered technically responsive.

- **4.31. Site Preparation**: The supplier shall inform to the Institute about the site preparation, if any, needed for the installation of equipment, immediately after the receipt of the purchase order. The supplier must provide complete details regarding space and all the other infrastructural requirements needed for the equipment, which the Institute should arrange before the arrival of the equipment to ensure its timely installation and smooth operation thereafter. The supplier may visit the Institute and see the site where the equipment is to be installed and may offer his advice and render assistance to the Institute in the preparation of the site and other pre- installation requirements.
- **4.32. Defective Equipment:** If any of the equipment supplied by the Supplier is found to be substandard, refurbished, un-merchantable or not in accordance with the description/specification or otherwise faulty, the committee will have the right to reject the equipment or its part. The prices of such equipment shall be refunded by the Supplier with 18% interest if such payments for such equipment have already been made. All damaged or unapproved goods shall be returned at suppliers cost and risk and the incidental expenses

incurred thereon shall be recovered from the supplier. Defective part in equipment, if found before installation and/or during warranty period, shall be replaced within 7 days on receipt of the intimation from this office at the cost and risk of supplier including all other charges. In case supplier fails to replace above item as per above terms & conditions, MNIT Jaipur may consider "Banning" the supplier.

- **4.33. Termination for Default:** The Purchaser may, without prejudice to any other remedy for breach of contract, by written notice of default sent to the Supplier, terminate the Contract in whole or part:
  - If the Supplier fails to deliver any or all of the Goods within the period(s) specified in the order, or within any extension thereof granted by the Purchaser; or
  - If the Supplier fails to perform any other obligation(s) under the Contract.
  - If the Supplier, in the judgment of the Purchaser, has engaged in corrupt or fraudulent practices in competing for or in executing the Contract.
  - For the purpose of this Clause:
    - 1. "Corrupt practice" means the offering, giving, receiving or soliciting of anything of value to influence the action of a public official in the procurement process or in contract execution.
    - 2. "Fraudulent practice" means a misrepresentation of facts in order to influence a procurement process or the execution of a contract to the detriment of the Borrower, and includes collusive practice among bidder (prior to or after bid submission) designed to establish bid prices at artificial non- competitive levels and to deprive the Borrower of the benefits of free and open competition;""
  - In the event the Purchaser terminates the Contract in whole or in part, the Purchaser may procure, upon such terms and in such manner, as it deems appropriate, Goods or Services similar to those undelivered, and the Supplier shall be liable to the Purchaser for any excess costs for such similar Goods or Services. However, the Supplier shall continue the performance of the Contract to the extent not terminated.
- **4.34. Training of Personnel (if applicable):** The supplier shall be required to undertake to provide the technical training to the personnel involved in the use of the equipment at the Institute premises, immediately after completing the installation of the equipment if applicable.
- **4.35.** Compliance certificate: This certificate must be provided indicating conformity to the technical specifications. (Annexure-I)
- **4.36. Genuine Pricing:** Vendor is to ensure that quoted price is not more than the price offered to any other customer in India to whom this particular item has been sold.
- **4.37. Comparison of Bids:** Comparison of prices will be done only on the bids submitted for the main equipment and anything asked as optional in the specifications is not to be included for overall comparison. To evaluate a Price Bid, the Purchaser shall only use all the factors, methodologies and criteria defined below. No other criteria or methodology will be used. The price bids shall be evaluated on the basis of final landing cost which shall be arrived as under:
  - i) The price of the goods quoted Ex-works.
  - ii) GST which will be payable on the goods if the contract is awarded.
  - **iii**) The charges for installation, commissioning, training charges, inland transportation, insurance, packing and forwarding charges and other local services required for delivering the goods at the desired destination as specified in the price schedule form.

#### 4.38. Award of Contract

MNIT Jaipur shall award the contract to the eligible bidder whose technical bid has been accepted and determined as the lowest evaluated commercial bid based on the criteria mentioned above. However, MNIT Jaipur reserves the right and has sole discretion to reject the lowest evaluated bid.

In case more than one bidder happens to quote the same lowest price, MNIT Jaipur reserves the right to decide the criteria and further process for awarding the contract. Decision of MNIT Jaipur shall be final for awarding the contract.

#### 4.39. Restriction on procurement from bidder of country sharing land border with India:

As per Ministry of Finance, Deptt. of Expenditure, Public Procurement Division Order (Public Procurement No.1) issued from file No.6/18/2019-PPD dated 23<sup>rd</sup> July, 2020 regarding restrictions under Rule 144 (xi) of the General Financial Rules (GFRs) 2017, a certificate (**Annexure VII**) shall be submitted by bidders in the tender documents regarding their compliance with the said order. If the certificate submitted by a bidder whose bid is accepted is found to be false, this would be a ground for immediate termination and further legal action in accordance with law.

#### **4.40.** Exemption to Startups:

If the bidder is a Startup, the bidder shall be exempted from the requirement of "Bidder Turnover" criteria and "Experience Criteria". In case any bidder is seeking exemption from Turnover / Experience Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer.

#### 4.41. Exemption to MSME:

If the bidder is a Micro or Small Enterprise as per latest definitions under MSME rules, the bidder shall be exempted from the requirement of "Bidder Turnover" criteria and "Experience Criteria". In case any bidder is seeking exemption from Turnover / Experience Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer.

Deputy Registrar Stores and Purchase MNIT Jaipur

#### **COMPLIANCE SHEET**

	Technical	Specifications requi	red		
1. Instrument Specifications	Equipments for Mechanical Engineering (total articles 05)  Name of item: CNC 2 AXIS TABLE TOP TRAINER BASED LATHE MACHINE/ Qty. 01				
•					Supporting Page No.
Item No. 1	- Sp				
	Features				
	Axis				
	X axis travel	mm	80 Minimmum		
	Z axis Travel	mm	140 minimum		
	Programmab;e feed rate	mm/min	1000		
	Rapid Feed Rate	mm/min	1200		
	Slides		Linear Motion Guideways		
	Capacity				
	Chuck Size	mm	100		
	Swing Overbed	mm	220 minimum		
	Maximum Turning Diameter	mm	30 Minimum		
	Maximum Turning Length	mm	100 Minimum		
	Bed Type		45 Degree Slant Bed		
			Туре		
	Accuracy				
	Positioning Accuracy	mm	10 micron Minimum		
	Repeatability	mm	10 Micron Minimum		
	Spindle		- IVIIIIII		
	Programmable Spindle Speed	rpm	3000 Minimum		
	Bore through Spindle	mm	20 Minimum		
	Spindle Nose taper		Standard		
	Spindle Motor	HP	1 Minimum		
	CNC Detail				
	Control System  OEM Industrial Control with  Emulated Programming				
	Turret		-0		
	Tool Cross Section	mm	12*12		
	Tailstock				
	Tail stck base travel	mm	150 Minimum		
	Tail Stock Quill stroke	mm	30 Minimum		
	Quill Diameter	mm	25 Minimum		
	Lubrication		Automatic		
	Tail Stock Taper		Standard		
	Power Supply				
	Main Supply		230 V & 6A, Single Phase, 50/60 Hz		
		<u> </u>			

	Name of item: Tool package for CNC2 axis table top trainer based lathe machine/ Qty. 01				Comply (Yes/No)	Supporting Page No.
	Specifications			Quantity		
	Turning & facing Tool					
	copy Turning Tool LH,					
	Dura carbide ( Insert )					
	copy Turning Tool RH,					
	Dura carbide ( Insert ) Copy Turning Tool					
	Boring Bar Dia -8 mm					
	Boring Bar Dia -12 mm					
	shank internal Threading					
	Center drill shank dia 8mm					
	Stub drill dia 8,					
	stub drill dia 12					
	Allen Key Set	1 4 4 V 4 F 4 C V 4				
	Double ended spanner - 8 X 9, 10 X 11, 12 X 13 Screwdriver (No: 600)	5,14X15, 16X1	rvmu			
	Oilcan			One Number for		
	Cleaning Brush 63mm			each item		
	Fuses (6.3 A, 3.15 A each 3 no.)					
	Dead Centre					
	Manual Single shot lubrication pump					
	Machine Manual CD					
	Control box key					
	Set of Hardened Jaws Chuck key					
	Manual Chuck					
Item No. 2	Name of item: CNC 3 AXIS TABLE TOP TRAIN	ER BASED MA	AILLING MAC	CHINE		
	Features:					
	CAPACITY					
	Table Size					
	100000120	mm	minimum :	350x130		
	Max.Load on table	mm kg	minimum 3			
	Max.Load on table			num		
	Max.Load on table ACCURACY	kg	10kg minir	mum		
	Max.Load on table  ACCURACY  Positioning accuracy	kg mm	10kg minir 10 micron	mum		
	Max.Load on table  ACCURACY  Positioning accuracy  Repeatability	kg mm	10kg minir 10 micron	mum minimum minimum		
	Max.Load on table  ACCURACY  Positioning accuracy  Repeatability  SPINDLE	kg mm mm	10kg minir 10 micron 10 micron 75-160 or 100-120 or	minimum minimum better r better		
	Max.Load on table  ACCURACY  Positioning accuracy  Repeatability  SPINDLE  Distance between table top & spindle nose	kg mm mm	10kg minir 10 micron 10 micron 75-160 or	minimum minimum better r better		
	Max.Load on table  ACCURACY  Positioning accuracy  Repeatability  SPINDLE  Distance between table top & spindle nose  Spindle to column	kg mm mm	10kg minir 10 micron 10 micron 75-160 or 100-120 or	minimum minimum better r better andard		
	Max.Load on table  ACCURACY  Positioning accuracy  Repeatability  SPINDLE  Distance between table top & spindle nose  Spindle to column  Spindle nose taper	kg mm mm mm	10kg minir 10 micron 10 micron 75-160 or 100-120 or BT 30 or st	minimum minimum better r better andard		
	Max.Load on table  ACCURACY  Positioning accuracy  Repeatability  SPINDLE  Distance between table top & spindle nose  Spindle to column  Spindle nose taper  Spindle Speed	kg mm mm mm mm	10kg minir 10 micron 10 micron 75-160 or 100-120 or BT 30 or st 150 – 4000	minimum minimum better r better andard		
	Max.Load on table  ACCURACY  Positioning accuracy  Repeatability  SPINDLE  Distance between table top & spindle nose  Spindle to column  Spindle nose taper  Spindle Speed  Spindle motor	kg mm mm mm mm	10kg minir 10 micron 10 micron 75-160 or 100-120 or BT 30 or st 150 – 4000	mum minimum minimum better r better candard O mum		
	Max.Load on table  ACCURACY  Positioning accuracy  Repeatability  SPINDLE  Distance between table top & spindle nose  Spindle to column  Spindle nose taper  Spindle Speed  Spindle motor  AUTOMATIC TOOL CHNAGER	kg mm mm mm rpm Hp	10 micron 10 micron 75-160 or 100-120 or BT 30 or st 150 – 4000 1 Hp minin	mum minimum minimum better r better candard D mum		
	Max.Load on table  ACCURACY  Positioning accuracy  Repeatability  SPINDLE  Distance between table top & spindle nose  Spindle to column  Spindle nose taper  Spindle Speed  Spindle motor  AUTOMATIC TOOL CHNAGER  Tool Storage capacity	kg mm mm mm rpm Hp	10kg minir  10 micron  10 micron  75-160 or  100-120 or  BT 30 or st  150 – 4000  1 Hp minir  6 minimun	mum minimum minimum better r better candard D mum		
	Max.Load on table  ACCURACY  Positioning accuracy  Repeatability  SPINDLE  Distance between table top & spindle nose  Spindle to column  Spindle nose taper  Spindle Speed  Spindle motor  AUTOMATIC TOOL CHNAGER  Tool Storage capacity  Maximum tool length	kg mm mm mm mm rpm Hp Nos	10kg minir  10 micron  10 micron  75-160 or  100-120 or  BT 30 or st  150 – 4000  1 Hp minir  6 minimum  35 minimum	mum minimum minimum better r better candard D mum		
	Max.Load on table  ACCURACY  Positioning accuracy  Repeatability  SPINDLE  Distance between table top & spindle nose  Spindle to column  Spindle nose taper  Spindle Speed  Spindle motor  AUTOMATIC TOOL CHNAGER  Tool Storage capacity  Maximum tool length  Maximum tool diameter	kg mm mm mm mm rpm Hp Nos	10kg minir  10 micron  10 micron  75-160 or  100-120 or  BT 30 or st  150 – 4000  1 Hp minir  6 minimum  35 minimum  upto 15	mum minimum minimum better r better candard D mum		
	Max.Load on table  ACCURACY  Positioning accuracy  Repeatability  SPINDLE  Distance between table top & spindle nose  Spindle to column  Spindle nose taper  Spindle Speed  Spindle motor  AUTOMATIC TOOL CHNAGER  Tool Storage capacity  Maximum tool length  Maximum tool diameter  AXIS	kg mm mm mm mm rpm Hp Nos mm mm	10kg minir  10 micron  10 micron  75-160 or  100-120 or  BT 30 or st  150 – 4000  1 Hp minir  6 minimum  35 minimum  upto 15	mum minimum minimum better r better candard D mum m		
	Max.Load on table  ACCURACY  Positioning accuracy  Repeatability  SPINDLE  Distance between table top & spindle nose  Spindle to column  Spindle nose taper  Spindle speed  Spindle motor  AUTOMATIC TOOL CHNAGER  Tool Storage capacity  Maximum tool length  Maximum tool diameter  AXIS  X/Y/Z Axis	kg mm mm mm rpm Hp Nos mm mm	10kg minir  10 micron  10 micron  75-160 or  100-120 or  BT 30 or st  150 – 4000  1 Hp minir  6 minimum  35 minimum  upto 15	mum minimum minimum better r better candard D mum m		

	Control System	Should be the OEM Industrial with Emulated programming.			
	Name of item: Tool package for CNC3 A Qty. 01	e for CNC3 Axis table top trainer based milling machine		Comply (Yes/No)	Supporting Page No.
	Specifica	ations	Quantity		
	Collet Chuck				
	Collets Dia 6, Nos. 1 Collets Dia 8, Nos. 1				
	Collets Dia 10, Nos. 1				
	Collets Dia 12, Nos. 1				
	Collets Dia 16, Nos. 1				
	Collets Dia 5,mm Nos. 1		One		
	Spanner 16 mm Set 1		Number		
	Spanner 25 mm Nos. 1		for each		
	HSS End Mill Dia 10		item		
	HSS End Mill Dia 12 HSS Slot Drill Dia 5				
	HSS Slot Drill Dia 5				
	HSS Slot Drill Dia 8				
	HSS Slot Drill Dia 10				
	HSS Slot Drill Dia 12				
	2 lipped carbide cutter Dia 25				
	Shank Dia 16mm				
	carbide Cutter				
	Clamping Kit	on Davida and davance			
	Allen Key 1.5,2.0,2.5,3.0,4.0,5.0,6.0,8.0 mm Double ended spanner – 10 X 11, 12 X 13, 14X15,16X17mm				
	Oilcan				
	63mm brush				
	Fuses (6.3 A & 3.15 A )				
	Fuses (6.3 A & 3.15 A)				
	Screw driver (No: 600) Set 1				
	Name of item	Specifications	Qty.	Comply (Yes/No)	Supporting Page No.
Item No. 3	6 Station Automatic Tool Changer	6 Station Automatic Tool Changer (CNC 2 AXIS TABLE TOP TRAINER BASED LATHE MACHINE	01	·	
Item No. 4	Stabilizer	Servo Stabiliser 3 KVA, SINGLE PHASE	01		
Item No. 5	Compressor	Compressor 100 Litre Tank Capacity, (8-10) BAR Pressure	01		
1	Proof of Earnest money Deposit				
2	Copy of GST Certificate and PAN				
3	Leaflets catalogue (Brochure)				
4	Non Blacklisting of Supplier and Pri	ice reasonability declaration			
5	Required past Experience				
6	Minimum average annual turnover of	of the bidder			
7	After Sale Service Certificate				
8	Manufacturer's Authorization Letter				
9	Certificate - Bidder Not from/ from India & Registration of Bidder with	•			
10	Declaration of Local Content				

Signature of Bidder
Name:
Designation:
Organization Name:
Contact No.:

## << Organization Letter Head >>

## **DECLARATION SHEET**

• •	hereby certify that all the information and data ender specifications are true and complete to the best fications, conditions and stipulations in details and of specification.
Tender. We further certify that our organization	orized (Copy attached) by the OEM to participate in meets all the conditions of eligibility criteria laid s agreed to support on regular basis with technology ty.
- · · · · · · · · · · · · · · · · · · ·	ion has not been Black Listed/De Listed or put to Department/ Public Sector Undertaking in the last
	zed due to academic discount given to MNIT Jaipur ed to any other Institution in India or abroad during
	Signature of Bidder Name:
	Designation:
	Organization Name: Contact No.:
	Contact 110

## **Past Experience details**

List of Organizations for whom the bidder has undertaken such work during last three years				
(must be supported with Purchae orders)				
Name of the organization	Name of Contact	Contact No.	Copy of Purchase	
_	Person		Orders (Page no.)	
			` •	

Note: Without submission of relevant Purchase orders, experience will not be considered.

Signature of Bidder	
Name:	
Designation:	
<b>Organization Name:</b>	
Contact No.:	

## AFTERSALE SERVICE CERTIFICATE

From:			
	The Registrar,		
	Malaviya National Institute of Teo Jaipur	chnology (MNIT),	
	naving service offices at Delhi, Jaip	-	e manufacturers (Make of items) of [items of Rajasthan. Details are as under:
Sr.No.			Number of Engineers
1.			
2.			
3.			
We do	hereby confirm that:		
System all the onot exc	s/parts will be done by equivalent complaints/service calls within 24	or better systems working hours an ase, down time ex	will be done by us. Replacement of defective s/parts of the same make. We will attend d not beyond 3 working days. Down time will acceed 3 working days then we will extend the
			Signature of Bidder
			Name:
			Organization Name:
			Contact No.:

#### **MANUFACTURERS' AUTHORIZATION FORM**

[The bidder shall require the Manufacturer to fill in this Form in accordance with the Instructions indicated. This letter of authorization should be on the letter head of the Manufacturer and should be signed by a person with the proper authority to sign documents that are binding on the Manufacturer]

Date: [insert date (as day, month and year) of Bid Submission] Tender No.: [insert number from Invitation forBids]

To: [insert complete name and address of Purchaser] WHEREAS

We [insert complete name of Manufacturer], who are official manufacturers of [insert type of goods manufactured], having factories at [insert full address of Manufacturer's factories], do hereby authorize [insert complete name of Bidder] to submit a bid the purpose of which is to provide the following Goods, manufactured by us [insert name and or brief description of the Goods], and to subsequently negotiate and sign the Contract.

We hereby extend our full guarantee and warranty in accordance with Clause 4.23 of the Terms and Conditions, with respect to the Goods offered by the above firm. Further We also ensure to support on regular basis with technology / product updates.

**Signed:** [insert signature(s) of authorized representative(s) of the Manufacturer] **Name:** [insert completename(s) of authorized representative(s) of the Manufacturer]

**Title**: [insert title]

Duly authorized to sign this Authorization on behalf of: [insert complete name of Bidder]

Dated on day of , [insert date of signing]

#### PERFORMANCE BANK GUARANTEE

(To be executed on Stamp Paper of Rs. 100/- or such higher value as per the Stamp Act of the State in which the Guarantee is issued. Stamp Paper should be in the name of the Bank Issuing the Guarantee.)

	NK GUARANTEE NO. :
DA	ΓED :
Dea	r Sirs,
1.	THIS DEED OF GUARANTEE made on this
2.	AND WHEREAS as per clause
3.0	THIS DEED WITHNESSETH AND IT IS HEREBY AGREED AND DECLARED BY AND BETWEEN PARTIES HERETO AS FOLLOWS:
3.1	The Bank hereby guarantees to the MNIT, Jaipur that the equipment / service contracted are capable of performing the work as demanded by the MNIT, Jaipur. In the event of equipment / service failing to
	perform to the satisfaction of the MNIT, Jaipur, which shall be final and conclusive of the factum of non-performance, the Bank shall indemnify and keep the indemnified to the extent of of P.O. Value i.e. Rs
3.2	In consideration of the aforesaid premise and at the request of the supplier, we the Bank hereby irrevocably and unconditionally guarantee that the supplier shall perform in an orderly manner their contractual obligations in accordance with the terms and conditions set forth in the Purchase order dated
3.3	The guarantee herein shall remain in full force for a period of two months beyond the warranty period from the date of certification by the MNIT, Jaipur of successful installation and commissioning of the

equipment/ service contracted. Date of start of warranty period will be notified by MNIT, Jaipur to the

Bank.

- 3.4 The decision of the MNIT, Jaipur regarding the liability of the Bank under the guarantee and the amount payable there under shall be final and conclusive and binding on us without question. The Bank shall pay forthwith the amount demanded by the MNIT, Jaipur not withstanding any dispute, if any, between the MNIT, Jaipur and the supplier.
- 3.5 The Bank further agrees that the guarantee herein shall remain in full force during the pendency of aforesaid period mentioned in Clause 3.3 above and also any extension of the guarantee which has been provided by the Bank for this purpose beyond the aforesaid period provided, further, that if any claim accrues or against the Bank by virtue of this guarantee, should be lodged with us within a period of 60 days from the date of expiry of the guarantee period.
- 3.6 This Guarantee shall not be affected by any change in constitution of the supplier, MNIT, Jaipur or us not shall it be affected by any change in constitution or by any amalgamation or absorption or reconstruction thereof otherwise, but will ensure for and be available to and endorsable by the absorbing amalgamated company or concern.
- 3.7 The MNIT, Jaipur has the fullest liberty without affecting the guarantee to postpone at any time or from time any of the powers exercisable by it against the supplier, either to enforce or forbear the clause governing guarantee in the terms and conditions of the said contract and Bank shall not be released from its liabilities under the guarantee by any matter referred to or by reason of time being given to the supplier or any other forbearance, act or omission on the part of the MNIT, Jaipur or any material or things whatsoever which under the law relating to sureties shall but for the provisions hereof have the effect of so releasing the Bank from its liabilities.
- 3.8 We further agree that the MNIT, Jaipur shall have the fullest liberty without affecting in any way our obligations hereunder with or without our consent or knowledge to vary any of the terms and conditions of the said contract or to extend the time of delivery from time to time.
- 3.9 The Bank undertakes not to revoke this guarantee during its currency except with the previous consent in writing of the MNIT, Jaipur.
- 3.10 We further agree that in order to give full effect to the guarantee herein contained MNIT, Jaipur shall be entitled to act as if we were its principal debtors in respect of its claim against the Supplier hereby guaranteed by us as aforesaid and we hereby expressly waive all our rights of suretyship and other rights if any which are in any way inconsistent with the above provision of this Guarantee.

Notwithstanding anything herein before, liability of the	Bank under this guarantee is restricted to Rs
(Rupees	only) and it will remain in force up
to the period specified in Clause 3.3 unless a suit to enforce	e any claim under the Guarantee is filed against
the Bank before the period specified in Clause 3.4. All yo	ur rights under this Guarantee shall be forfeited
and we shall be relieved and discharged from all liabilities	thereunder.

#### COUNTERSIGNED

Signature	:	Signature	:
Name	:	Name	:
Designation	:	Designation	:
Organization	:	Organization:	

### <On Organization Letter Head>

	ANNEXURE-VII
No	Dated:
<u>CERTIFIC</u>	ATE
I have read the clause regarding restrictions on shares a land border with India and hereby certify that the	•
OR (whichever is a	applicable)
I have read the clause regarding restrictions on shares a land border with India and hereby certify that the Country) and has been registered with the Competent fulfills all the requirements in this regard and is eligible to	the organization is from(Name of Authority. I also certify that the organization
(Copy/ evidence of valid registration by the Competent A	Authority is to be attached)
	Signature of Bidder/Agent

Name:\_\_\_\_\_\_
Designation:\_\_\_\_\_
Organization Name: \_\_\_\_\_
Contact No. : \_\_\_\_\_

# <u>DECLARATION OF LOCAL CONTENT</u> [For Local Content of Products, Services or Works]

(To be given on Company Letter Head – For tender value below Rs.10 Crores) (To be given by Statutory Auditor/Cost Auditor/Cost Accountant/CA for tender value above Rs.10 Crores)

To,	
	The Registrar
	MNIT Jaipur
Subject	:: Declaration of Local Content
	Tender reference No.
1.	Country of Origin of Goods being offered:
2.	With reference to Order No. P- 45021/2/2017-PP(BE-II) dated 16-09-2020 of DPIIT, Ministry of
	Commerce and Industry, Govt. of India, we fall under the following category of supplier (please
	tick the correct category) for the items for which this tender has been floated and being bided.
	• Class I local supplier – has local content equal to more than 50%. Local contents added at (name of location).
	• Class II local supplier – has local content more than 20% but less than 50%. Local content
	sadded at(name of location).
	• Non-local supplier – has local content less than or equal to 20%. Local contents added at
	(name of location).
3.	We are solely responsible for the above mentioned declaration in respect of category of supplier. False declarations will be in breach of the Code of Integrity under Rule 175(1)(i)(h) of the General Financial Rules for which we may be debarred for up to 2 years as per Rule 151(iii) of the General Financial Rules along with such other actions as may be permissible under law.
	Signature of Bidder/Agent
	Name: Designation:
	Organization Name:
	Contact No :

#### **Annexure IX**

#### PRICE BID FORMAT

1	2	3	4		5		6			7		8
				Price per unit (Rs.)				Delivery Charges (Rs.)				
Sl. No.	Name of Goods	Name of Part- Item	Accounting unit & quantity	Ex-factory/ ex-warehouse/ ex-show room off-the shelf	GST payable	OverallBasic unit price (Col. a+b)	TotalItem price	Packing and forwardin g	Transit Insurance, Other duties and taxes, if any(other than sales tax) and incidental costs	Any other charges (please specify)	Total Inland Trans- Portation	Total Bid Price (Rs.)
				5(a)	<b>5</b> (b)	5(c)= 5(a)+5(b)	6=4x 5(c)	7(a)	7(b)	7(c)	7= 7(a)+7(b)+7(c)	(6)+(7)
1												
2												
3												
4												
		 I										· · · · · · · · · · · · · · · · · · ·

Total bid price (for Indian components) in Indian Currency*:	(in figures) :	
	(in words):	
		Signature of Bidder/Agent
		Name:
		Designation: