


मालवीय राष्ट्रीय प्रौद्योगिकी संस्थान जयपुर MALAVIYA NATIONAL INSTITUTE OF TECHNOLOGY JAIPUR





Tender Document

For

Hiring of Sound system for Annual Technical Fest Sphinx'25 MNIT Jaipur

File No. F5(3772)ST/MNIT/DSW/2025

Email: storepurchase@mnit.ac.in

Jawahar Lal Nehru Marg, Malviya Nagar Jaipur, Rajasthan 302017 (India) Jawahar Lal Nehru Marg, Malviya Nagar Jaipur, Rajasthan 302017

Email: storepurchase@mnit.ac.in

Website: www.mnit.ac.in

Phone: 0141-2713312,2713352

No.F5(3772?ST/MNIT/DSW/2025

Notice Inviting Quotation (E-Procurement Mode)

Registrar, MNIT, JLN Marg, Jaipur invites sealed tenders for the supply of "Hiring of Sound system for Annual Technical Fest Sphinx'25" from 07th Nov. to 9th Nov., 2025 of this Institute.

1. Vendors are requested to submit their online bid for mentioned item as per detailed technical specification given and Price Bid as per BOQ on CPP Portal. The Important information related to tender are as follows:

	Schedule
Event	Date & Time
Date of Issue/Publishing	15-10-2024 (14:00 Hrs)
Document Download/Sale Start Date	15-10-2024 (14:00 Hrs)
Document Download/Sale End Date	30-10-2024 (14:00 Hrs)
Last Date and Time for Uploading of Bids	30-10-2024 (16:00 Hrs)
Date & Time of Opening of Technical Bids	31-10-2024 (16:00 His)
Date of Opening of Financial Bids	will be informed later
Earnest Money	(Rs. 44300.00) EMD in the form of Demand Draft in the name of The Registrar, MNIT payable at Jaipur or NEFT/RTGS in the bank account details as under:- Bank Name: ICICI Bank Ltd., Bank Branch: MNIT Jaipur Account Holder: Registrar MNIT Jaipur, J.L.N. Marg, Jaipur Bank Account No: 676805000011 Bank IFSC Code: ICIC0006768
Performance Bank Guarantee	05% of the contract value valid for the period of contract and which will be released after successful and satisfactory completion of the event.
No. of Covers	01
Bid Validity days	90 days
Email Address (for Technical Clarifications)	storepurchase@mnit.ac.in

The Director, MNIT Jaipur reserves the right to accept or reject any or all tenders / offers either in part or in full or to annul the tender process at any stage or to split the order without assigning any reasons there for.

2. <u>Instructions to Bidders</u>

Instructions for Online Bid Submission

Department of Expenditure has issued the directive to publish the tender document on the Central Public Procurement Portal (URL:http://eprocure.gov.in/eprocure/app). The bidders are required to submit soft copies of their bids electronically on the CPP Portal using valid Digital Signature Certificates. Below mentioned instructions are meant to guide the bidders for registration on the CPP Portal, prepare their bids in accordance with the requirements and submitting their bids online on the CPP CPP Portal. For more information. bidders may visit the Portal http://eprocure.gov.in/eprocure/app. Tender document can also be downloaded from MNIT Jaipur Website (www.storepurchase@mnit.ac.in)

2.1 Registration Process

- a) Bidders to enroll on the e-Procurement module of the portal http://eprocure.gov.in/eprocure/app by clicking on the link "Click here to Enroll". Enrolment on the CPP Portal is free of charge.
- b) The bidders to choose a unique username and assign a password for their accounts. Bidders are advised to register their valid email address and mobile numbers as part of the registration process. These would be used for any communication from the CPP Portal.
- c) Bidders to register upon enrolment their valid Digital Signature Certificate (Class II or Class III Certificates with signing key usage) issued by any Certifying Authority recognized by CCA India with their profile.
- d) Only one valid DSC should be registered by a bidder. Please note that the bidders are responsible to ensure that they do not lend their DSCs to others which may lead to misuse. Foreign bidders are advised to refer "DSC details for Foreign Bidders" for Digital Signature requirements on the portal.
- e) Bidder then logs in to the site through the secured login by entering their user ID / password and the password of the DSC / e-Token.

2.2 Tender Documents Search

- a) Various built in options are available in the CPP Portal to facilitate bidders to search active tenders by several parameters. These parameters include Tender ID, organization, location, date, value, etc.
- b) There is also an option of advanced search for tenders, wherein the bidders may combine a number of search parameters such as organization name, form of contract, location, date, other keywords etc. to search for a tender published on the CPP Portal.
- c) Once the bidders have selected the tenders they are interested in; they may download the required documents / tender schedules. These tenders can be moved to the respective 'My Tenders' folder. This would enable the CPP Portal to intimate the bidders through SMS / e-mail in case there is any corrigendum issued to the tender document.
- d) The bidder should make a note of the unique Tender ID assigned to each tender, in case they want to obtain any clarification / help from the Helpdesk.

2.3 Bid Preparation

- a) Bidder should take into account any corrigendum published on the tender document before submitting their bids.
- b) Please go through the tender advertisement and the tender document carefully to understand the documents required to be submitted as part of the bid.
- c) Please note the number of covers in which the bid documents have to be submitted, the number of documents including the names and content of each of the document that need to be submitted. Any deviations from these may lead to rejection of the bid.

- d) Bidder, in advance, should get ready the bid documents to be submitted as indicated in the tender document /Schedule and generally, they can be in PDF / XLS / RAR / DWF formats. Bid documents may be scanned with 100 dpi with black and white option.
- e) To avoid the time and effort required in uploading the same set of standard documents which are required to be submitted as a part of every bid, a provision of uploading such standard documents (e.g. PAN card copy, annual reports, auditor certificates etc.) has been provided to the bidders. Bidders can use "My Space" area available to them to upload such documents. These documents maybe directly submitted from the "My Space" area while sub- mitting a bid, and need not be uploaded again and again. This will lead to a reduction in the time required for bid submission process

2.4 Bid Submission

- a) Bidder to log into the site well in advance for bid submission so that he/she upload the bid in time i.e. on or before the bid submission time. Bidder will be responsible for any delay due to other issues.
- b) The bidder to digitally sign and upload the required bid documents one by one as indicated in the tender document.
- c) Bidder to select the payment option as "on-line" to pay the tender fee/ EMD wherever applicable and enter details of the instrument.
- d) A standard BOQ format has been provided with the tender document to be filled by all the bidders. Bidders to note that they should necessarily submit their financial bids in the prescribed format and no other format is acceptable.
- e) The server time (which is displayed on the bidders' dashboard) will be considered as the standard time for referencing the deadlines for submission of the bids by the bidders, opening of bids etc. The bidders should follow this time during bid submission.
- f) All the documents being submitted by the bidders would be encrypted using PKI encryption techniques to ensure the secrecy of the data, which cannot be viewed by unauthorized per-sons until the time of bid opening.
- g) The uploaded tender documents become readable only after the tender opening by the authorized bid-openers.
- h) Upon the successful and timely submission of bids, the portal will give a successful bid submission message & a bid summary will be displayed with the bid no. and the date & time of submission of the bid with all other relevant details.
- i) Kindly add scanned PDF of all relevant documents in a single PDF file of compliance sheet.

2.5 Assistance to Bidders

- a) Any queries relating to the tender document and the terms and conditions contained therein should be addressed to the Tender Inviting Authority for a tender or the relevant contact person indicated in the tender.
- b) Any queries relating to the process of online bid submission or queries relating to CPP Portal in general may be directed to the 24x7 CPP Portal Helpdesk. The contact number for the helpdesk is 1800 2337315.

2.6 General Instructions to the Bidders

- 1. The tenders will be received online through portal https://eprocure.gov.in/eprocure/app. In the Technical Bids, the bidders are required to upload all the documents in .pdf format.
- 2. Possession of Valid Class II/III Digital Signature Certificate (DSC) in the form of smart card Token in the company's name is a prerequisite for registration and participating in the bid submission activities through https: //eprocure.gov.in/eprocure/app. Digital Signature Certificates can be obtained from the authorized certifying agencies, details of which are available in the web site https://eprocure.gov.in/eprocure/app under the link `Information about DSC'. Bidders are advised to follow the instructions provided in the `Instructions to the Bidders for the e-Submission of the bids online through the Central Public Procurement Portal for e-Procurement at https://eprocure.gov.in/eprocure

3. Online Bid Submission

The bids (complete in all respect) must be uploaded online in **ONE** Envelops as explained below.

Cover – 1 (Following documents to be provided)						
Ser.		Content	Supporting Page Number of bid	File Types		
1.	UTR No. of payment of EMD. In case of exemption from submission of Bid security, proof of registration with NSIC/MSME.					
2.		Copy of GST Certificate and PAN.		.PDF		
3.		Compliance Sheet (Annexure-I)		.PDF		
4.	Technical	Required past Experience as per Annexure- II (kindly refer clause No. 5-II.A)				
5.	Bid	Minimum average annual turnover of the bidder (kindly refer clause No. 5-II.B)				
6.		Non Blacklisting of Supplier and Price reasonability declaration as per Annexure-III		.PDF		
7.		Declaration of Local Content (Annexure-IV)		.PDF		
8.	Financial Bid	Price bid as per BOQ format only. (Note: -Comparison of prices will be done ONLY on the bi submitted for the Main Equipment and anything asked as specifications is not to be included for overall compariso	s 'Optional'in the	.XLS		

FINANCIAL BID (PRICE-BID): Bidder has to quote separately for all the fields as mentioned in Price Schedule. Adding 0 'Zero' shall be treated as unresponsive. Online submission of the bids will not be permitted on the portal after the expiry of submission time and the bidder shall not be permitted to submit the same by any other mode. The bid will be evaluated 'total value wise' hence it is mandatory for the bidder to quote price for all the items and supply the same to the Institute. If any bidder quote '0' Zero price for any article, his bid will be treated non-responsive and will be rejected.

MAVLAVIYA NATIONAL INSTITUTE OF TECHNOLOGY JAIPUR

<u>Invitation for Tender Offers for Procurement of Hiring of Sound system for Annual Technical Fest</u> <u>Sphinx'25</u>

Malaviya National Institute of Technology Jaipur invites online Bids (Technical bid and Commercial bid) from eligible and experienced firms for Procurement, of "<u>Hiring of Sound system for Annual Technical Fest Sphinx'25</u>", as per terms & Conditions specified in the tender document, which is available on CPP Portal http://eprocure.gov.in/eprocure/app

4. <u>TECHNICAL SPECIFICATION:</u>

S. No.	Particulars	Quantity	Units	Days
	SAC and VLTC Requirements			
1	Monitors (JBL/D & B) SAC Lawn Requirements for three days	4	Each	3
2	Tops - (L Acoustic K2/D & B J Series / JBL VTX/ Adamson E12/E15) Hanging Line array tops SAC Lawn Requirement for three days	6	Each	3
3	Bom White Light SAC Lawn Requirements for three days	4	Each	3
4	Sharpy - Stand 10R, Lamp 28 W SAC Lawn Requirement for three days	4	Each	3
5	Console for Control SAC Lawn Requirement for three days	1	Each	3
6	Cordless Mics SAC Lawn Requirements for three days	4	Each	3
7	Corded Mics SAC Lawn Requirements for three days	2	Each	3
8	Side Fill SAC Lawn Requirement for three days	4	Each	3
9	Walkie Talkie SAC Lawn Requirement for three days	20	Nos.	3
10	PA System = 2 tops +2 cordless/wireless mics + Amplifier VLTC rooms Requirement for three days for 3 Days	20	Set	3
	OAT Requirements			3
11	Aluminum square truss 52*36 Ft. OAT Requirement for three days	1	Nos.	3
12	Bass Speakers- (L acoustic/D & B J Series/ JBL VTX/JBL/Adamson E12/E15) OAT Requirement for three days	16	Nos.	3
13	Monitors (JBL / D&B) OAT Requirement for three days	8	Each	3
14	Tops - (L Acoustic K2/ D&B J Series / JBL VTX/ Adamson E12/E15) OAT Requirement for three days	16	Each	3
15	Liners (Hanging Line array tops)- (L Acoustic K2/ D&B J Series / JBL VTX/ Adamson E12/E15) on 2 T- Truss (50 ft) scaffoldings, OAT requirement for 3 days	24	Each	3
16	Side Fill(RCF/ audio centre/JBL SRX) OAT Requirement for three days	16	Each	3
17	Cordless Mics OAT Requirement for three days	12	Each	3
18	Corded Mics OAT Requirements for three days	10	Each	3
	Other Requirements			
19	Tech Rider (DAY 1+2+3)	1	Job	3
20	Light rider (DAY 1+2+3)	1	Job	3
21	SFX rider (DAY 1+2+3)	1	Job	3

Deputy Registrar (Store & Purchase)

5. INSTRUCTIONS TO THE BIDDERS

I. <u>PROPOSED EVENT</u>: Hiring of Sound System for Annual Technical Fest Sphinx'25 from 07th Nov. to 09th Nov., 2025

II. ELIGIBILITY CRITERIA

- a) The Bidder must have successfully executed / completed at least one single order of Rs. 6,20,000.00 or 2 orders each of Rs. 3,54,000.00 or 3 orders each of Rs. 2,65,500.00 for similar products in last three years to any IIT/NIT/CFTIs/ any other Govt. organization/Public company. Copies of contracts / purchase orders and documentary evidence of successful execution / completion in support of Past Experience of Similar product along with names, address and contact details of clients shall be submitted in the format (Annexure II) with the bid for verification by the Buyer.
- b) The minimum average annual financial turnover of the bidder during the last three years, ending on 31st March of the previous financial year, should be Rs. 8,85,000.00. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be submitted with the bid. In case the date of constitution / incorporation of the bidder is less than 3-year-old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for these criteria.

III. REJECTION OF BIDS

The Bid will be considered Non Responsive & summarily rejected in case it does not fulfill any one or more of the following conditions:-

- a). If EMD is not provided by the bidder.
- b). If the bidder tries to put any influence.
- c). If the bidder furnished false information.
- d). If the Authorized Signatory has not signed with official seal on all pages of the bid document.
- e). Any bid indicating conditions beyond those indicated in this Tender Document i.e. conditional bid shall be rejected.

IV. CRITERIA FOR SELECTION OF BIDDERS

- 1. The bidder quoting the lowest in the financial bid shall be eligible for award of work after technical evaluation.
- **a. Financial bid:** The financial bid is to be quoted as per BOQ format only.
- **b.** The Director, MNIT Jaipur reserves all the rights related to the opening, evaluation and cancellation of Bids without assigning any reasons thereof. The Director, MNIT Jaipur can accept OR reject the financial bids without assigning any reason and decision of the Director, MNIT Jaipur will be final & binding in this regard. In case of any ambiguity while comparing the rates offered by the bidders, The Director, MNIT Jaipur reserves all the rights to decide on the issue of identifying selected bidder

V. OTHER CONDITIONS:-

a). <u>Liquidated Damages</u>:- The entire work as listed in the scope of work is to be completed by the Morning of 07th Nov., 2025. The above time schedule is required to be strictly adhered to and followed. Liquidated Damages will be applicable, on the entire value of the contract. In case of delay in completion of a specific job beyond the date/time of completion as indicated above. Penalty would be applicable at the rate of 10% of the contract value for delay of each day, subject to maximum of 20% of the contract value. The penalty shall be recoverable from the EMD/ Bill submitted by the agency.

Further, in case of delay to deliver the work within stipulated program, MNIT Jaipur reserves the right to terminate the contract and get all the jobs or the delayed job completed through another agency of its choice. Any extra expenditure that MNIT Jaipur incurs for completion of the balance job/s through another agency on account of higher rates quoted by the new agency, will be recovered from the selected bidder's account or Performance Guarantee. Moreover, MNIT Jaipur shall also be entitled to all other legal proceedings as may be required for shortfalls in recovery.

b). Earnest Money Deposit (EMD)

- (i) The Bidder shall furnish, EMD of Rs. 44,300.00 (Rs. Forty four thousand three hundred only) in form of Demand Drafts drawn in favour of "Malaviya National Institute of Technology Jaipur" payable at Jaipur or Bank Guarantee in prescribed format with validity of 180 days from the date of opening of bid in a separate envelope.
- (ii) No interest shall be paid on EMD.
- (iii) EMD of Bidders not short-listed will be refunded within 30 days from the date of declaration of Short-listed Bidders.
- (iv) The successful Bidder's EMD will be discharged upon the Bidder signing the acceptance, and furnishing the Performance Guarantee.
- (v) The EMD may be forfeited either in full or in part, at the discretion of MNIT Jaipur, on account of one or more of the following reasons:
 - a) The Bidder withdraws their Bid during the period of Bid validity of 90 days.
 - b) Bidder does not respond to requests for clarification of their Bid.
 - c) Bidder fails to co-operate in the Bid evaluation process, and
 - d) In case of a successful Bidder, the said Bidder fails:
 - 1. To sign the acceptance in time; or 2. To furnish Performance Guarantee.

c). Performance Guarantee

- (i) The selected bidder shall submit Performance Guarantee / Demand Draft equal to 10% of the contract price to the Office of Deputy Registrar (Store and Purchase) at the time of award of work and shall be issued as per the given format and shall be issued from any Scheduled Bank.
- (ii) The performance guarantee shall be valid for the period of contract and which will be released after successful and satisfactory completion of the event.
- (iii) If the selected bidder fails to remit the performance guarantee, the EMD remitted by him will be forfeited and his bid will be held void.

d) Payment Terms

a) For Indigenous supplies, 100% payment shall be made by the Purchaser against delivery, inspection, successful installation, commissioning and acceptance of the equipment at MNIT Jaipur in good condition and to the entire satisfaction of the Purchaser and on production of unconditional performance bank guarantee as specified in bid document.

- b) GST Deduction at source as per Order/ notification of the Govt.
- c) GST No of MNIT Jaipur is 08AAAJM0351L1Z6
- d) HSN/SAC No of the items must be clearly mentioned in the quotation along with GST No.

e) Additional Conditions:-

- i) Director MNIT Jaipur reserves the right to reject any or all the Bids without assigning any reason whatsoever.
- ii) The bidder must comply with the terms and conditions of contract. No deviations shall be entertained.
- iii) In case of any dispute, decision of competent authority at MNIT Jaipur will be final and binding.
- iv) The bidder must furnish a declaration to the effect that it has not been blacklisted in the recent past by any Government Authority / Public Sector Organization etc.
- v) Only "Class–I and Class-II local supplier will be eligible to bid. It is mandatory for bidders to quote items having local content more than 20%. Refer revised Public Procurement (Preference to Make in India), Order 2017 P-45021/2/2017-B.E-II dated 04.06.2020 issued by DPIIT, Ministry of Commerce and Industry, Govt. of India. (Submit duly filled Annexure X for the same)

VI. Force Majeure

If at any time, during the continuance of this contract, the performance in whole or in part by either party of any obligations under this contract shall be prevented or delayed by reason of any war, or hostility, acts of the public enemy, civil commotion, sabotage, fires, floods, explosions quarantine restrictions, strikes, lockouts or act of God (herein after referred to as events) provided notice of happenings, of any such eventually is given by party either party to the other within 21 days from the date of occurrence thereof, neither party shall be reason of such event be entitled to terminate this contract nor shall either party have any such claim for damages against the other in respect of such non-performance, or relay in performance, and deliveries under the contract shall be resumed as soon as practicable after such event may come to an end or cease to exist, and the decision of the Director MNIT Jaipur will be final and conclusive.

VII. Arbitration

- a) If a dispute of any kind whatsoever arises between the MNIT Jaipur and the bidder in connection with, or arising out of, the Contract or the execution of the works or after their completion and whether before or after the repudiation or other termination of the contract, including any disagreement by either party with any action, in action, opinion, instruction, determination, certificate or valuation of the Engineer, the matter in dispute shall be settled by arbitration in accordance with the Indian Arbitration and Conciliation Act, 1996 or any statutory amendment thereof.
- (b) The reference to arbitration may proceed notwithstanding that the works shall not then be or be alleged to be completed, provide always that the obligations of the MNIT Jaipur and the bidder shall not be altered by reason of the arbitration being conducted during the progress of the works. Neither party shall be entitled to suspend the works, payments to the bidder shall be continued to be made as provided by the contract.
- (c) Arbitration proceedings shall be held at Jaipur and the language of the arbitration proceedings and that of all documents and communications between the parties shall be English.
- (d) All arbitration awards shall be in writing and shall state the reasons for the award.
- (e) Penalty/Liquidate Damages shall not fall under the Arbitration clause.

VIII) Cancellation / Postponement of Programme

In case the organizing of the Event is cancelled or postponed due to any reason, no claims shall be made by the bidder on MNIT Jaipur.

IX) Special term and conditions:

- 1. No advance will be paid to the contractor.
- 2. In case of defective works the same shall be rectified by the contractor at his own cost.
- 3. The contractor will be responsible for transportation of all materials released to his/her work and no extra payment will be made by the institute on this account.
- 4. All material used should be very high quality, If the material used is not of good quality deduction will be made from the bill.
- As the is an important event of the Institute, timely completion of work and quality of materiel would be important. The committee in this regard may inspect materiel to be used for the work before awarding the work.
- 6. MNIT, Jaipur reserves the right to curtail or enhance the scope of work either by removing of certain items entirely or by reducing/increasing the quantities of certain items as required by the Institute from time to time and therefore, the final value of the work shall be worked out and paid to the extent of work actually carried out.
- 7. Subletting the awarded work to other party is not allowed. If found, appropriate action will be taken against successful bidder.
- 8. The validity of the tender shall be at least 90 days from the date of opening of Tender.
- 9. It shall be the responsibility of the selected bidder to arrange for manpower, material, and necessary expertise for executing the work so that it is fully set up by the Evening of 07- 11-2025 at 05:00 PM.
- 10. It would be the responsibility of the selected bidder to arrange for fire extinguishers.
- 11. All the electrical cables and wires should be properly insulated. There should not be any loose wires. Gen set installation for the event would be the responsibility of the selected bidder with the required permission of the Ministry of Environment.
- 12. Annexure-A contains a equivalent tentative tech rider and the sound set up and brand for the speakers and other requirements may vary with the artist requirements.
- 13. The prospective bidder must visit the site of the Event before the Bidding to physically verify, guage and satisfy themselves the requirements of the instant tender, before uploading the bids.
- 14. The Prospective bidder must provide sample of item(s)/ goods before the commencement of the work to the organizing committee.

15. Instructions for BoQ Columns:

- Column No. 7: This column must reflect the basic rate for 1 day multiplied by number of days for which it is required.
- Column No. 9: This column should contain the GST amount, calculated based on the total price specified in Column No. 13.
- 16. OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 25 percent of bid quantity at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity by up to 25% of the contracted quantity during the currency of the contract at the contracted rates. Bidders are bound to accept the orders accordingly.

- 17. Prices: The price should be quoted in BoQ format only. The offer/bid should be exclusive of taxes and duties, which will be paid by the purchaser as applicable. However, the percentage of taxes & duties shall be clearly indicated. The price should be quoted without custom duty and excise duty, since MNIT Jaipur is exempted from payment of Excise Duty and is eligible for concessional rate of custom duty. Necessary certificate will be issued on demand. The bid will be evaluated 'total value wise' hence it is mandatory for the bidder to quote price for all the items and supply the same to the Institute. If any bidder quote '0' Zero price for any article, his bid will be treated non-responsive and will be rejected.
- 18. **Exemption to Startups**: If the bidder is a Startup, the bidder shall be exempted from the requirement of "Bidder Turnover" criteria and "Experience Criteria". In case any bidder is seeking exemption from Turnover / Experience Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer.
- 19. **Exemption to MSME:** If the bidder is a Micro or Small Enterprise as per latest definitions under MSME rules, the bidder shall be exempted from the requirement of "Bidder Turnover" criteria and "Experience Criteria". In case any bidder is seeking exemption from Turnover / Experience Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer.

Deputy Registrar Stores and Purchase MNIT Jaipur

INFORMATION TO BE FURNISHED BY THE BIDDER

The bidder are required to provide the following details in the prescribed format and also enclose self attested copy in support of the information provided, wherever applicable:

1.	Name of the Bidder(Firm)	:	
2.	Address of the Bidder/Firm	:	
3.	Contact Phone number(s) of the bidder: Email ID:	: :	
4.	Year of Establishment	:	
5.	GSTIN No. (Enclose certificate)	:	

This is to certify that I have under stood the terms & condition of the tender document and all the information provided above & enclosed is true to the best of my knowledge and belief.

Further, I have visited the actual site, where the services need to be provided, and submitted my quotation based on the same.

Signature of the Bidder	•••••
Date:	

ANNEXURE -I

COMPLIANCE SHEET

Particulars	Quantity	Units	Davs		Supporting
	Quantity	Omes	Days	(400)110)	r age ito:
Monitors (JBL/D & B) SAC Lawn Requirements for three days	4	Each	3		
Tops - (L acoustic K2/ D & B J Series / JBL VTX/ Adamson E12/E15) Hanging Line array tops SAC Lawn Requirement for three days	6	Each	3		
Bom White Light SAC Lawn Requirements for three days	4	Each	3		
Sharpy - Stand 10R, Lamp 28 W SAC Lawn Requirement for three days	4	Each	3		
Console for Control SAC Lawn Requirement for three days	1	Each	3		
Cordless Mics SAC Lawn Requirements for three days	4	Each	3		
Corded Mics SAC Lawn Requirements for three days	2	Each	3		
Side Fill SAC Lawn Requirement for three days	4	Each	3		
Walkie Talkie SAC Lawn Requirement for three days	20	Nos.	3		
PA System = 2 tops +2 cordless/wireless mics + Amplifier VLTC rooms Requirement for three days for 3 Days	20	Set	3		
OAT Requirements			3		
Aluminum square truss 52*36 Ft. OAT Requirement for three days	1	Nos.	3		
Bass Speakers- (L Acoustic/D & B J Series/ JBL VTX/JBL/Adamson E12/E15) OAT Requirement for three days	16	Nos.	3		
Monitors (JBL / D&B) OAT Requirement for three days	8	Each	3		
Tops - (L Acoustic K2/ D&B J Series / JBL VTX/ Adamson E12/E15) OAT Requirement for three days	16	Each	3		
Liners (Hanging Line array tops)- (L Acoustic K2/ D&B J Series / JBL VTX/ Adamson E12/E15) on 2 T- Truss (50 ft) scaffoldings, OAT requirement for 3 days	24	Each	3		
Side Fill(RCF/ audio centre/JBL SRX) OAT Requirement for three days	16	Each	3		
Cordless Mics OAT Requirement for three days	12	Each	3		
Corded Mics OAT Requirements for three days	10	Each	3		
Other Requirements			3		
Tech Rider (DAY 1+2+3)	1	Job	3		
Light rider (DAY 1+2+3)	1	Job	3		
SFX rider (DAY 1+2+3)	1	Job	3		
	Tops - (L acoustic K2/ D & B J Series / JBL VTX/ Adamson E12/E15) Hanging Line array tops SAC Lawn Requirement for three days Bom White Light SAC Lawn Requirements for three days Sharpy - Stand 10R, Lamp 28 W SAC Lawn Requirement for three days Console for Control SAC Lawn Requirement for three days Cordless Mics SAC Lawn Requirements for three days Corded Mics SAC Lawn Requirements for three days Side Fill SAC Lawn Requirement for three days Walkie Talkie SAC Lawn Requirement for three days PA System = 2 tops +2 cordless/wireless mics + Amplifier VLTC rooms Requirement for three days for 3 Days OAT Requirements Aluminum square truss 52*36 Ft. OAT Requirement for three days Bass Speakers- (L Acoustic/D & B J Series/ JBL VTX/JBL/Adamson E12/E15) OAT Requirement for three days Monitors (JBL / D&B) OAT Requirement for three days Tops - (L Acoustic K2/ D&B J Series / JBL VTX/ Adamson E12/E15) OAT Requirement for three days Liners (Hanging Line array tops)- (L Acoustic K2/ D&B J Series / JBL VTX/ Adamson E12/E15) on 2 T- Truss (50 ft) scaffoldings, OAT requirement for 3 days Side Fill(RCF/ audio centre/JBL SRX) OAT Requirement for three days Cordless Mics OAT Requirement for three days Cordless Mics OAT Requirements for three days Other Requirements Tech Rider (DAY 1+2+3) Light rider (DAY 1+2+3)	Monitors (JBL/D & B) SAC Lawn Requirements for three days Tops - (L acoustic K2/ D & B J Series / JBL VTX/ Adamson E12/E15) Hanging Line array tops SAC Lawn Requirement for three days Bom White Light SAC Lawn Requirements for three days Sharpy - Stand 10R, Lamp 28 W SAC Lawn Requirement for three days Console for Control SAC Lawn Requirement for three days 1 Cordless Mics SAC Lawn Requirements for three days 2 Side Fill SAC Lawn Requirements for three days 4 Walkie Talkie SAC Lawn Requirement for three days PA System = 2 tops +2 cordless/wireless mics + Amplifier VLTC rooms Requirement for three days for 3 Days OAT Requirements Aluminum square truss 52*36 Ft. OAT Requirement for three days Aluminum square truss 52*36 Ft. OAT Requirement for three days Tops - (L Acoustic K2/ D& B J Series / JBL VTX/ JBL/Adamson E12/E15) OAT Requirement for three days Tops - (L Acoustic K2/ D&B J Series / JBL VTX/ Adamson E12/E15) OAT Requirement for three days 16 Liners (Hanging Line array tops)- (L Acoustic K2/ D&B J Series / JBL VTX/ Adamson E12/E15) OAT Requirement for three days 16 Liners (Hanging Line array tops)- (L Acoustic K2/ D&B J Series / JBL VTX/ Adamson E12/E15) OAT Requirement for three days 16 Liners (Hanging Line array tops)- (L Acoustic K2/ D&B J Series / JBL VTX/ Adamson E12/E15) OAT Requirement for three days 16 Cordless Mics OAT Requirement for three days 16 Cordless Mics OAT Requirement for three days 17 Cordled Mics OAT Requirement for three days 18 Corded Mics OAT Requirements for three days Tech Rider (DAY 1+2+3) 11 Light rider (DAY 1+2+3)	Monitors (JBL/D & B) SAC Lawn Requirements for three days Monitors (JBL/D & B) SAC Lawn Requirements for three days Tops - (Lacoustic K2/D & B J Series / JBL VTX/ Adamson E12/E15) Hanging Line array tops SAC Lawn Requirement for three days Bom White Light SAC Lawn Requirements for three days Sharpy - Stand 10R, Lamp 28 W SAC Lawn Requirement for three days Console for Control SAC Lawn Requirement for three days Lach Cordless Mics SAC Lawn Requirements for three days Cordless Mics SAC Lawn Requirements for three days Lach Corded Mics SAC Lawn Requirements for three days Side Fill SAC Lawn Requirement for three days Walkie Talkie SAC Lawn Requirement for three days PA System = 2 tops +2 cordless/wireless mics + Amplifier VLTC rooms Requirement for three days for 3 Days DAT Requirements Aluminum square truss 52*36 Ft. OAT Requirement for three days Aluminum square truss 52*36 Ft. OAT Requirement for three days Monitors (JBL / D&B) OAT Requirement for three days Tops - (L Acoustic K2/D&B J Series / JBL VTX/ Adamson E12/E15) OAT Requirement for three days Liners (Hanging Line array tops) - (L Acoustic K2/D&B J Series / JBL VTX/ Adamson E12/E15) - on 2 T - Truss (50 ft) scaffoldings, OAT requirement for 3 days Liners (Hanging Line array tops) - (L Acoustic K2/D&B J Series / JBL VTX/ Adamson E12/E15) - on 2 T - Truss (50 ft) scaffoldings, OAT requirement for 3 days Liners (Mics OAT Requirement for three days Liners (Mic	SAC and VLTC Requirements Monitors (JBL/D & B) SAC Lawn Requirements for three days Tops - (L acoustic K2/D & B J Series / JBL VTX/ Adamson E12/E15) Hanging Line array tops SAC Lawn Requirement for three days Bom White Light SAC Lawn Requirements for three days Bom White Light SAC Lawn Requirements for three days Console for Control SAC Lawn Requirement for three days Console for Control SAC Lawn Requirement for three days Corded Mics SAC Lawn Requirements for three days Corded Mics SAC Lawn Requirements for three days Line Talkie SAC Lawn Requirement for three days ACORD SAC Lawn Requirement for three days A	Particulars Quantity Monitors (JBL/D & B) SAC Lawn Requirements for three days Tops - (L acoustic K2/ D & B) Series / JBL VTX/ Adamson E12/E15) Hanging Line array tops SAC Lawn Requirement for three days Bom White Light SAC Lawn Requirements for three days Bom White Light SAC Lawn Requirements for three days Bom White Light SAC Lawn Requirement for three days Bom White Light SAC Lawn Requirement for three days Barpy - Stand 10R, Lamp 28 W SAC Lawn Requirement for three days Console for Control SAC Lawn Requirement for three days Lorded Mics SAC Lawn Requirements for three days Side Fill SAC Lawn Requirements for three days Walkie Talkie SAC Lawn Requirement for three days PA System = 2 tops +2 cordless/wireless mics + Amplifier VLTC Tooms Requirement for three days for 3 Days OAT Requirements Aluminum square truss 52*36 Ft. OAT Requirement for three days Bass Speakers- (L Acoustic/D & B J Series/ JBL VTX/JBL/Adamson E12/E15) OAT Requirement for three days Tops - (L Acoustic K2/ D &B J Series / JBL VTX/ Adamson E12/E15) OAT Requirement for three days Liners (Hanging Line array tops)- (L Acoustic K2/ D&B J Series / JBL VTX/ Adamson E12/E15)—on 2 T - Truss (50 ft) scaffoldings, OAT requirement for 3 days Side Fill (RCF/ audio centre/JBL SRX) OAT Requirement for three days Cordless Mics OAT Requirement for three days 16 Each 3 Cordless Mics OAT Requirement for three days 16 Each 3 Cordless Mics OAT Requirement for three days 17 Each 18 Each 19 Ea

Past Experience details

Name of the organization	Name of Contact Person	Contact No.	Copy of Purchase Order (Page no.)
	1 (13011		(i age no.)

Note: Without submission of relevant Purchase orders, experience will not be considered.

Signature of Bidder Name:
Designation:
Organization Name:
Contact No.:

<< Organization Letter Head >> DECLARATION SHEET

We,	hereby certify that all the information and
, ,	rd to these tender specifications are true and complete rough the specifications, conditions and stipulations in ments and intent of specification.
	nization has not been Black Listed/De Listed or put to vt. Department/ Public Sector Undertaking in the last
Signature of theTenderer) Name:	
Seal of the Company	

percentage)

DECLARATION OF LOCAL CONTENT

[For Local Content of Products, Services or Works]

(To be given on Company Letter Head – For tender value below Rs.10 Crores) (To be given by Statutory Auditor/Cost Auditor/Cost Accountant/CA for tender value above Rs.10 Crores)

To, The	Regist	arMNIT Jaipur		
Subject:	Declar	ntion of Local Content		
Tender	referen	ee No	_	
1. 2.	With No. I Indu	try of Origin of Goods being offered:	19-07-2024 read winistry of Commerce ease tick the correc	e and
	•	Class II local supplier – has local content ≥ 20% but < 50%. Local cont (name of location).	_ (name of location tents added at	ı).
	•	Non-local supplier – has local content < 20%. Local contents added a	t _(name of location).	
3.	Deta	ls of value addition in India:		
	Sr.	Particulars	Content	(In

4. Certificate from OEM for Country of Origin has been attached (mandatory if bidder is reseller) (Strike down if not applicable).

Addition of indigenous items (manufactured in India) inclusive of taxes

Addition of Locally sourced imported items inclusive of taxes

License/Royalty paid/Technical expertise etc.

No.

1 2

3

5. We are solely responsible for the above mentioned declaration in respect of category of supplier. False declarations will be in breach of the Code of Integrity under Rule 175(1)(i)(h) of the General Financial Rules for which we may be debarred for up to 2 years as per Rule 151(iii) of the General Financial Rules along with such other actions as may be permissible under law.

Signature of BidderName:
Designation: Organization Name: Contact No.:

PERFORMANCE BANK GUARANTEE

(To be executed on Stamp Paper of Rs. 100/- or such higher value as per the Stamp Act of the State in which the Guarantee is issued. Stamp Paper should be in the name of the Bank Issuing the Guarantee.)

	BANK GUARANTEE NO. : DATED :
1.	Dear Sirs, THIS DEED OF GUARANTEE made on this
2.	AND WHEREAS as per clause
3.0	THIS DEED WITHNESSETH AND IT IS HEREBY AGREED AND DECLARED BY AND BETWEEN PARTIES HERETO AS FOLLOWS:
3.1	The Bank hereby guarantees to the MNIT, Jaipur that the equipment / service contracted are capable of performing the work as demanded by the MNIT, Jaipur. In the event of equipment / service failing to perform to the satisfaction of the MNIT, Jaipur, which shall be final and conclusive of the factum of non-performance, the Bank shall indemnify and keep the indemnified to the extent of of P.O. Value i.e. Rs (Rupees
3.2	In consideration of the aforesaid premise and at the request of the supplier, we the Bank hereby irrevocably and unconditionally guarantee that the supplier shall perform in an orderly manner their contractual obligations in accordance with the terms and conditions set forth in the Purchase order dated
3.3	The guarantee herein shall remain in full force for a period of two months beyond the warranty period from the date of certification by the MNIT, Jaipur of successful installation and commissioning of the equipment/ service contracted. Date of start of warranty period will be notified by MNIT, Jaipur to the Bank.

3.5 The Bank further agrees that the guarantee herein shall remain in full force during the pendency of aforesaid period mentioned in Clause 3.3 above and also any extension of the guarantee which has been provided by the Bank for this purpose beyond the aforesaid period provided, further, that if any claim accrues or against the Bank by virtue of this guarantee, should be lodged with us within a period of 60 days from the date of expiry of the guarantee period.

3.4 The decision of the MNIT, Jaipur regarding the liability of the Bank under the guarantee and the amount payable there under shall be final and conclusive and binding on us without question. The Bank shall pay forthwith the amount

demanded by the MNIT, Jaipur not withstanding any dispute, if any, between the MNIT, Jaipur and the supplier.

- 3.6 This Guarantee shall not be affected by any change in constitution of the supplier, MNIT, Jaipur or us not shall it be affected by any change in constitution or by any amalgamation or absorption or reconstruction thereof otherwise, but will ensure for and be available to and endorsable by the absorbing amalgamated company or concern.
- 3.7 The MNIT, Jaipur has the fullest liberty without affecting the guarantee to postpone at any time or from time any of the powers exercisable by it against the supplier, either to enforce or forbear the clause governing guarantee in the terms and conditions of the said contract and Bank shall not be released from its liabilities under the guarantee by any matter referred to or by reason of time being given to the supplier or any other forbearance, act or omission on the part of the MNIT, Jaipur or any material or things whatsoever which under the law relating to sureties shall but for the provisions hereof have the effect of so releasing the Bank from its liabilities.
- 3.8 We further agree that the MNIT, Jaipur shall have the fullest liberty without affecting in any way our obligations hereunder with or without our consent or knowledge to vary any of the terms and conditions of the said contract or to extend the time of delivery from time to time.
- 3.9 The Bank undertakes not to revoke this guarantee during its currency except with the previous consent in writing of the MNIT, Jaipur.
- 3.10 We further agree that in order to give full effect to the guarantee herein contained MNIT, Jaipur shall be entitled to act as if we were its principal debtors in respect of its claim against the Supplier hereby guaranteed by us as aforesaid and we hereby expressly waive all our rights of suretyship and other rights if any which are in any way inconsistent with the above provision of this Guarantee.

Notwithstanding	anything	herein	before,	liability	of	the	Bank	under	this	guarantee	is	restricted	to	Rs.
	(Rupee	s							c	nly) and it w	ıill r	emain in fo	rce ı	up to
the period specifi	ed in Claus	e 3.3 un	less a suit	to enfor	ce a	ny cla	aim und	der the (Guara	ntee is filed	aga	inst the Bar	ık be	efore
the period specifi	ed in Claus	se 3.4. A	ll your rig	ghts unde	r th	is Gu	arante	e shall b	e for	feited and v	ve s	hall be relie	evec	d and
discharged from a	all liabilities	thereu	nder.											

COUNTERSIGNED

Signature : Signature :

Name : Name :

Designation : Designation :

Organization : Organization :

	Tech Rider							
S. No.	Particulars	Quantity	Units					
	DAY 1							
1	Digital Mixer -SD 10 or S6L	1	Job					
2	Professional Band Setup	1	Job					
3	IEM (5 Pairs)-Sennheiser	5	Each					
4	Console for Control	1	Job					
5	Professional Drum Kit (Pearl)	1	Job					
	DAY 2							
5	Digital Mixer -SD 10 or S6L	1	Job					
6	DJ Console Nexus 2000	1	Job					

Light Rider					
S. No.	Particulars	Quantity	Units		
	DAY 1 and DAY 2 (per day req.)				
1	LED Light box (PAR RGB 54*3 W)	36	Each		
2	LED Light Strobe	12	Each		
3	Moving Head Wash	24	Each		
4	Hybrid Moving Head	24	Each		
5	Bom White Light	8	Each		
6	Sharpy- stand 10R, lamp 28w	18	Each		
7	Blinder (4*4) LED	8	Each		
8	Controller - Grand MA or Equivalent	1	Job		
9	Follow Spot Stand 7R/10R,Lamp 280W	1	Each		

SFX Rider					
S. No.	Particulars	Quantity	Units		
	DAY 1 and DAY 2 (per day req.)				
1	Smoke Machine	4	Each		
2	Haze Machine	2	Each		
3	Blowers	4	Each		
4	CO2 Jets with 90 kg food grade gas cylinders each	6	Each		
5	Comets (5*4 cues)	20	Each		
6	Mines (5*4 cues)	20	Each		

DAY--3 TECH RIDER

- A box truss is mandatory for the show. We recommend a 6-pillar truss to meet the design. All staging & trussing plans MUST be approved by a Production Head. This is MANDATORY.
- All power & signal cables must run through cable jackets or be dug inside the ground. Open cables & junction boxes are NOT ACCEPTABLE.
- 6 ABC type fire extinguishers must be present in front of SFX Stage or Riser

CLEAR COMMS

- 1 clear com's (front of house Follow Spot)
- 3 clear com's front of house console.
- 1 clear com's house technician
- 2 clear com's in SFX pit

A minimum 3/4 way FOH stereo speaker system must be provided with sufficient power to evenly cover the entire venue and reach a minimum of 105dB till Mix position. The main line array speaker system should be flown and must completely cover all audience areas. Flown infill /out fill speakers and on- deck front fill speakers should be deployed to cover areas not in the main system coverage area. Sub bass can be a mixture of flown and stacked. If ARTIST show is outdoors, delay towers with appropriate numbers of speakers, MUST be provided.

The system must be of professional quality, all in phase and in perfect working order. There will be no tolerance for any hiss, buzz, hums, clicks, and pops in any audio system. Once the equipment has been sound checked, it is not to be removed, changed or struck until after the performance is over.

The sound and lights must be fully operational prior to the band load in time. No microphones, microphone stands/holders and cables are removed for support act without prior knowledge of the band's tech team.

If there is a dance floor there should be a minimum of 6 subs and 6 tops to cover the dance floor Ideally the Dance floor should start ahead of the PA system

MAIN PA (Systems in order of preference)

L'Acoustics K1 + SB28 subs/L'Acoustics K2 + SB28 subs (IF INDOOR - K3 / KARA)

D&B Audiotechnik GSL KSL J, SL series with SL subs. (IF INDOOR V-SERIES)

Adamson E15 (IF INDOORS - E12)

We require 08 STAGE MONITORS/FRONT FILLS, ON STAGE lip, must be in a position to cover the first few rows of audience (or dance floor).

CENTRE SUBS

The centre subs should be on a separate matrix or sub group. These should be time aligned to the main system. (TO BE DECIDED ACCORDING TO THE VENUE)

DRUM SUBS

Drummer requires 2 numbers of 18" subs alongside his wedges.

MIXING CONSOLES

FOH Console:

Needed with Waves Soundgrid Server and I/O, external Word Clock Minimum 64inputs/24Aux/8VCA (in order of preference)

DIGICO SD5, SD7 or SD10 (No SD12 Please)

DIGICO Quantum 338

With SD Racks Only

Monitor Console:

DIGICO SD5, SD7 or SD10 (No SD12 Please)

With SD Racks Only

NOTE: NO ANALOG SPLITER WILL BE USED, WE NEED SAME MAKE CONSOLE FOR FOH AND MON. COMMON STAGE RACK HAS TO BE USED FOR FOH AND MON.

Please supply a shout system comprising 1 x powered speaker at FOH and 1 x powered speaker at MON with a switch microphone at each end that is routed through stage racks.

STAGE MONITORS

We require 6 nos. Stage Monitors (in order of preference)

L'Acoustics 115XT

D&B Max 2/M4

Martin LE1500

SIDE FILLS

1 pair of full range side fills with factory paired subs to cover the width of stage. (In Case of supporting acts or family performances)

IEMS

18 x Sennheiser 2000 Series In-Ear Monitors with SR 2050 IEM - Dual Channel Transmitter and EK 2000 IEM -

Bodypack Receiver

We will require 20x belt packs

We will be carrying our own earpieces, but please keep some spare earpieces.

Note: STRICTLY No Shure IEMs Please

BACKLINE REQUIRED (Exact details with models numbers is mentioned in the respective section of backline)

1x DRUM KIT WITH CYMBALS

4x KEYBOARDS

2x DOUBLE TIER KEYBOARD STANDS

1x SPIDER PRO BLACK KEYBOARD STANDS

5x SINGLE TIER KEYBOARD STANDS

1x KEYBOARD BENCH / DRUM THRONE

2x GUITAR STANDS

1x BASS GUITAR STAND

4x NOTATION STANDS

1x LAPTOP STAND

1x DRUM SHEILD

2x ARMLESS CHAIRS

A. DRUM KIT (Need to be installed on a steady carpeted riser)

Drum Kit Pearl Reference ONLY

22 x 18 Bass Drum with Evans GMAD Heavyweight Bass Batter head

10 x 8 Tom 1 Evans EC2 Clear head

12 x 8 Tom 2 Evans EC2 Clear head

16 x 16 Floor Tom 1 Evans EC2 Clear head

18 x 16 Floor Tom 2 Evans EC2 Clear head

14 x 6.5 Pearl Reference Snare Drum with Evans Heavyweight head

10 x 6.5 Pearl Picolo Snare Drum with Evans Heavyweight head

8 Pearl Cymbal Boom Stands with 2 felts on each stand

1 Pearl Hi hats Stand

1 Pearl Red Eliminator Double Drum Pedal

1 Roc & Soc Drum Throne

Zildjian Cymbals Requirement

22" K Custom Ride

18" K Sweet Crash

19" K Sweet Crash

18" Oriental China OR A Custom China

14" A Custom EFX 14" Oriental China

14" K Sweet Hi-Hats OR A Custom Hi-Hats

10" K Splash

10" Oriental Splash

2x Drum Sub 18" (D&B)

1x 9watt Battery & EP cable for Metronome

4x AA Batteries for Drum Trigger

1x Notation Stand

1x K&M 19900 Telescoping Mic Stand

3x DI BOXES

NOTE: ONLY EARTHWORKS AND TELEFUNKEN MIC'S WILL BE USED.

PLEASE INCLUDE A 6 FT WIDE BY 5-1/2 FT HIGH CLEAR ACRYLIC DRUM SHIELD.

B. GUITARIST

1x EL Guitar Stand

1x Acoustic Guitar Stand

4x ¹/₄" GTR CABLES.

220V power supply (or step up transformer)

3x DI Boxes

C. KEYBOARDS (Need to be installed on a steady carpeted riser)

1x Yamaha Montage 8 (with updated to latest version)

1x Yamaha Motif XF7 (ONLY)

1x Yamaha Montage 6

1x Yamaha Montage 7 (with updated to latest version)

4x Yamaha FC4 Sustain Pedals ONLY

2x Hercules KS210B X Type Double Keyboard Stands

1x K&M Spider Pro Black Keyboard Stands (ONLY)

3x Hercules KS110B X Type Single Keyboard Stands

4x K&M 19900 Telescoping Mic Stand

1x Hercules KB200B Keyboard Bench OR Roc &Soc/Pearl Roadster D2500/D2500BR Drum Throne 1x K&M 12150

Laptop Stand

6x MONO DI Boxes OR 3x STEREO DI Boxes

D. BASS

Amplifier: EBS Fafner 2 / TD660

Cabinet: Proline 8x10 / Proline 6x10 Bass OR Amplifier: AMPEG SVT 4Pro (ONLY)

Cabinet: 810E 1x Notation Stand 1x Bass Guitar Stand

1x K&M 19900 Telescoping Mic Stand

1x K&M 25950 Floor Mic Stand

1x Shure SM57

1x DI Box

E. INDIAN PERCUSSION (Need to be installed on a steady carpeted riser)

- 2x Shure SM 57
- 2x Shure SM 58
- 1x Shure SM 81
- 2x Sennheiser 908
- 2x Sennheiser EM 300/500 receiver
- 2x Sennheiser SK 300/500 belt pack transmitters
- 1x K&M 19900 Telescoping Mic Stand
- 2x K&M 25950 Floor Mic Stand

F. FLUTE

- 1x Shure Beta57
- 1x K&M 19900 Telescoping Mic Stand
- 1x Hercules KS110B X Type Single Keyboard Stand
- 1x Notation Stand

G. BACKING VOCALS WITH FOLK MUSICIANS (Need to be installed on a steady carpeted riser)

5x Wired Dynamic Mics (Shure Beta 58)

5x K&M 25950 Floor Mic Stand

H. VOCALS

6x Handheld Wireless Microphones Required

Sennheiser Digital 6000 Series Wireless Mic

SKM 6000 (Handheld Transmitter) with MM-445 Capsule

SK 6000 (Bodypack Transmitter)

EM 6000 Dante EU - Dual Channel Receiver

OR

Shure Axient Digital AD2 with KSM8/SM58 Capsule with Receivers and requisite Antenna Distribution and Dipole antennae.

3x K&M 19900 Telescoping Mic Stand

Artist's Mic

1x Headset Microphone Required

Sennheiser HSP4-3

EM 6000 Dante EU - Dual Channel Receiver

OR

Shure WH20 TQG with Belt Pack Transmitter and ULXD/ AXT400 Receiver

STAGE MONITORS/AUXILIARY ASSIGNMENTS

- Aux. 1/2- BASS GTR IEM STEREO
- Aux. 3/4- DRUM IEM STEREO
- Aux. 5/6- GUITAR IEM STEREO
- Aux. 7/8- KEYBOARD IEM STEREO
- Aux. 9/10- INDIAN PERCS IEM
- Aux. 11/12- FLUTE IEM
- Aux. 13/14— Artist IEM STEREO
- Aux. 15/16- Co-Artist IEM STEREO
- Aux. 17/18- Artist Mate IEM STEREO
- Aux. 19/20- MALE IEM STEREO
- Aux. 21/22- FEMALE IEM STEREO
- Aux. 23/24- GUEST IEM
- Aux. 25/26- CUE IEM
- Aux. 27- DRUMMER SUB
- Aux. 28- SIDE FILLS
- Aux. 29- VOCAL WEDGE 4xWEDGES

Aux. 30- Folk Musicians IEMS SATAR (1 x Beltpack)

Aux. 31 - Folk Musicians IEMS HABIB (1 x Beltpack)

Aux. 32- Folk Musicians IEM FEROZ (1x Beltpack)

Aux. 33- Folk Musicians IEM Male Vocal (1x Beltpack)

NOTE: All the monitor wedges have to be of the same type.

SIX LOCAL INPUTS OF MONITOR CONSOLE WILL BE USED FOR SHOUT (We carry the Hot Shot)

SHOUT1- ARTIST SHOUT to Local 1

SHOUT2- DRUMMER SHOUT to Local 2

SHOUT3- KEYBOARD SHOUT to Local 3

SHOUT4 - BASS SHOUT to Local 4

SHOUT5 - CO-ARTIST SHOUT to Local 5

SHOUT6 - PERC SHOUT to Local 6

Will Need 6 x K&M 19900 Telescoping Mic Stand

6 x Shure SM 58

NOTE: Need two XLR to Jack 10mtr Cable for Video Input on FOH Console.

One XLR to XLR 10mtr Cable from FOH Console to VJ Sound Card for Time Code.

Stage Rack Ch55 Monitor Talk


Stage Rack Ch56 FOH Talk.

CHANNEL LIST:

Channel	In ument	Microphone / DI	STAND / AMP	
1	Bass DI	Radial DI Box	AMPEG SVT4 PRO 810E	
2	Bass Mic	Shure SM57	SHORT MIC STAND	
3	EL Guitar	Radial DI Box	JACK TO JACK	
4	EL Guitar	Radial DI Box	JACK TO JACK	
5	Kick In	Shure Beta91A	2 x 18" SUB	
6	Kick Out	Audix D6	SHORT MIC STAND	
7	Snare Top	Shure SM57	SHORT MIC STAND	
8	Snare Bottom	Shure SM57	SHORT MIC STAND	
9	Hi Hats	Shure KSM137 or KSM32	SHORT MIC STAND	
10	Rack Tom 1	Sennheiser e904	CLIP ON	
11	Rack Tom 2	Sennheiser e904	CLIP ON	
12	Floor Tom 1	Sennheiser e904	CLIP ON	
13	Floor Tom 2	Sennheiser e904	CLIP ON	
14	OH Left	Shure KSM137 or KSM32	TALL MIC STAND	
15	OH :	Shure KSM137 or KSM32	TALL MIC STAND	
16	Drummer Click	Radial DI Box	EP TO JACK	
17	Kica mayyer	Radial DI Box	JACK TO JACK	
18	Snare Trigger	Radial DI Box	JACK TO JACK	
19	Dhol Chati	WIRELESS BETA98/E908	CLIP ON	
20	Dhol Baya	WIRELESS BETA98/E908	CLIP ON	
21	Dholak Chati	Shure SM57	SHORT MIC STAND	
22	Dholak Baya	Shure SM58	SHORT MIC STAND	
23	Perc Mic	Shure Beta81	TALL MIC STAND	
24	Flute	Shure Beta57	TALL STAND & KB STAND	
25	J Keysl Left	Radial DI Box		
26	J Keysl Right	Radial DI Box	DOUBLE KB STAND &	
27	J keys2 Left	Radial DI Box	LAPTOP STAND & TALL MIC STAND	
28	J Keys2 Right	Radial DI Box		
29	J Keys3 Left	Radial DI Box	2 x SINGLE KB STAND	
30	J Keys3 Right	Radial DI Box		
31	Keys Left	Radial DI Box	SPIDER KB STAND & SINGLE KB STAND	
32	Keys Right	Radial DI Box		
33	Vocoder Left	Radial DI Box		
34	Vocoder Right	Radial DI Box		
35	Spare HH	Wireless HH		
36	vereneous.	Wireless HH	TALL MIC STAND	
37	1	Wireless HH	TALL MIC STAND	
38	Male	Wireless HH	TALL MIC STAND	
39	Female	Wireless HH		
40		Wireless Headset Mic		

41	Drum	Radial DI Box	SINGLE KB STAND	
42	Drum	Radial DI Box		
43	AF Track			
44	AF Track			
45	AF VOC/BVS			
46	AF VOC/BVS		Separate 8 CHANNEL	
47	AF Horns		SNAKE at KB Player Location	
48	AF Horns			
49	AF Click			
50	Video Timecode			
51	MC1	Wireless HH		
52	MC2	Wireless HH		
53	Snare2 Top	Shure SM57	SHORT MIC STAND	
54	Snare2 Bottom	Shure SM57	SHORT MIC STAND	
55	Video	FOH Local 3 & 4	EP TO XLR/JACK	
56	Video	FOH Local 3 & 4	EP TO XLR	
57		Shure SM58	SHORT MIC STAND	
58		Shure SM58	SHORT MIC STAND	
59		Shure SM58	SHORT MIC STAND	
60	HARMONIUM	Shure SM58	SHORT MIC STAND	

STAGE PLOT:



LIGHT RIDER

- All equipment provided by the organizer must be in good condition. Lightings have to rigged and ready for programming a day prior of the event.
- Light Inventory is as per 48ft X 36ft stage area. Inventory will increase as per the stage size.
- Sound, Light & video console have to be at the same position. All wiring thought shall comply with most stringent of fire and safety codes. All Lighting fixtures should be of the same family. All units to come with the lamps, mounting hardware, safety, and color frames. NOTE: THE LIGHTING TECHNICIAN PROVIDED BY THE ORGANIZER SHOULD BE SKILLED.

LIGHTING DETAILS

- Hybrid Moving Head (Robe Mega Pointy / Martin MH7/Clay Paky Mythos 2) 40 Qty Moving Head Wash (Martin Mac Aura XB) - 40 Qty
- Special Effects (GLP Impression X4 Bar20 / Robe CycFX8/Magic Blade FX) Qty 24
- LED Strobe (Clay Paky Stormy CC / SGM P5) Qty 12
- Molefays 4way (Cuepix WW4) 8 Qty
- Led Battens RGBW (Elation) 24 Qty
- Haze Machine with Blowers (Smoke Factory Haze Tour II) 04 Qty
- Follow Spot 3k (with operator having clear comm) 01 Qty
- Grand MA 3 FULL SIZE or Avolite Arena (With Backup)

TRUSSING

- 4 or 6 pillar Box Truss needed as per the planned stage size.
- 1 Horizontal Center Bar
- 4 Truss Totems (4mtrs)
- 6 Truss Totems (2mtrs)
- ➤ Minimum 5mm pixel LED to be used. In outdoor setup, please ensure you provide Outdoor LED (IP65), waterproof. A maximum of 2 processors needs to be used for the setup. 1 HDMI Video Output required. Seamless Switcher with DVI Connectivity for main and backup VJ machine. All LED processors to be located at FOH
- ➤ 2 x 3-pin XLR to Jack cables of 10mtr to be supplied at FOH, and 1 x XLR to XLR 10mtr Cable. One connecting Audio desk with the Artist supplied Sound Card at VJ position.
- ➤ Video Input can be received via SDI or HDMI cables & Live Video can be mixed in with visuals where this is made available. Ideally the output should come though a Video Mixer in cases of a Multi Camera Setup. (the HDMI or SDI cable should be of sufficient length to reach the Visual Setup from the Video Mixer.)
- Power strip with surge protection, connected to a well-grounded power supply. Desk with minimum 1 meter of available space or equivalent console space. The console space should be next to the lighting & SFX Desk.

SFX RIDER

SFX / PYRO SPECIFICATIONS GENERAL

- Must be placed at front of stage and in pit between stage and barricade.
- SFX Console will be with FOH Console.
- All hardware will be on DMX.
- At Least 6 Fire Extinguishers for Safety.
- Different Stage to fix SFX of size 48ft X 4ft X 3ft ht
- SFX Vendors must have a clear comms or Radios for their proper communication.

SFX HARDWARE

- ALL x Hose/Cable/Wiring & Fire packs
- 08 x CO2 Power Jets with one 45Kg food grade of Co2 Gas Cylinders. (Magic FX Preferred)
- 04 x Compressed air powered Confetti launchers / power shots (Magic FX Preferred)
- 04 x Compressed air powered streamer launchers (Magic FX Preferred)

PYRO REQUIREMENTS

- 06 x Flamaniacs (Magic FX Preferred) or 10 x G Flame
- 08 x Sparkulars (With 3 Minutes Granules)
- 8 x 4 cues 8 mtr Stage Mines (Red / Golden / Green / Blue)
- 8 x 4 cues 8 mtr Stage Comets (Red / Golden / Green / Blue)
- 8 x 4 cues 10 mtr Stage Gerb

CONSUMABLE REQUIREMENTS

- 20kg x Red / White / Multi Colour Paper Rounds
- 69 x 10mtr x 5cm Arena Streamers Sleeves

GAS REQUIREMENTS

• 24 x 45kg food grade CO2 Gas Cylinder